



DATE: March 11, 2013

TO: All Offerors

FROM: Gaurang P. Pathak
 Manager of Financial Services/Internal Control

SUBJECT: ADDENDUM TO ITB
 CONTRACT NO. CSD-2013-10 (CHR1310-FoodServiceEquip)

**FOOD SERVICE EQUIPMENT FOR CHILD NUTRITION SERVICES
 ADDENDUM #1 Correction in ITB Document**

Please Note:

Page 27, 28 & 29 of the ITB document under the heading “Christina School District – FOOD SERVICE EQUIPMENT FOR CHILD NUTRITION SERVICES LIST” is Replaced with the following revised list (revisions highlighted):

FOOD SERVICE EQUIPMENT FOR CHILD NUTRITION SERVICES LIST (Revised)

ITEM#	SPECIFICATIONS	QTY	ITEM COST	DELIVERY COST	TOTAL COST
1.	<p><u>Blodgett Single Combination Oven, Model No. BCX-14G(Or Approved Equal)</u></p> <ul style="list-style-type: none"> • Natural Gas • Stainless steel exterior, dual pane tempered viewing window • Steam on demand • Multi speed reversing fan • Electronic spark ignition • Capacity: 7 – 18” x 26” deep pans at 3-1/4” spacing • Retractable hose reel • 24 inch legs with casters • Temperature probe • One year parts and labor warranty • Delimiting bottle for oven cleaning • Dimensions: 42.30” x 40.19 x 36.16” 	3			

2.	<p><u>Cleveland 24CEA10: SteamCraft Ultra 10 with electric generator</u></p> <p>TWO COMPARTMENT FLOOR MODEL DESIGN PRESSURELESS CONVECTION STEAMER, TWIN ELECTRIC STEAM GENERATORS, 16 KW EACH</p> <ul style="list-style-type: none"> • Cleveland, Two Compartment Convection Steamer, Series SteamCraft 10, Model 24-CEA-10, Twin Electric Atmospheric Steam Generator, 32 KW input. Remote Probe Type Water Level Controls. Steam Generator with Automatic Water Fill on start up. Automatic Generator Blowdown, Two each 16.5 KW Fire Bar Heating Elements. Choice of Compartment Controls, Manual By Pass Operation Mode, Compensating Thermostat, Exclusive Cold Water Condenser design, Type 430 Stainless Steel exterior and cooking compartments. 	1			
3.	<p><u>Cleveland SteamChef 6, Model No. (2) 22CGT66.1 Boilerless Gas Convection Steamer(Or Approved Equal</u></p> <ul style="list-style-type: none"> • Cooking Capacity: 6 – 12"x20"x2.5" steam table pans • Fan forced convection steam • Automatic water level control • Automatic Drain Control • On-Demand power control for faster heat up • Stainless steel compartment door and latch • Electro-Mechanical Timer, Timed and manual bypass switch • 40" high equipment stand • 32,00 BTU per compartment high efficiency atmospheric gas boilerless style heating system • Dimensions: 74.31x25.5x38.93 • One year parts and labor warranty 	3			
4.	<p><u>Cleveland LEG Type, Gas Fired Kettle, Tilting, 2/3 Steam Jacketed 40 gal. Model No. KGL-40-TSH(Or Approved Equal)</u></p> <ul style="list-style-type: none"> • High Efficiency Power Burner Heating System (62% - 65% efficiency) • Insulated Heat Exchanger • Automatic Ignition • Steam Jacket permanently filled with treated, distilled water so no venting required • Front Mounted Pressure/Vacuum Gauge • Type 304 Stainless steel • Tilt mechanism • 50 psi Steam Jacket rating and safety valve • Standard 115 volts, 60 Hz, single phase with supplied cord and plug • One year parts and labor warranty 	1			

5.	<p><u>Cleveland Short Series, Tilting Full Steam Jacketed Electric Kettle 40 gal Model No. KEL-40-TSH(or Approved Equal)</u></p> <ul style="list-style-type: none"> • Steam Jacket permanently filled with treated, distilled water so no venting required • Accurat, constant solid state temperature controls • Type 304 Stainless steel • Tilt mechanism • 50 psi Steam Jacket rating and safety valve • One year parts and labor warranty • 208V 3 Phase 68.1 Amp 	1			
6.	<p><u>Traulsen 77" Refrigerator G Series, Model No. G30010 Self Contained, 3 Section with 3 Solid Doors(Or Approved Equal)</u></p> <ul style="list-style-type: none"> • Reach-in, three-section • microprocessor control • 69.1 Cubic Feet • full height stainless steel doors (hinged left/right/right) • 9 epoxy coated shelves per section • One year parts and labor warranty 	1			
7.	<p><u>Continental Designer line Roll Thru Warmer, Model# DL1WI-SS(Or Approved Equal)</u></p> <ul style="list-style-type: none"> • Circulating fan and Humidity Relief Vent • Stainless steel front, Aluminum Ends & Interior • 2 Self-Closing Doors • Automatic Interior Lighting • 1 Rack including wheels 27" x 29" x 66 ¼" • Exterior Digital Thermometer & Thermostat Control • 208 V • 7.8 Amp • Dimensions: 35-1/4 x 39 x 32 • One year parts and labor warranty 	1			
8.	<p><u>Traulsen 77" Freezer G Series, Model No. G31310(Or Approved Equal) Self Contained, 3 Section with 3 Solid Doors(Or Approved Equal)</u></p> <ul style="list-style-type: none"> • Reach-in, three-section • microprocessor control • 69.1 Cubic Feet • full height stainless steel doors (hinged left/right/right) • 9 epoxy coated shelves per section • One year parts and labor warranty 	1			

9.	<p><u>True 30" Glass Sided Vertical Air Curtain Merchandizer, Model TAC-14GS(Or Approved Equal)</u></p> <ul style="list-style-type: none"> • 13.9 Amps, 60 Hz, 115 Volts • Compressor located on bottom • 34 Cubic Feet • 4 Shelves • One year parts and labor warranty 	2			
10.	<p><u>Everpure, KleenSteam II Single, Model No.EV979721A Water Filtration System(Or Approved Equal)</u></p> <ul style="list-style-type: none"> • Must reduce chlorine-induced erosion • Deliver high quality filtered water with scale inhibition and deliming capabilities • Fine filter water to improve the performance, maximize energy efficiency to increase life of the steam equipment • Must be compatible with ordered steamers and combi ovens 	8			
11.	<p><u>Blodgett DFG100 Double Deck Standard Depth Gas Oven Model No. DFG100 (Or Approved Equal)</u></p> <ul style="list-style-type: none"> •Convection Oven •Natural Gas •Double Deck •Solid State Manual Controls •2-Speed Fan 	1			