




# **COVERWORX**

*Recreational Architecture*

QUALITY PREFABRICATED STRUCTURES SINCE 1987  
A Division of Ross & Barr, Inc.

.....  
Covering Your Needs With  
**Versatility & Value.**  
.....



# COVERWORX

## THE COVERWORX STORY



**Coverworx Recreational Architecture** is an exciting and fun division of Ross and Barr, Inc., established with pride in Warren, MI in 1987. For more than three decades, the Ross and Barr, Inc's strict mission of putting the customer first coupled with dedication to hard work and attention to structure detail has resulted in our Coverworx Recreational Architecture division.

By succeeding at our initial mission to be a national leader in providing quality prefabricated carports across the country, we have now focused on expanding our talents and experience towards broadening our customer base and market focus. The products now produced with our Coverworx division truly show the unmatched design capabilities and unlimited options available to our loyal customers.

Our talented and experienced Coverworx team is committed to providing customers with quality, affordable prefabricated products in a timely manner. We pride ourselves in providing custom designs no matter how outrageous the concept. Solar lighting options, Full Soffit roofing, and nationwide installation are just a few of the offerings that have set Coverworx not just apart from, but ahead of the rest!

**LOOK FOR THE COVERWORX QUALITY PLATE ON ALL OF OUR STRUCTURES!**

TABLE OF CONTENTS

COVERWORX



### STEELWORX ..... PAGE 4-21, 27

Gables (4-7), Crossing Shelters (8), Dodecagons (9), Hips (10-11), Cantilevered (12-13), Octagons (14-15), Hexagons (16-17), Squares (18-19), Pergolas & Arbors (20), Kiosks (21), Carports (27)



### WOODWORX ..... PAGE 22-23

Glue Laminated Arch, Straight and Wave Beam Shelters



### OPTIONS/UPGRADES ..... PAGE 24-26

Metal Roof Options, Eave, Cupolas, Vented Roof, Railings, Columns



### WORXEXTRAS ..... PAGE 28-29

Site Furnishings: Picnic Tables, Benches, Grills, Bike Racks, Receptacles

# GABLES

## OPEN END CANOPIES


STEELWORX

Coverworx AWS certified welders and craftsmen carefully handcraft tubular steel framework to the highest industry quality standards utilizing a free-span design without the need for exposed fasteners, open truss members and no possibility for bird nesting. All shelters come ready to assemble with no cutting, welding, or painting required.

Standard finish is comprised of a sand blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors (see page 31). Roofing provided is a pre-cut high quality 24 gauge steel panel, and is offered in a variety of colors and profiles (see metal roof options on page 24).

Steelworx Gables are available in many different styles as shown on this and the next page. A gable canopy is the most economical way to provide shelter.

FOR OTHER AVAILABLE OPTIONS, SEE PAGE 24-26.



BASIC GABLE



SPLIT-TOP GABLE



VENTED GABLE



2-POST GABLE



GA-4060-SW-VT w/ Oversized Columns



GA-3050-SW-ST



GA-2434-SW



GA-1010-SW-2P-T w/ Pressure Treated Pine Table



GA-2030-SW-VT w/ Vented Roof Option



GA-2070-SW

# GABLES

## OPEN END CANOPIES

STEELWORX

Coverworx AWS certified welders and craftsmen carefully handcraft tubular steel framework to the highest industry quality standards utilizing a free-span design without the need for exposed fasteners, open truss members and no possibility for bird nesting. All shelters come ready to assemble with no cutting, welding, or painting required.

Standard finish is comprised of a sand blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors (see page 31). Roofing provided is a pre-cut high quality 24 gauge steel panel, and is offered in a variety of colors and profiles (see metal roof options on page 24).

Steelworx Gables can also provide a unique shelter as seen with these gable designs. Have a different idea for a Sunburst or Architectural End? We specialize in creating custom designs.

FOR OTHER AVAILABLE OPTIONS, SEE PAGE 24-26.



DOWNCURVE GABLE



RECESSED GABLE



SUNBURST GABLE



ARCHITECTURAL  
END GABLE



SBGA-3060-SW-812 w/ Sunburst Ends and 8:12 Pitch  
(Masonry surrounds by others)



RGA-2032-SW w/ Recessed Gable Design



DCGA-3035-SW w/ Downcurve Design and 12' Eave Height



SBGA-2828-SW-TG w/ Suburst Ends and T&G Roof Deck (Masonry surrounds and clay tile roof by others)  
CRESTA BELLA PROJECT - SAN ANTONIO, TX. ARCHITECT - TBG PARTNERS (SAN ANTONIO, TX)



AEGA-1616-SW w/ Architectural Ends

# CROSSING →

## SHELTERS

STEELWORX

Coverworx AWS certified welders and craftsmen carefully handcraft tubular steel framework to the highest industry quality standards utilizing a free-span design without the need for exposed fasteners, open truss members and no possibility for bird nesting. All shelters come ready to assemble with no cutting, welding, or painting required.

Standard finish is comprised of a sand blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors (see page 31). Roofing provided is a pre-cut high quality 24 gauge steel panel, and is offered in a variety of colors and profiles (see metal roof options on page 24).

**Steelworx Crossing Shelters** can be arranged in a variety of ways to transform a basic gable or hip shelter into a dynamic centerpiece for your site. Choose from the standards shown here or mix and match gable and hip ends. Other possibilities include adding Sunburst or Architectural End Gables (see photos).

**FOR OTHER AVAILABLE OPTIONS, SEE PAGE 24-26.**



CROSSING GABLE



CROSSING T GABLE



CROSSING HIP



CROSSING T HIP



# DODECAGONS

## 12-SIDED CANOPIES



SINGLE POST DODECAGON



STANDARD DODECAGON



VENTED DODECAGON

STEELWORX

Coverworx AWS certified welders and craftsmen carefully handcraft tubular steel framework to the highest industry quality standards utilizing a free-span design without the need for exposed fasteners, open truss members and no possibility for bird nesting. All shelters come ready to assemble with no cutting, welding, or painting required.

Standard finish is comprised of a sand blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors (see page 31). Roofing provided is a pre-cut high quality 24 gauge steel panel, and is offered in a variety of colors and profiles (see metal roof options on page 24).

**Steelworx Dodecagons** are most commonly used to cover large areas, and with 12 sides they give the impression of being almost round.

**FOR OTHER AVAILABLE OPTIONS, SEE PAGE 24-26.**

# HIPS

## CLOSED END CANOPIES

STEELWORX

Coverworx AWS certified welders and craftsmen carefully handcraft tubular steel framework to the highest industry quality standards utilizing a free-span design without the need for exposed fasteners, open truss members and no possibility for bird nesting. All shelters come ready to assemble with no cutting, welding, or painting required.

Standard finish is comprised of a sand blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors (see page 31). Roofing provided is a pre-cut high quality 24 gauge steel panel, and is offered in a variety of colors and profiles (see metal roof options on page 24).

**Steelworx Hips** provide a little more shelter than a gable canopy while using a similar column layout and roof area. These canopies are great when a more finished look is needed.

**FOR OTHER AVAILABLE OPTIONS, SEE PAGE 24-26.**



STANDARD HIP



2-POST HIP



VENTED HIP



HP-2024-SW



HP-1624-SW-VT Vented Top Design, Overhead Lattice, and Square Steel Cupola



HP-2434-SW w/ Tapered Columns Option



HP-1624-SW



HP-2030-SW-VT w/ Vented Top Design

# CANTILEVERED, MONOSLOPES & DUGOUTS

## OPEN SIDED CANOPIES

**STEELWORX**

Coverworx AWS certified welders and craftsmen carefully handcraft tubular steel framework to the highest industry quality standards utilizing a free-span design without the need for exposed fasteners, open truss members and no possibility for bird nesting. All shelters come ready to assemble with no cutting, welding, or painting required.

Standard finish is comprised of a sand blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors (see page 31). Roofing provided is a pre-cut high quality 24 gauge steel panel, and is offered in a variety of colors and profiles (see metal roof options on page 24).

**Steelworx Cantilever & Monoslope** shelters are ideal for sites without the extra space for a lot columns. Columns can be located at one side, in the middle or at each corner. These canopies work great as dugout and bleacher shelters.

**FOR OTHER AVAILABLE OPTIONS, SEE PAGE 24-26.**




CANTILEVER DUGOUT



CENTER POST DUGOUT



5 POST DUGOUT



CANTILEVER LARGE



CANTILEVER



CURVED CANTILEVER



RADIUS CANTILEVER



CC-1010-SW-2P



CD-1212-SW w/ Custom 12' length



CPD-0816-SW w/ Center Post Dugout Design



HP-1028-SW-4P



BC-1880-SW w/ Bleacher Cover 18' Back Eave Height w/ custom MegaRib roofing and front edging

# OCTAGONS

## 8-SIDED CANOPIES

STEELWORX

Coverworx AWS certified welders and craftsmen carefully handcraft tubular steel framework to the highest industry quality standards utilizing a free-span design without the need for exposed fasteners, open truss members and no possibility for bird nesting. All shelters come ready to assemble with no cutting, welding, or painting required.

Standard finish is comprised of a sand blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors (see page 31). Roofing provided is a pre-cut high quality 24 gauge steel panel, and is offered in a variety of colors and profiles (see metal roof options on page 24).

**Steelworx Octagons** provide a very decorative and elegant looking canopy. They have a timeless appeal that works well with any site.

**FOR OTHER AVAILABLE OPTIONS, SEE PAGE 24-26.**



STANDARD OCTAGON



VENTED OCTAGON



STRETCHED OCTAGON



STRETCHED VENTED OCTAGON



SINGLE POST OCTAGON




TWO POST OCTAGON



OC-36-SW



OC-28-SW



OC-44-SW-VT w/ Vented Top Design



OC-40-SW

# HEXAGONS

## 6-SIDED CANOPIES

STEELWORX

Coverworx AWS certified welders and craftsmen carefully handcraft tubular steel framework to the highest industry quality standards utilizing a free-span design without the need for exposed fasteners, open truss members and no possibility for bird nesting. All shelters come ready to assemble with no cutting, welding, or painting required.

Standard finish is comprised of a sand blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors (see page 31). Roofing provided is a pre-cut high quality 24 gauge steel panel, and is offered in a variety of colors and profiles (see metal roof options on page 24).

Steelworx Hexagons provide the same elegance and timelessness of an octagon canopy with the benefit of having two less columns.

FOR OTHER AVAILABLE OPTIONS, SEE PAGE 24-26.



STANDARD HEXAGON



VENTED HEXAGON



STRETCHED HEXAGON



STRETCHED VENTED HEXAGON



DOUBLE PITCH HEXAGON



SINGLE POST HEXAGON



TWO POST HEXAGON



HX-24-SW-DP w/ Hex Stell Cupola



HX-32-SW-VT w/ Vented Top Design & Overhead Lattice



HX-36-SW-VT w/ MAX Column Design, Circle Pattern Overhead Lattice & Round Banded Columns



HX-20-SW w/ Hot Dipped Galvanized Frame



HX-10-SW-DP w/ Double Pitch and MAX Column Design w/ Round Columns & Hex Steel Cupola

ADDISON COMMUNITY GARDEN GAZEBO, ADDISON, TX (ARCHITECT - SJPLA DESIGN)

# SQUARES

## 4-SIDED CANOPIES

STEELWORX

Coverworx AWS certified welders and craftsmen carefully handcraft tubular steel framework to the highest industry quality standards utilizing a free-span design without the need for exposed fasteners, open truss members and no possibility for bird nesting. All shelters come ready to assemble with no cutting, welding, or painting required.

Standard finish is comprised of a sand blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors (see page 31). Roofing provided is a pre-cut high quality 24 gauge steel panel, and is offered in a variety of colors and profiles (see metal roof options on page 24).

**Steelworx Squares** feature the look of a hip canopy with the added appeal of having four equal sides and a single peak. Larger square canopies will require additional columns around the perimeter.

**FOR OTHER AVAILABLE OPTIONS, SEE PAGE 24-26.**




STANDARD SQUARE



VENTED SQUARE



SINGLE POST SQUARE



2-POST SQUARE



SQ-20-SW-VT w/ Vented Top Design, Overhead Lattice & WORX Columns



SQ-20-SW



SQ-16-SW



SW-12-SW-2P w/ 2-Post Design



SQ-20-SW-VT w/ Vented Top Design, Square Overhead Lattice (Both Tiers), Custom Worx Columns & Custom 3' 6" Overhang



SQ-24-SW-SS w/ Standing Seam Roofing Upgrade



SQ-28-SW

# PERGOLAS & ARBORS →

## OPEN AIR STRUCTURES




STEELWORX

Coverworx AWS certified welders and craftsmen carefully handcraft tubular steel framework to the highest industry quality standards. All shelters come ready to assemble with no cutting, welding, or painting required. Standard finish is comprised of a sand blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors (see page 31).

**Steelworx Pergolas & Arbors** are custom in nature due to the unlimited placement of columns, supporting beams and lattice members. Pergolas and Arbors come standard with tubular steel members, but can also be combined with pressure treated wood beams and lattice.

**Entrance Frames** offer a focal point to a park's entrance. Using the latest technology in computer controlled machinery, park names, custom logos or decorative lattice can be cut from solid steel and added to enhance an entrance frame.

FOR OTHER AVAILABLE OPTIONS, SEE PAGE 24-26.



# KIOSKS

## INFORMATION CENTERS





**WGA-2430-WW** w/ CUSTOM 8:12 Pitch, Wood Sunburst Ends & Architectural Wind Braces


**WOOD FOREST SPRAY PARK** - MONTGOMERY, TX. ARCHITECT - TBG PARTNERS (HOUSTON, TX)



# WOODWORX

## GLUE LAMINATED WOOD CANOPIES

From standard gable shelters to custom centerpieces, all Woodworx shelters come standard with 2" x 6" Southern yellow pine tongue & groove decking with metal or shingle roofing, glue laminated framing, pressure treated columns and powder coated steel connection plates. Columns and rafters can be upgraded to powder coated tubular steel as seen below. See available roof and column options on the following page. *Vented Top design available on many Woodworx models.*



**WAVE BEAM GABLE**



**STANDARD SHAPES**  
HEXAGONS, OCTAGONS,  
SQUARES & MORE!



**STRAIGHT GABLE**



**ARCH BEAM GABLE**



**RETRO GABLE**



**GAC-4028-WW** w/ Gable Arch Columns, narrowing back & Amphitheater Design



**WB-4020-WW** w/ Waved Beam Design & Basic Steel Columns




**GAB-4060-WW**


# COVERWORX

## OPTIONS & UPGRADES

### METAL ROOF OPTIONS



MEGA-RIB\*




MEDALLION-LOK  
STANDING SEAM\*




2 x 6 TONGUE &  
GROOVE DECKING



MULTI-RIB\*  
(STANDARD)



MERIDIAN  
STANDING SEAM\*\*



MAX-RIB\*\*

All roof panels are Galvalume coated 24 ga. steel with a white bottom and a 20 year warranted Kynar 500 top finish available in a variety of colors (see page 31). Panels are fastened to frame with either exposed painted screws or concealed clips as with standing seam panels. Some panels may have color limitations. Fiberglass shingles are available upon request.

- \* Available with or without tongue & groove decking
- \*\* Requires tongue & groove decking

### EAVE OPTIONS




STANDARD GABLE



GABLE  
BARGE BEAM



STANDARD






EXTENDED



MAX COLUMN

### COLUMNS

Column styles can be combined. Custom designs as well as stub columns for locally provided masonry mounting are also available.



# COVERWORX

## OPTIONS & UPGRADES, CONT.

### RAIL & LATTICE



STANDARD



SQUARE



DIAMOND



CROSSING DIAMOND



CIRCLE

### CUPOLAS



OCTAGON / HEXAGON



SQUARE CUPOLA



DECORATIVE CUPOLA



FUNCTIONAL CUPOLA

### VENTED ROOF OPTIONS



VENTED ROOF  
LOW



VENTED ROOF  
HIGH (STANDARD)



VENTED ROOF  
MINI LOW



VENTED ROOF  
MINI HIGH

Complete steel Cupolas come pre-finished and are available on most shelters. Tube steel rails & lattice styles may be combined. Custom designs are also available.

# CARPORTS

## & SOLAR OPTIONS

### STEELWORX

Our Carport Division (Classic Carports) has been manufacturing and installing covered parking solutions for multi-family housing and municipal fleets for over 40 years. We offer numerous styles that offer maximum protection from the elements as well as increase property values, occupancy, and revenue.



GABLE



DOUBLE MANSARD



SINGLE POST  
GABLE



BACK TO BACK  
GABLE



FLAT TOP



SINGLE MANSARD

### SOLARWORX



Solar panel housing framework is available in all shapes and sizes for any application. Also available - solar lighting packages.

# WORX EXTRAS

## SITE FURNISHINGS

### BENCHES



#### Backless Steelworx

SUPPORTS: 1/2" x 2" steel bar. One-piece welded unit. May be surface mounted or freestanding.  
SEAT SURFACE: 1/4" x 1 1/2" steel bar and 1 5/16" O.D. steel pipe.  
FINISH: Polyester powder coated.



#### Economy

SUPPORTS: 2 3/8" O.D. galvanized pipe with ends capped.  
SLATS: 2" x 4" nominal. Available with #1 pressure treated pine, redwood, Douglas Fir, Pau Lope®, anodized aluminum, or recycled plastic.  
FINISH: Galvanized pipe with cold galvanizing finish on all welds.



#### Street Scape

FRAME: 2" x 1" x 11 gauge wall and 2" x 2" x 11 gauge wall steel tubing. One-piece welded unit.  
SEAT SURFACE: 1" square x 11 gauge wall steel tubing.  
DECORATIVE PANEL: 3/8" thick steel.  
FINISH: Polyester powder coated.  
Choice of permanent, surface mount or free-standing supports.



#### Pipe Wrap

FRAME: 2 7/8" O.D. steel pipe with welded 3/8" x 3" steel bar contour seat supports. Permanent installation.  
SLATS: 2" x 4" nominal. Available with #1 pressure treated pine, redwood, Douglas Fir, Pau Lope®, or recycled plastic.  
FINISH: Polyester powder coated frame.



#### Victorian

SUPPORTS: Heavy-duty cast iron.  
CROSS BRACE: 1 5/16" O.D. galvanized pipe.  
CENTER STRAP: 1/4" x 2" steel bar.  
SLATS: 2" x 3" nominal. Available with #1 pressure treated pine, redwood, Pau Lope®, or clear Douglas Fir.  
HARDWARE: Stainless Steel.  
FINISH: Polyester powder coated frame.



#### Steelworx

SUPPORTS: 1/2" x 2" steel bar. One-piece welded unit. May be surface mounted or free-standing.  
SEAT SURFACE: 1/4" x 1 1/2" steel bar and 1 5/16" O.D. steel pipe.  
FINISH: Polyester powder coated. May be free-standing or surface mounted.



#### Bleacher

SUPPORTS: 2 3/8" O.D. galvanized pipe.  
SLATS: 2" x 10" nominal. Available with #1 pressure treated pine or anodized aluminum.  
FINISH: Galvanized pipe with cold galvanizing finish on all welds.  
\* Custom lengths available upon request and availability.  
\* Permanent or portable supports.  
\* Available with or without back.



#### Center Cast

SUPPORTS: Cast iron.  
SLATS: 2" x 4" nominal. Available with #1 pressure treated pine, redwood, Douglas Fir, Pau Lope®, or recycled plastic.  
FINISH: Polyester powder coated supports.  
Bench may be free-standing or surface mounted.

### PICNIC TABLES



#### Center Post

FRAME: 3 1/2" O.D. galvanized pipe and 2 7/8" O.D. galvanized pipe. Permanent mount.  
SLATS: 2" x 10" nominal. Available with #1 pressure treated pine or anodized aluminum.  
FINISH: Galvanized pipe with cold galvanizing finish on all welds.



#### WorxTable

END SUPPORTS: 3/8" x 4 1/2" steel bar with choice of 2 3/8" O.D. or 2 7/8" O.D. steel pipe.  
BRACING: 1 5/16" O.D. steel pipe and 11 gauge formed steel angle.  
SLATS: 3" x 4" and 3" x 6" nominal recycled plastic.  
FINISH: Polyester powder coated.



#### Economy

FRAME: 1 5/8" O.D. galvanized pipe  
BRACES: 1 5/16" O.D. galvanized pipe.  
SLATS: 2" x 10" nominal. Available with #1 pressure treated pine, anodized aluminum, or recycled plastic.  
FINISH: Galvanized pipe with cold galvanizing finish on all welds.

### GRILLS



#### Ground

FIREBOX: 3/16" steel plate, 360° rotation, 15" x 20" x 10" high.  
COOKING GRATE: 1/2" diameter steel bars with 5/8" diameter support handles. Equipped with cool grips and adjusts to four different height settings.  
300-square-inch cooking area.  
FINISH: Heat resistant non-toxic black enamel.



#### Double Standing

FIREBOX: 3/16" steel plate, 360° rotation, 24" x 36" x 10" high.  
COOKING GRATE: 1/2" diameter steel bars with 5/8" diameter handles. Equipped with cool grips and adjusts to four different height settings. 864 total square-inch cooking area.  
FINISH: Heat resistant non-toxic black enamel.



#### Adjustable Camping

FIREBOX: 3/16" steel plate. Flips back for servicing.  
COOKING GRATE: 1/2" diameter steel bars with 5/8" diameter support handles. Equipped with cool grips and adjusts to four different height settings. 285-square-inch cooking area.  
FINISH: Heat resistant non-toxic black enamel.

### BIKE RACKS



#### S-Curved Bike

RACK: 2 3/8" O.D. galvanized pipe. Available in permanent or surface mount.  
FINISH: Available in natural galvanized pipe or polyester powder coated finish. Loop bike racks also available in stainless steel for additional cost.



#### In-line Curve

FRAME: 1 5/8" O.D. galvanized pipe with ends capped.  
SPOKES: 1/2" diameter hot dip galvanized solid steel.  
HARDWARE: Bright zinc plated.  
FINISH: Natural galvanized pipe with cold galvanizing finish on all welds.



#### U-pipe Straight

FRAME: 1 5/8" O.D. and 1 5/16" O.D. galvanized pipe with ends capped.  
SPOKES: 1/2" diameter hot dip galvanized solid steel.  
HARDWARE: Bright zinc plated.  
FINISH: Natural galvanized pipe with cold galvanizing finish on all welds.

Since 1987, **Coverworx** has provided a combination of the finest quality craftsmanship and unique design to bring you our full line of site accessories. Special request? Coverworx specializes in custom fabrication.

### RECEPTACLES



#### Flair Top

TOP RING: 5/8" diameter steel bar.  
VERTICAL MEMBERS: 1/4" x 1 1/2" steel bar.  
BASE RING: 1/4" x 3" steel bar.  
COVER: 14 gauge spun steel with vinyl coated steel cable.  
LINER: 32 gallon plastic.  
FINISH: Polyester powder coated.  
• May be freestanding or anchored to surface.



#### Ash Urns

VERTICAL MEMBERS: 1/4" x 1 1/2" steel bar.  
BASE RING: 1/4" x 2" steel bar.  
ASH TOP: 10" diameter spun aluminum with vinyl coated steel cable.  
FINISH: Polyester powder coated.  
• May be freestanding or anchored to surface.



#### 16 Slat

FRAME: 1/4" x 2" and 1/4" x 1" steel bar.  
SUPPORT: 2 3/8" O.D. steel pipe.  
SLATS: 2" x 4" nominal. Available with #1 pressure treated pine, redwood, Douglas Fir, or recycled plastic.  
LINER: 22 gallon or 32 gallon plastic.  
FINISH: Polyester powder coated frame.  
• Receptacle factory assembled.



#### Trash Cans

FRAME: 1/8" x 1" steel bar and 3/8" diameter steel bar.  
SLATS: 1" x 3" nominal. Available with #1 pressure treated pine or redwood.  
LINER: 22 gallon or 32 gallon plastic.  
FINISH: Frame and support powder coated black.  
• Receptacle factory assembled.



# COVERWORX

## COLOR OPTIONS

11800 EAST 9 MILE ROAD  
WARREN, MI 48089

OFFICE: (586)486-1088  
FAX: (586)754-9130  
TOLL FREE: (800) 657-6118

[WWW.COVERWORX.NET](http://WWW.COVERWORX.NET)  
[INFO@COVERWORX.NET](mailto:INFO@COVERWORX.NET)

.....  
All Coverworx Steel Frame, Metal Roof and Trim work panels are available in the following colors. Mix and match to create a look that suits your needs and expresses your style. Choose a frame finish as well as a metal roof color from the following options. Contact our Coverworx sales staff for custom color information and further details.\*  
.....



REGAL WHITE	BONE WHITE	REGAL BLUE
SANDSTONE	SURREY BEIGE	COPPER PENNY
MANSARD BROWN	ASH GRAY	BRITE RED
SLATE GRAY	CHARCOAL	HARTFORD GREEN
MATTE BLACK	MEDIUM BRONZE	BRANDYWINE
DARK BRONZE	PATRICIAN BRONZE	
PATINA GREEN	EVERGREEN	
ROMAN BLUE	COLONIAL RED	



\*Also available: Terratone & Terra Cotta. Please inquire.

### COVERWORX 10 YEAR LIMITED WARRANTY

Coverworx-Recreational Architecture, a division of Ross and Barr, Inc. (hereinafter "Coverworx") warrants that the structure or product purchased will be free from defects in materials and workmanship under normal use for period of ten (10) years from the delivery date. The entire liability of Coverworx and its suppliers, and the exclusive remedy shall be for Coverworx to repair and replace materials found to be defective. The repair or replacement of materials shall be at the expense of Coverworx. This limited warranty is void if any damage has resulted from abnormal use, abuse,

accident, vandalism, poor installation, lack of maintenance, misapplication, service or modifications by someone other than Coverworx or its suppliers. This warranty excludes color fading within ten (10) nautical miles of any area retaining salt water or brackish water. Any replacement part under warranty is warranted for the remaining original warranty period or 1 year, whichever is longer.

In the event of a defect claim, Coverworx shall be notified in writing within thirty (30) days from discovery, no later than thirty (30) days from the receipt of

the notice. Coverworx management will determine whether to repair or replace defective materials and respond in writing to advise how Coverworx will proceed on the warranty claim. Coverworx disclaims all other warranties, expressed or implied, including but not limited to, implied warranties of merchantability and fitness for a particular purpose for the product and any accompanying materials required for installation. Coverworx will not be liable for any damages arising out of the use or inability to use the product, regardless of whether notification of such damages has been given.



11800 EAST 9 MILE ROAD  
WARREN, MI 48089

OFFICE: (586)486-1088  
FAX: (586)754-9130  
TOLL FREE: (800) 657-6118

WWW.COVERWORX.NET INFO@COVERWORX.NET