

# State of Delaware

## SAND /SALT SPREADERS

### Invitation to Bid

Contract No. GSS11619-SALTSANDSPR

July 6, 2011

**- *Deadline to Respond -***  
***August 2, 2011***  
***2:00 P.M. local time***

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

**CONTRACT NO. GSS11619-SALTSANDSPR**

ALL BIDDERS:

The enclosed packet contains an "INVITATION TO BID" for SAND /SALT SPREADERS  
. The invitation consists of the following documents:

INVITATION TO BID - CONTRACT NO. **GSS11619-SALTSANDSPR**

- 1 DEFINITIONS and GENERAL PROVISIONS
- 2 SPECIAL PROVISIONS
- 3 TECHNICAL SPECIFICATIONS
- 4 BID QUOTATION REPLY SECTION
  - a. Attachment 1 - No Bid Reply Form
  - b. Attachment 2 - Non-Collusion Statement
  - c. Attachment 3 - Monthly Usage Report
  - d. Attachment 4 - Office of Minority and Women Business Enterprise Information

In order for your bid to be considered, the bid quotation reply section shall be executed completely and correctly and returned in a sealed envelope clearly displaying the contract number, by August 2, 2011, 2:00 p.m. local time

**Bids shall be submitted to:**

**STATE OF DELAWARE  
DEPARTMENT OF TRANSPORTATION  
CONTRACT ADMINISTRATION  
800 BAY ROAD  
DOVER, DE 19901**

Please review and follow the information and instructions contained in the general and special provisions section of the invitation. Should you need additional information, please contact Contract Administration via e-mail at [dot-ask@state.de.us](mailto:dot-ask@state.de.us) or call 302-760-2031.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

**GOVERNMENT SUPPORT SERVICES**

DEFINITIONS  
AND  
GENERAL PROVISIONS

The attached Definitions and General Provisions apply to all contracts and are part of each invitation to bid. The requirement to furnish a bid bond and performance bond is applicable unless waived in the Special Provisions. Should the General Provisions conflict with the Special Provisions, the Special Provisions shall prevail. Bidders or their authorized representatives are required to fully acquaint themselves as to State procurement laws and regulations prior to submitting bid.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

**DEFINITIONS**

Whenever the following terms are used, their intent and meaning shall be interpreted as follows:

**STATE**: The State of Delaware

**AGENCY**: State Agency as noted on cover sheet.

**DESIGNATED OFFICIAL**: The agent authorized to act for the Agency.

**BID INVITATION**: The "bid invitation" or "invitation to bid" is a packet of material sent to vendors and consists of General Provisions, Special Provisions, specifications, and enclosures.

**GENERAL PROVISIONS**: General Provisions are instructions pertaining to contracts in general. They contain, in summary, requirements of laws of the State, policies of the Agency, and instructions to vendors.

**SPECIAL PROVISIONS**: Special Provisions are specific conditions or requirements peculiar to the contract under consideration and are supplemental to the General Provisions. Should the Special Provisions conflict with the General Provisions, the Special Provisions shall prevail.

**BIDDER OR VENDOR**: Any individual, firm, or corporation formally submitting a proposal for the material or work contemplated, acting directly or through a duly authorized representative.

**PROPOSAL**: The offer of the bidder submitted on the approved form and setting forth the bidder's prices for performing the work or supplying the material or equipment described in the specifications.

**SURETY**: The corporate body which is bound with and for the contract, or which is liable, and which engages to be responsible for the contractor's payments of all debts pertaining to and for its acceptable performance of the work for which it has contracted.

**BIDDER'S DEPOSIT**: The security designated in the proposal to be furnished by the bidder as a guaranty of good faith to enter into a contract with the Agency if the work to be performed or the material or equipment to be furnished is awarded to the bidder.

**CONTRACT**: The written agreement covering the furnishing and delivery of material or work to be performed.

**CONTRACTOR**: Any individual, firm, or corporation with whom a contract is made by the Agency.

**CONTRACT BOND**: The approved form of security furnished by the contractors and its surety as a guaranty of good faith on the part of the contractor to execute the work in accordance with the terms of the contract.

## SECTION A - GENERAL PROVISIONS

1. **BID INVITATION:**

See "Definitions".

2. **PROPOSAL FORMS:**

The invitation to bid shall contain pre-printed forms for use by the vendor in submitting its bid. The forms shall contain basic information such as description of the item and the estimated quantities and shall have blank spaces for use by the vendor for entering information such as unit bid price, total bid price, etc.

3. **INTERPRETATION OF ESTIMATES:**

- a. The attention of bidders is called to the fact that, unless stated otherwise, the quantities given in the proposal form are to be considered to be approximate only and are given as a basis for the comparison of bids. The Agency may increase or decrease the amount of any item as may be deemed necessary or expedient, during the period of the contract.
- b. An increase or decrease in the quantity for any item is not sufficient ground for an increase or decrease in the unit price.

4. **SILENCE OF SPECIFICATIONS:**

The apparent silence of the specifications as to any detail, or the apparent omission from it of detailed description concerning any point, shall be regarded as meaning that only the best commercial practice is to prevail and only material and workmanship of the first quality are to be used. Proof of specifications compliance will be the responsibility of the vendor.

5. **EXAMINATION OF SPECIFICATIONS AND PROVISIONS:**

The bidder shall examine carefully the proposal and the contract forms for the material contemplated. The bidder shall investigate and satisfy itself as to the conditions to be encountered, quality and quantities of the material to be furnished, and the requirements of the Special Provisions and the contract. The submission of a proposal shall be conclusive evidence that the bidder has made examination of the aforementioned conditions.

6. **PREPARATION OF PROPOSAL:**

- a. The bidder's proposal shall be written in ink or typewritten on the form provided.
- b. If items are listed with a zero quantity, bidder shall state unit price **ONLY** (intended for open end purchases where estimated requirements are not known). The proposal shall show a total bid price for each item bid and the total bid price of the proposal excluding zero quantity items.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

7. **PRICES QUOTED:**

The prices quoted are those for which the material will be furnished F.O.B. Ordering Agency and include all charges that may be imposed during the period of the contract.

8. **DISCOUNT:**

No qualifying letter or statements in or attached to the proposal, or separate discounts will be considered in determining the low bid except as may be otherwise herein noted. Cash or separate discounts should be computed and incorporated into unit bid price(s).

9. **SAMPLES OR BROCHURES:**

Samples or brochures may be required by the agency for evaluation purposes. They shall be such as to permit the Agency to compare and determine if the item offered complies with the intent of the specifications.

10. **PROPOSAL GUARANTY; BID BOND:**

- a. Each bidder shall submit with its proposal a guaranty in sum equal to at least 10% of the total value of its bid, according to Delaware Code Title 29, Section 6927(a).
- b. This bid bond shall be submitted in the form of good and sufficient bond drawn upon an insurance or bonding company authorized to do business in the State of Delaware, to the State of Delaware for the benefit of the Agency, or a certified check drawn on a reputable banking institution and made payable to the Agency in the requirement amount. If Agency bond form is not utilized, the substituted bond forms must conform to the minimum of conditions specified in the Agency bond form.

11. **DELIVERY OF PROPOSALS:**

Proposals shall be delivered in sealed envelopes, and shall bear on the outside the name and address of the bidder as well as the designation of the contract. Proposals forwarded by U.S. Mail shall be sent first class to the address listed below. Proposals forwarded by delivery service other than the U.S. Mail or hand delivered must be delivered to the address listed below. All bids must clearly display the bid number on the envelope.

**Delivery Service:**  
STATE OF DELAWARE  
DEPARTMENT OF TRANSPORTATION  
CONTRACT ADMINISTRATION  
800 BAY ROAD  
DOVER, DE 19901

**U.S. Mail:**  
STATE OF DELAWARE  
DEPARTMENT OF TRANSPORTATION  
CONTRACT ADMINISTRATION  
PO Box 778  
DOVER, DE 19903

All proposals will be accepted at the time and place set in the advertisement. Bidder bears the risk of delays in delivery. Proposals received after the time set for public opening will be returned unopened.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

12. **WITHDRAWAL OF PROPOSALS:**

A bidder may withdraw its proposal unopened after it has been deposited, if such a request is made prior to the time set for the opening of the proposal.

13. **PUBLIC OPENING OF PROPOSALS:**

The bids shall be publicly opened at the time and place specified by the Agency. Bidders or their authorized representatives are invited to be present.

14. **PUBLIC INSPECTION OF PROPOSALS:**

If the bidder designates a portion of its bid as confidential, it shall isolate and identify in writing the confidential portions. The bidder shall include with this designation a statement that explains and supports the firm's claim that the bid items identified as confidential contain trade secrets or other proprietary data.

15. **DISQUALIFICATION OF BIDDERS:**

Any one or more of the following causes may be considered as sufficient for the disqualification of a bidder and the rejection of its proposal or proposals:

- a. More than one proposal for the same contract from an individual, firm, or corporation under the same or different names.
- b. Evidence of collusion among bidders.
- c. Unsatisfactory performance record as evidenced by past experience.
- d. If the unit prices are obviously unbalanced either in excess or below reasonable cost analysis values.
- e. If there are any unauthorized additions, interlineation, conditional or alternate bids or irregularities of any kind which may tend to make the proposal incomplete, indefinite, or ambiguous as to its meaning.
- f. Non-attendance of mandatory pre-bid meetings may be cause of disqualification.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

**SECTION B - AWARD AND EXECUTION OF CONTRACT**

1. **CONSIDERATION OF BIDS:**

- a. After the proposals have been opened, the bids will be tabulated and the results will be made available to the public. Tabulations of the bids will be based on the correct summation of items at the unit price bid.
- b. The right is reserved to waive technicalities, to reject any or all bids, or any portion thereof, to advertise for new proposals, to proceed to do the work otherwise, or to abandon the work, if in the judgment of the Agency or its agent, the best interest of the State will be promoted thereby.

2. **MATERIAL GUARANTY:**

Before any contract is awarded, the successful bidder may be required to furnish a complete statement of the origin, composition and manufacture of any or all of the material to be used in the contract together with such samples as may be requested for the purpose of testing.

3. **CONTRACT AWARD:**

Within thirty days from the date of opening proposals, the contract will be awarded or the proposals rejected.

4. **EXECUTION OF CONTRACT:**

- a. The bidder to whom the award is made shall execute a formal contract and bond within twenty days after date of official notice of the award of the contract.
- b. If the successful bidder fails to execute the required contract and bond, as aforesaid, within twenty days after the date of official notice of the award of the contract, its proposal guaranty shall immediately become forfeited as liquidated damages. Award will then be made to the next lowest qualified bidder of the work or re-advertised, as the Agency may decide.

5. **REQUIREMENT OF CONTRACT BOND:**

- a. Successful bidders shall furnish bond, simultaneously with the execution of the formal contract, to the State of Delaware for the benefit of the Agency with surety in the amount of 100% of the total contract award or as otherwise provided in the Special Provisions. Said bonds shall be conditioned upon the faithful performance of the contract.
- b. The bond forms shall be provided by the Agency and the surety shall be acceptable to the Agency.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

6. **WARRANTY:**

The successful bidder(s) shall be required to extend any policy guarantee usually offered to the general public, FEDERAL, STATE, COUNTY, or MUNICIPAL governments, on material in this contract against defective material, workmanship, and performance.

7. **THE CONTRACT(S):**

The contract(s) with the successful bidder(s) will be executed with the Office of Management and Budget, Government Support Services section acting for all participating agencies.

8. **RETURN OF BIDDER'S DEPOSIT:**

The deposits shall be returned to the successful bidder upon the execution of the formal contract. The deposits of unsuccessful bidders shall be returned to them immediately upon the awarding of the contract or rejection of their bids.

9. **INFORMATION REQUIREMENT:**

The successful bidder's shall be required to advise the Office of Management and Budget, Government Support Services of the gross amount of purchases made as a result of the contract.

10. **CONTRACT EXTENSION:**

The State reserves the right to extend this contract on a month-to-month basis for a period of up to three months.

11. **TERMINATION FOR CONVENIENCE:**

Contracts shall remain in effect for the time period and quantity specified unless the contract is terminated by the State. The State may terminate the contract at any time by giving written notice of such termination and specifying the effective date thereof, at least sixty (60) days before the effective date of termination.

12. **TERMINATION FOR CAUSE:**

If, for any reasons, or through any cause, the Contractor fails to fulfill in timely and proper manner its obligations under this Contract, or if the Contractor violates any of the covenants, agreements, or stipulations of this Contract, the State shall thereupon have the right to terminate this contract by giving written notice to the Contractor of such termination and specifying the effective date thereof, at least 5 days before the effective date of such termination. In that event, all finished or unfinished documents, data, studies, surveys, drawings, maps, models, photographs, and reports or other material prepared by the Contractor under this Contract shall, at the option of the State, become its property, and the Contractor shall be entitled to receive just and equitable compensation for any satisfactory work completed on such documents and other materials which is usable to the State.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

**SECTION C - GENERAL**

1. **AUTHORITY OF AGENCY:**

On all questions concerning the interpretation of specifications, the acceptability and quality of material furnished and/or work performed, the classification of material, the execution of the work, and the determination of payment due or to become due, the decision of the Agency shall be final and binding.

2. **LAWS TO BE OBSERVED:**

The contractor is presumed to know and shall strictly comply with all National, State, or County laws, and City or Town ordinances and regulations in any manner affecting the conduct of the work. The contractor shall indemnify and save harmless the State of Delaware, the Agency, and all Officers, Agency and Servants thereof against any claim or liability arising from or based upon the violation of any such laws, ordinances, regulations, orders, or decrees whether by itself or by its employees.

3. **PERMITS AND LICENSES:**

All necessary permits, licenses, insurance policies, etc. required by local, State or Federal laws, shall be provided by the contractor at its own expense.

4. **PATENTED DEVICES, MATERIAL AND PROCESSES:**

- a. The contractor shall provide for the use of any patented design, device, material, or process to be used or furnished under this contract by suitable legal agreement with the patentee or owner, and shall file a copy of this agreement with the Agency.
- b. The contractor and the surety shall hold and save harmless the State of Delaware, the Agency, the Director, their Officers or Agents from any and all claims because of the use of such patented design, device, material, or process in connection with the work agreed to be performed under this contract.

5. **EMERGENCY TERMINATION OF CONTRACT:**

- a. Due to restrictions which may be established by the United States Government on material, or work, a contract may be terminated by the cancellation of all or portions of the contract.
- b. In the event the contractor is unable to obtain the material required to complete the items of work included in the contract because of restrictions established by the United States Government and if, in the opinion of the Agency, it is impractical to substitute other available material, or the work cannot be completed within a reasonable time, the incomplete portions of the work may be cancelled, or the contract may be terminated.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

6. **TAX EXEMPTION:**

- a. Material covered by this proposal is exempt from all FEDERAL and STATE TAXES. Such taxes shall not be included in prices quoted.
- b. Any material which is to be incorporated in the work or any equipment required for the work contemplated in the proposal may be consigned to the Agency. If the shipping papers show clearly that any such material is so consigned, the shipment will be exempt from the tax on the transportation of property under provisions of Section 3475 (b) of the Internal Revenue Code, as amended by Public Law 180 (78th Congress). All transportation charges shall be paid by the contractor. Each bidder shall take its exemption into account in calculating its bid for its work.

7. **OR EQUAL (PRODUCTS BY NAME):**

Specifications of products by name are intended to be descriptive of quality or workmanship, finish and performance. Desirable characteristics are not intended to be restrictive. Substitutions of products for those named will be considered provided the vendor certifies that the function, characteristics, performance and endurance qualities of the material offered is equal or superior to that specified.

8. **BID EVALUATION AND AWARD:**

The Office of Management and Budget, Government Support Services will award this contract to the lowest responsible bidder(s) which in their judgment best serves the interest of the State of Delaware in accordance with Delaware Code Title 29, Section 6923(k). Personnel with experience and technical background may be utilized by the Office of Management and Budget, Government Support Services in making judgment. In case of error in price extension, the unit price(s) shall prevail.

9. **INVOICING:**

After the awards are made, the agencies participating in the bid may forward their purchase orders to the successful bidder(s) in accordance with State Purchasing Procedures. The State will generate a payment voucher upon receipt of an invoice from the vendor.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

**SECTION D - EQUAL OPPORTUNITY**

1. **EQUALITY OF EMPLOYMENT OPPORTUNITY ON PUBLIC WORKS:**

During the performance of any contract for public works financed in whole or in part by appropriation of the State of Delaware, the contractor agrees as follows:

- a. The contractor will not discriminate against any employee or applicant for employment because of race, creed, color, sex, age, or national origin. The contractor will take affirmative action to ensure that applicants are employed and that employees are treated equally during employment without regard to their race, creed, color, sex, age, or national origin. Such action shall include, but not be limited to the following: advertising, lay-off or termination, rates of pay or other forms of compensation, and selection for training including apprenticeships. The contractor agrees to post in conspicuous places, notices to be provided by the contracting agency setting forth the provisions of this non-discrimination clause.
- b. The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, creed, color, sex, age, or national origin.
- c. The term "contractor for public works" means construction, reconstruction, demolition, alteration, and/or repair work, maintenance work, and paid for in whole or in part out of the funds of a public body except work performed under a vocational rehabilitation program. The manufacture or furnishing of materials, articles, supplies or equipment is not a public work within the meaning of this subsection unless conducted in connection with and at the site of the public work.

Revised 7/1/2009

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

CONTRACT NO. **GSS11619-SALTSANDSPR**  
SAND /SALT SPREADERS  
SPECIAL PROVISIONS

1. **CONTRACT REQUIREMENTS:**

This contract will be issued to cover the SAND /SALT SPREADERS requirements for all State Agencies and shall be accessible to any School District, Political Subdivision, or Volunteer Fire Company.

2. **MANDATORY USE CONTRACT:**

**REF: Title 29, Chapter 6911(d) Delaware Code.** All Covered Agencies as defined in 29 Del. C. §6902(6) shall procure all material, equipment and nonprofessional services through the statewide contracts administered by Government Support Services, Office of Management and Budget. Delaware State University, Delaware Technical and Community College, school districts, and the Legislative Branch are specifically exempted from the requirements of this subchapter. In addition, the Delaware Transit Corporation is exempt from the entire procurement chapter. Pursuant to 29 Del. C. §6904(l) and (n) respectively, the Department of Elections and the Board of Pension Trustees have certain exemptions from the procurement chapter which may or may not apply to this Invitation to Bid.

3. **CONTRACT PERIOD:**

Each vendor's contract shall be valid upon contract execution through December 31, 2013. Each contract may be renewed for three (3) additional one year extensions through negotiation between the contractor and the Office of Management and Budget, Government Support Services. Negotiation must be initiated no later than ninety (90) days prior to the termination of the current agreement.

4. **PRICES:**

Prices shall remain firm for each term of the contract.

5. **PRICE ADJUSTMENT:**

For the second and each succeeding term, the Office of Management and Budget, Government Support Services shall have the option of offering a determined price adjustment and shall not exceed the current Philadelphia All Urban Consumers Price Index (CPI-U), U.S. City Average. If the CPI-U is used, any increase/decrease shall reflect the change during the previous published twelve (12) month period at the time of renegotiation.

6. **SHIPPING TERMS:**

F.O.B. destination; freight pre-paid.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

7. **QUANTITIES:**

The attention of bidders is called to the fact that, unless stated otherwise, the quantities given in the proposal are best estimates and are given as a basis for the comparison of bids. Quantities ordered may be increased or decreased by any eligible agency as deemed necessary during the period of the contract.

8. **FUNDING OUT:**

The continuation of this contract is contingent upon funding appropriated by the legislature.

9. **BID BOND REQUIREMENT:**

Bid Bond Waived.

10. **PERFORMANCE BOND REQUIREMENT:**

Performance Bond Waived

11. **MANDATORY INSURANCE REQUIREMENTS:**

Certificate of Insurance and/or copies of insurance policies for the following:

1. As a part of the contract requirements, the contractor must obtain at its own cost and expense and keep in force and effect during the term of this contract, including all extensions, the minimum coverage limits specified below with a carrier satisfactory to the State. All contractors must carry Comprehensive General Liability and at least one of the other coverages depending on the type of service or product being delivered.
  - a. Comprehensive General Liability - \$1,000,000.00 per person/\$3,000,000 per occurrence.  
and
  - b. Medical/Professional Liability - \$1,000,000.00 per person/\$3,000,000 per occurrence.  
or
  - c. Miscellaneous Errors and Omissions - \$1,000,000.00 per person/\$3,000,000 per occurrence.  
or
  - d. Product Liability - \$1,000,000.00 per person/\$3,000,000 per occurrence.
2. Automotive Liability Insurance covering all automotive units used in the work with limits of not less than \$100,000 each person and \$300,000 each accident as to bodily injury and \$25,000 as to property damage to others.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

3. Forty-five (45) days written notice of cancellation or material change of any policies is required.

**Contract Administrator, [dot-ask@state.de.us](mailto:dot-ask@state.de.us)**  
**Contract No. GSS11619-SALTSANDSPR**  
**State of Delaware**  
**Department Of Transportation**  
**PO Box 778**  
**DOVER, DE 19903**  
**FAX: 302-739-2254**

**Note: The State of Delaware shall not be named as an additional insured**

12. **BASIS OF AWARD:**

The Office of Management and Budget, Government Support Services shall award this contract to the lowest responsible and responsive bidder(s) who best meets the terms and conditions of the bid. The award will be made on basis of price, product evaluation, and prior history of service and capability.

The Office of Management and Budget, Government Support Services reserves the right to reject any or all bids in whole or in part, to make multiple awards, partial awards, award by types, item by item, or lump sum total, whichever may be most advantageous to the State of Delaware.

13. **STATE OF DELAWARE BUSINESS LICENSE:**

Prior to receiving an award, the successful vendor shall either furnish the Office of Management and Budget, Government Support Services with proof of State of Delaware Business Licensure or initiate the process of application where required. An application may be requested in writing to: Division of Revenue, Carvel State Building, P.O. Box 8750, 820 N. French Street, Wilmington, DE 19899 or by telephone to one of the following numbers: (302) 577-8201 - Public Service, (302) 577-8205 - Licensing Department.

Information regarding the award of this contract will be given to the Division of Revenue. Failure to comply with the State of Delaware licensing requirements may subject your organization to applicable fines and/or interest penalties.

14. **HOLD HARMLESS:**

The successful bidder agrees that it shall indemnify and hold the State of Delaware and all its agencies harmless from and against any and all claims for injury, loss of life, or damage to or loss of use of property caused or alleged to be caused, by acts or omissions of the successful bidder, its employees, and invitees on or about the premises and which arise out of the successful bidder's performance, or failure to perform as specified in the Agreement.

15. **OWNERSHIP OF INTELLECTUAL PROPERTY:**

All copyright and patent rights to all papers, reports, forms, materials, creations, or inventions created or developed in the performance of this contract shall become the sole property of the State of Delaware. On request, the contractor shall promptly provide an acknowledgment or assignment in a tangible form satisfactory to the State to evidence the State's sole ownership of specifically identified intellectual property created or developed in the performance of the contract.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

16. **NON-PERFORMANCE:**

In the event the vendor does not fulfill its obligations under the terms and conditions of this contract, the ordering agency may purchase equivalent product on the open market. Any difference in cost between the contract prices herein and the price of open market product shall be the responsibility of the vendor. Under no circumstances shall monies be due the vendor in the event open market products can be obtained below contract cost. Any monies charged to the vendor may be deducted from an open invoice.

17. **FORCE MAJEURE:**

Neither the vendor nor the ordering agency shall be held liable for non-performance under the terms and conditions of this contract due, but not limited to, government restriction, strike, flood, fire, or unforeseen catastrophe beyond either party's control. Each party shall notify the other in writing of any situation that may prevent performance under the terms and conditions of this contract.

18. **CONTRACTOR NON-ENTITLEMENT:**

State of Delaware Contractors for Materiel and for Services shall not have legal entitlement to, nor seek business from another Contractors' Central Contract. Additionally, they shall not utilize other Central Contracts to fulfill the requirements of their respective contract as they are not a "Covered Agency" as defined by Title 29 Chapter 69 of the State Procurement Code.

19. **EXCEPTIONS:**

Bidders may elect to take minor exception to the terms and conditions of this ITB. The Office of Management and Budget, Government Support Services shall evaluate each exception according to the intent of the terms and conditions contained herein, but must reject exceptions that do not conform to State bid law and/or create inequality in the treatment of bidders. Exceptions shall be considered only if they are submitted with the bid or before the date and time of the bid opening.

20. **MANDATORY USAGE REPORT:**

One of the primary goals in administering this contract is to keep accurate records regarding its actual value. This information is essential in order to update the contents of the contract and to establish proper bonding levels if they are required. The integrity of future contracts revolves around our ability to convey accurate and realistic information to all interested bidders.

A report shall be furnished by the successful contractor **MONTHLY Electronically in Excel format** detailing the purchasing of all items on this contract. The format to be followed is described herein and shall be filed within fifteen (15) days after the end of each reporting period. Any exception to this mandatory requirement may result in cancellation of the award. Failure to provide the report with the minimum required information may also negate any contract extension clauses. Additionally, contractors who are determined to be in default of this mandatory report requirement may have such conduct considered against them, in assessment of responsibility, in the evaluation of future proposals. Vendors not having activity during a specific reporting period, shall reply with a "no activity" if there is no activity during the reporting period.

**The report shall be submitted electronically in EXCEL and sent as an attachment to [dot-ask@state.de.us](mailto:dot-ask@state.de.us). It shall contain the six-digit department and organization code.**

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

21. **BUSINESS REFERENCES:**

In order to have your bid considered, please supply three (3) business references consisting of current or previous customers with your reply. Please include name, address, telephone number, and a contact person.

22. **ORDERING PROCEDURE:**

Successful contractors are required to have either a local telephone number within the (302) area code, a toll free (800) number, or agree to accept collect calls. Each agency is responsible for placing their orders and may be accomplished by written purchase order, telephone, fax or computer on-line systems. The contractor or vendor must accept full payment by procurement (credit) card and/or conventional check and/or other electronic means at the State's option, without imposing any additional fees, costs or conditions.

23. **BILLING:**

The successful vendor is required to "Bill as Shipped" to the respective ordering agency(s). Ordering agencies shall provide contract number, ship to and bill to address, contact name and phone number.

24. **PAYMENT:**

The agencies or school districts involved will authorize and process for payment each invoice within thirty (30) days after the date of receipt of a correct invoice. The contractor or vendor must accept full payment by procurement (credit) card and/or conventional check and/or other electronic means at the State's option, without imposing any additional fees, costs or conditions.

25. **PRODUCT SUBSTITUTION:**

All items delivered during the life of the contract shall be of the same type and manufacture as specified or accepted as part of the bid proposal unless specific approval is given by the Office of Management and Budget, Government Support Services to do otherwise. However, awarded vendors are highly encouraged to offer any like substitute product (s); either generic or brand name, at any time during the subsequent contract term, especially if an opportunity for cost savings to the state exists. In such cases, the state may require the submission of written specifications and/or product samples for evaluation prior to any approvals being granted.

26. **BID/CONTRACT EXECUTION:**

Both the non-collusion statement that is enclosed with this Invitation to Bid and the contract form delivered to the successful bidder for signature **shall** be executed by a representative who has the legal capacity to enter the organization into a formal contract with the State of Delaware, Office of Management and Budget, Government Support Services. The awarded vendor(s) will be required to complete the new W-9 Form by visiting the Division of Accounting's Website: <http://accounting.delaware.gov> .

27. **CONTRACTOR RESPONSIBILITY:**

The State will enter into a contract with the successful contractor. The successful contractor shall be responsible for all products and services as required by this ITB. Subcontractors, if any, shall be clearly identified in the financial proposal.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

28. **PERSONNEL:**

- a. The Contractor represents that they have, or will secure at their own expense, all personnel required to perform the services required under this contract.
- b. All of the services required hereunder shall be performed by the Contractor or under its direct supervision, and all personnel, including subcontractors, engaged in the work shall be fully qualified and shall be authorized under State and local law to perform such services.
- c. None of the work or services covered by this contract shall be subcontracted without the prior written approval of the State.

29. **LIFE CYCLE COSTING:**

If applicable, the specifications contained within this ITB have been developed through Life Cycle Cost Analysis that will allow the State to realize the lowest total cost of ownership and operation over the useful life of the equipment.

30. **ENERGY STAR PRODUCTS:**

The contractor **must** provide products that earn the ENERGY STAR rating and meet the ENERGY STAR specifications for energy efficiency. The offeror is encouraged to visit [www.energystar.gov](http://www.energystar.gov) for complete product specifications and updated lists of qualifying products.

31. **TERMINATION FOR CONVENIENCE:**

Contracts shall remain in effect for the time period and quantity specified unless the contract is terminated by the State. The State may terminate the contract at any time by giving written notice of such termination and specifying the effective date thereof, at least sixty (60) days before the effective date of termination.

32. **TERMINATION FOR CAUSE:**

If, for any reasons, or through any cause, the Contractor fails to fulfill in timely and proper manner its obligations under this Contract, or if the Contractor violates any of the covenants, agreements, or stipulations of this Contract, the State shall thereupon have the right to terminate this contract by giving written notice to the Contractor of such termination and specifying the effective date thereof, at least 5 days before the effective date of such termination. In that event, all finished or unfinished documents, data, studies, surveys, drawings, maps, models, photographs, and reports or other material prepared by the Contractor under this Contract shall, at the option of the State, become its property, and the Contractor shall be entitled to receive just and equitable compensation for any satisfactory work completed on such documents and other materials which is usable to the State.

33. **VENDOR EMERGENCY RESPONSE POINT OF CONTACT:**

The awarded vendor(s) shall provide the name(s), telephone, or cell phone number(s) of those individuals who can be contacted twenty four (24) hours a day, seven (7) days a week to meet a critical need for commodities or services when the Governor of the State of Delaware declares a state of emergency under the current Delaware Emergency Operations Plan. Failure to provide this information could render the bid as non-responsive.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

34. **ELECTRONIC CATALOG:**

The successful vendor(s) may be required to submit their items list in electronic format designated by the State.

Note: The State of Delaware is in the process of implementing a new financials system, which will require the use of:

- Electronic catalogs
- Commodity/classification code: United Nations Standard Products and Services Code (UNSPSC).
- A unique item ID for all items in our system

The state has made the determination to include the requirement in this contract for two reasons:

1. To find out what vendors can offer.
2. To give the agencies and school districts a level of comfort in using electronic catalogs.

35. **SUBSEQUENT NEEDS**

There is the possibility of subsequent need of same or similar products by eligible covered Agencies during the contract period. Such needs will be communicated to the awarded vendor(s) for quotation with all terms and conditions of the contract being applicable.

**TECHNICAL SPECIFICATIONS**

**SAND AND SALT SPREADERS**

**STAINLESS STEEL**

**SPECIFICATION "A"**

**V-BOX for a TEN (10) WHEEL DUMP TRUCK**

It is the intent and purpose of these specifications to describe a **Stainless Steel Sand and Salt Hopper - Type Spreader** to be used for snow and/or ice operations on Delaware State Highways. All Stainless Steel shall be 304 construction. The hopper body, bolts, all metallic connectors, and the material chute shall be 304 stainless steel. The chain conveyer or augers shall be painted black. The screen shall be hot dipped galvanized steel.

All components necessary to make a complete operating unit shall be provided even if it is not identified in these specifications. Bidders must submit with their bid complete specifications on the unit they propose to furnish. These specifications shall include minimum requirements, including components, accessories and safety features considered standard.

Unit proposed must comply with all applicable Federal, State, Department of Transportation, and O.S.H.A. regulations.

Prior to delivery, the unit shall be:

- A. Complete with accessories and equipment properly installed and operative.
- B. Clean, lubricated and serviced, ready for immediate use.
- C. Provide a copy of the Manufacturer's Service and Warranty Policy with all warranty certification vouchers, certifications or coupons and line-setting tickets.
- D. Where applicable the bidder must provide drawings and detailed component listing for all items described in the specification.
- E. The units delivered must be current year production models, and shall be new.

**1. HOPPER BODY FOR TEN (10) WHEEL DUMP TRUCK:**

The body shall have a capacity of ten (10) cubic yards struck. The slope shall be 45 degrees for ease of material flow. The hopper body shall be constructed of twelve (12) gauge 304 stainless steel and electrically wired inside and out. The top end gates shall be channel formed for added strength, and the rear panel shall be reinforced vertically by a ten (10) gauge channel formed 304 stainless steel plate. There will be a minimum of seven (7) external side supports (gussets) made of ten (10) gauge 304 stainless steel extended the full length of the sloped sides to give added strength and stability to the hopper body. Ten (10) gauge 304 stainless steel angle iron shall be located at the base of the spreader and shall run the entire length of the hopper on each side to give further strength to the hopper and to act as a skid runner for ease and stability in mounting. The hopper shall have lifting loops installed at each corner so the complete unit may be lifted safely up in an upright position and removed

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

from the truck. Six (6) nylon hold down straps with ratchet shall be included. Tighteners and body brackets (three (3) on each side) shall be provided to adequately secure the hopper body to the dump body. The rear feed gate shall be controlled by a feed gate door that is easily adjustable by a curbside self locking handle. The feed gate shall be 10 gauge 304 stainless steel. The hopper body shall have skid runners installed with 4" X 6" treated lumber for providing sliding ease stability.

The sand/salt hopper shall have the following dimensions:

- A. Inside body length - 15 feet
- B. Inside body width - 80" + or - 2"
- C. Body height -56" + or - 2"
- D. To provide a 10 yard body rating

**2. CHAIN CONVEYOR:**

The overall width of the conveyer shall be 24" minimum. The conveyer side channels shall be made up of seven (7) gauge stainless steel. The conveyer chain link shall be protected by a cover, the full length of the inside of hopper. The conveyer bed plate shall be constructed of 12 gauge stainless steel and shall be mounted for ease of replacement. The conveyer chain will be pintle-type with a pitch of 2-1/4" and an average tensile strength of 42,000 pounds. The chain slats shall be on 4" centers + or - 1". The conveyer chain shall operate on a minimum of a six (6) tooth cast sprocket system that shall be driven by a 1-1/2" minimum drive shaft which is driven by a fully inclosed and lubricated 25:1 worm gear type gear box that has bronze gears with double lip spring-loaded oil seals encased in a cast iron housing. Adjustment screws with a minimum of 4" adjustment range shall be provided to maintain proper conveyer chain adjustment. This adjustment shall be located in the rear, and, the adjustment shall be located such that adjustment can be made from the ground

**3. STAINLESS STEEL MATERIAL CHUTE:**

The spinner disc shall be powered by a hydraulic high-speed motor mounted under the spinner. The spinner shall be 20" diameter Urethane, non-corrosive, with a minimum of six (6) angle vanes for spreading the material. The material chute shall be constructed of 304 stainless steel minimum, fully inclosed and pinned to the conveyer. The spinner chute and spinner shall be vertically adjustable a minimum of 12" in 3" increments for precise control of spinner to ground height and for varying truck heights. There shall be four (4) external adjustable deflectors and two (2) internal baffles for precise spreading control. The deflectors shall be controlled by 3/8" stainless steel rod for rigid placement of the deflectors. The material chute will be constructed so as to swing level with the bottom of the conveyer. Also, the chute shall be constructed so it can be swung completely clear of the conveyer for discharging of the material without running the material over the spinner for wind rowing or quick unloading of the conveyer.

**4. HYDRAULIC AND MOTOR SYSTEM:**

The system shall be a dual hydraulic motor system. The two (2) hydraulic motors permit separate spinner and conveyer speeds. A heavy-duty hydraulic motor shall be integrally mounted to the conveyer gearbox and a heavy-duty hydraulic motor shall be directly mounted to the spinner. The motor on the conveyer shall contain a hall effect type sensor that must provide 50 pulses per revolution. The sensor connection must be of the DIN type using 3 or 4 pins. Hydraulic tubing shall be used where practical and be rated along with the hydraulic hose to

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

withstand system pressure requirements. Spreader hydraulic system and truck hydraulic system shall be compatible together.

All hydraulic hoses shall be equipped with quick disconnect snap type couplings. Arequip 5600 series valved nipples with dust plugs and dust caps. The couplers shall be reversed male-female to prevent incorrect hookup. The couplers on the conveyor shall be 3/4" and the couplers on the spinner shall be 1/2".

**5. GREASE SYSTEM:**

All bearings shall be greased from a grease manifold mounted on the right rear hopper brace. All lines running to bearings shall be stainless steel tubing.

**6. SCREENS:**

The screens shall be a minimum of six (6) sections and hinged in the center on top. The screens shall be made of 3/8" diameter high tensile galvanized steel rod. The steel screen shall be galvanized woven rod or hot dipped galvanized interlocked steel with 2-1/2" grid opening. The screens shall be supported by a center mounted heavy-duty top rail.

**7. INVERTED "V":**

An inverted "V" material support bridge over the conveyor to keep material weight off the conveyor chain. The "V" section shall be constructed of 10 gauge stainless steel.

**8. BOLTS:**

All bolts, nuts, and washers shall be stainless steel.

**9. PAINT:**

All stainless steel components do not require paint. All non-stainless steel components shall be painted black.

**10. MANUALS AND TAPES:**

Operator's Repair Part and Shop Manuals or CD's shall be provided for all components.

- A. One (1) Operator's Manual (per unit) - No CD needed for this item
- B. Five (5) Repair Parts Manuals or CD (contract total for each model year)
- C. Five (5) Shop Repair/Service Manuals or CD (contract total for each model year)

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

**SAND AND SALT SPREADERS**

**STAINLESS STEEL**

**SPECIFICATION "B"**

**V-BOX for a SIX (6) WHEEL DUMP TRUCK**

It is the intent and purpose of these specifications to describe a **Stainless Steel Sand and Salt Hopper - Type Spreader** to be used for snow and/or ice operations on Delaware State Highways. All Stainless Steel shall be 304 construction. The hopper body, bolts, all metallic connectors, and the material chute shall be 304 stainless steel. The chain conveyor or augers shall be painted black. The screen shall be hot dipped galvanized steel.

All components necessary to make a complete operating unit shall be provided even if it is not identified in these specifications. Bidders must submit with their bid complete specifications on the unit they propose to furnish. These specifications shall include minimum requirements, including components, accessories and safety features considered standard.

Unit proposed must comply with all applicable Federal, State, Department of Transportation, and O.S.H.A. regulations.

Prior to delivery, the unit shall be:

- A. Complete with accessories and equipment properly installed and operative.
- B. Clean, lubricated and serviced, ready for immediate use.
- C. Provide a copy of the Manufacturer's Service and Warranty Policy with all warranty certification vouchers, certifications or coupons and line-setting tickets.
- D. Where applicable the bidder must provide drawings and detailed component listing for all items described in the specification.
- E. The units delivered must be current year production models, and shall be new.

**1. HOPPER BODY FOR SIX (6) WHEEL DUMP TRUCK:**

The body shall have a capacity of six (6) cubic yards struck. The slope shall be 45 degrees for ease of material flow. The hopper body shall be constructed of twelve (12) gauge 304 stainless steel and electrically wired inside and out. The top end gates shall be channel formed for added strength, and the rear panel shall be reinforced vertically by a ten (10) gauge channel formed 304 stainless steel plate. There will be a minimum of seven (7) external side supports (gussets) made of ten (10) gauge 304 stainless steel extending the full length of the sloped sides to give added strength and stability to the hopper body. Ten (10) gauge 304 stainless steel angle iron shall be located at the base of the spreader and shall run the entire length of the hopper on each side to give further strength to the hopper and to act as a skid runner for ease and stability in mounting. The hopper shall have lifting loops installed at each corner so the complete unit may be lifted safely up in an upright position and removed from the truck. Six (6) nylon hold down straps with ratchet shall be included. Tighteners and body brackets (three (3) on each side) shall be provided to adequately secure the hopper body to the dump body. The rear feed gate shall be controlled by a feed gate door that is easily adjustable by a curbside self locking handle. The feed gate shall be 10 gauge 304 stainless steel. The hopper body shall have skid runners installed with 4" X 6" treated lumber for providing sliding ease stability.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

The sand/salt hopper shall have the following dimensions:

- A. Inside body length - 11 feet
- B. Inside body width - 80" + or - 2"
- C. Body height - 56" + or - 2"
- D. To provide a 6 yard body rating

**2. CHAIN CONVEYOR:**

The overall width of the conveyer shall be 24" minimum. The conveyer side channels shall be made up of seven (7) gauge stainless steel. The conveyer chain link shall be protected by a cover, the full length of the inside of hopper. The conveyer bed plate shall be constructed of 12 gauge stainless steel and shall be mounted for ease of replacement. The conveyer chain will be pintle-type with a pitch of 2-1/4" and an average tensile strength of 42,000 pounds. The chain slats shall be on 4" centers + or - 1". The conveyer chain shall operate on a minimum of a six (6) tooth cast sprocket system that shall be driven by a 1-1/2" minimum drive shaft which is driven by a fully inclosed and lubricated 25:1 worm gear type gear box that has bronze gears with double lip spring-loaded oil seals encased in a cast iron housing. Adjustment screws with a minimum of 4" adjustment range shall be provided to maintain proper conveyer chain adjustment. This adjustment shall be located in the rear, and, the adjustment shall be located such that adjustment can be made from the ground

**3. STAINLESS STEEL MATERIAL CHUTE:**

The spinner disc shall be powered by a hydraulic high-speed motor mounted under the spinner. The spinner shall be 20" diameter Urethane, non-corrosive, with a minimum of six (6) angle vanes for spreading the material. The material chute shall be constructed of 304 stainless steel minimum, fully inclosed and pinned to the conveyer. The spinner chute and spinner shall be vertically adjustable a minimum of 12" in 3" increments for precise control of spinner to ground height and for varying truck heights. There shall be four (4) external adjustable deflectors and two (2) internal baffles for precise spreading control. The deflectors shall be controlled by 3/8" stainless steel rod for rigid placement of the deflectors. The material chute will be constructed so as to swing level with the bottom of the conveyer. Also, the chute shall be constructed so it can be swung completely clear of the conveyer for discharging of the material without running the material over the spinner for wind rowing or quick unloading of the conveyer.

**4. HYDRAULIC AND MOTOR SYSTEM:**

The system shall be a dual hydraulic motor system. The two (2) hydraulic motors permit separate spinner and conveyer speeds. A heavy-duty hydraulic motor shall be integrally mounted to the conveyer gearbox and a heavy-duty hydraulic motor shall be directly mounted to the spinner. The motor on the conveyer shall contain a hall effect type sensor that must provide 50 pulses per revolution. The sensor connection must be of the DIN type using 3 or 4 pins. Hydraulic tubing shall be used where practical and be rated along with the hydraulic hose to withstand system pressure requirements. Spreader hydraulic system and truck hydraulic system shall be compatible together.

All hydraulic hoses shall be equipped with quick disconnect snap type couplings. Arequip 5600 series valved nipples with dust plugs and dust caps. The couplers shall be reversed male-female to prevent incorrect hookup. The couplers on the conveyer shall be 3/4" and the couplers on the spinner shall be 1/2".

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

**5. GREASE SYSTEM:**

All bearings shall be greased from a grease manifold mounted on the right rear hopper brace. All lines running to bearings shall be stainless steel tubing.

**6. SCREENS:**

The screens shall be a minimum of four (4) sections and hinged in the center on top. The screens shall be made of 3/8" diameter high tensile galvanized steel rod. The steel screen shall be galvanized woven rod or hot dipped galvanized interlocked steel with 2-1/2" grid opening. The screens shall be supported by a center mounted heavy-duty top rail.

**7. INVERTED "V":**

An inverted "V" material support bridge over the conveyor to keep material weight off the conveyor chain. The "V" section shall be constructed of 10 gauge stainless steel.

**8. BOLTS:**

All bolts, nuts, and washers shall be stainless steel.

**9. PAINT:**

All stainless steel components do not require paint. All non-stainless steel components shall be painted black.

**10. MANUALS AND TAPES:**

Operator's Repair Part and Shop Manuals or CD's shall be provided for all components.

- A. One (1) Operator's Manual (per unit) - No CD needed for this item
- B. Five (5) Repair Parts Manuals or CD (contract total for each model year)
- C. Five (5) Shop Repair/Service Manuals or CD (contract total for each model year)

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

**SAND AND SALT SPREADERS**

**STAINLESS STEEL**

**SPECIFICATION "C"**

**TAILGATE STAINLESS STEEL SPREADERS**

It is the intent and purpose of these specifications to describe a **Stainless Steel Tailgate Spreader** to be used for snow and/or ice operations on Delaware State Highways. All Stainless Steel shall be 304 construction. The hopper body, bolts, all metallic connectors, and the material chute shall be 304 stainless steel. The chain conveyer or augers shall be painted black. The screen shall be hot dipped galvanized steel.

All components necessary to make a complete operating unit shall be provided even if it is not identified in these specifications. Bidders must submit with their bid complete specifications on the unit they propose to furnish. These specifications shall include minimum requirements, including components, accessories and safety features considered standard.

Unit proposed must comply with all applicable Federal, State, Department of Transportation, and O.S.H.A. regulations.

Prior to delivery, the unit shall be:

- A. Complete with accessories and equipment properly installed and operative.
- B. Clean, lubricated and serviced, ready for immediate use.
- C. Provide a copy of the Manufacturer's Service and Warranty Policy with all warranty certification vouchers, certifications or coupons and line-setting tickets.
- D. Where applicable the bidder must provide drawings and detailed component listing for all items described in the specification.
- E. The units delivered must be current year production models, and shall be new.

**1. GENERAL:**

The spreader and all nuts, bolts and fasteners of all kinds shall be constructed entirely of 304 stainless steel with the exception of the auger and auger trough, spinner disc and bearings. A two (2) position cover to facilitate the normal spread mode elevated and all full dump over capabilities when lowered shall be provided in 304 stainless steel.

**2. AUGER TROUGH:**

The auger trough shall be constructed of a two (2) ply RMA grade #2 rubber material with a polyester fabric interweave rated at 800 X 600 lbs. Per/inch tensile strength. The trough discharge opening shall be a minimum of 12 inches from the end of the spreader.

The auger trough shall be capable of a full drop side for a clean-out or jam condition and shall expose over three quarters (3/4) if the auger when opened. Unit shall be constructed as to ensure that the auger motor is totally disconnected thus eliminating the possibility of auger motion during the clean/out or un-jamming procedure.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

**3. AUGER:**

The auger shall be six (6) inches in diameter and full pitch with a reverse flighting past the spreader discharge part to ensure even bed feet to spreader. The mounting plates shall contain two (2) adjustment bolts allowing for a minimum of one (1) inch vertical auger adjustment. The auger shall be constructed of A36 steel and have skip welded 3/8" thick flighting. The auger shall have a two (2) inch solid shaft and be supported by a two (2) inch self-aligning sealed bearing with zerkl fitting, at the opposite end of auger motor.

**4. HYDRAULIC and MOTOR SYSTEM:**

The system shall be dual hydraulic motor drive. The two (2) hydraulic motors permit separate spinner and conveyor speeds. A heavy-duty hydraulic motor shall be integrally mounted to the auger shaft and a heavy-duty hydraulic motor shall be directly mounted to the spinner. The motor on the auger shaft shall contain a hall effect type sensor that must provide 50 pulses per revolution. The sensor connection must be of the DIN type using 3 or 4 pins. Hydraulic tubing shall be used where practical and to be rated along with the hydraulic hose to withstand system pressure requirements. Spreader hydraulic system and truck hydraulic system shall be compatible together.

All hydraulic hoses shall be 51" in length and equipped with quick disconnect snap type couplings; Aeroquip 5600 series valved nipples with dust plugs and dust caps. The couplers shall be reversed male-female to prevent incorrect hookup. The couplers on the conveyor shall be 3/4" and the couplers on the spinner shall be 1/2".

All hydraulic hoses, connectors and accessories necessary to make a complete operating unit on Department trucks shall be provided. Hose ends that attach to the truck shall be capped without quick coupler ends.

**5. SPINNER AND ASSEMBLY:**

The spinner assembly shall be self-leveling type with both vertical and horizontal locating adjustments. The spinner shall be constructed of urethane, with a bolt on mounting plate. Spinner body thickness shall be 5/8". Spinner diameter shall be 18" and have six (6) molded-in fins at least 1-3/4" high and designed to promote an even cast. Spinner deflector shall be bolt-on type. The spinner motor shall be a Gerotor type and directly coupled to the spinner shaft.

**6. NEVER SEIZE COMPOUND:**

All new sanders shall have "never seize compound" applied to the auger and spinner shafts during assembly.

**7. MANUALS AND TAPES:**

Operator's Repair Parts and Shop Manuals or CD's shall be provided for all components.

- A. One (1) Operator's Manual (per unit) No CD needed for this item
- B. Five (5) Repair Parts Manuals or CD (contract total for each model year)
- C. Five (5) Shop Repair/Service Manuals or CD (contract total for each model year)

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

**SAND AND SALT SPREADERS**

**STAINLESS STEEL**

**SPECIFICATION "D"**

**DUMP BOX AUGER CONVEYOR for a TEN (10) WHEEL DUMP TRUCK**

It is the intent and purpose of these specifications to describe a **Stainless Steel Dump Box Auger Conveyor Spreader** to be used for snow and/or ice operations on Delaware State Highways. All Stainless Steel shall be 304 construction. The hopper body, bolts, all metallic connectors, and the material chute shall be 304 stainless steel. The chain conveyor or augers shall be painted black. The screen shall be hot dipped galvanized steel.

All components necessary to make a complete operating unit shall be provided even if it is not identified in these specifications. Bidders must submit with their bid complete specifications on the unit they propose to furnish. These specifications shall include minimum requirements, including components, accessories and safety features considered standard.

Unit proposed must comply with all applicable Federal, State, Department of Transportation, and O.S.H.A. regulations.

Prior to delivery, the unit shall be:

- A. Complete with accessories and equipment properly installed and operative.
- B. Clean, lubricated and serviced, ready for immediate use.
- C. Provide a copy of the Manufacturer's Service and Warranty Policy with all warranty certification vouchers, certifications or coupons and line-setting tickets.
- D. Where applicable the bidder must provide drawings and detailed component listing for all items described in the specification.
- E. The units delivered must be current year production models, and shall be new.

**1. DUMP BOX AUGER CONVEYOR:**

The overall width of the auger conveyor frame shall be 24" minimum. The conveyor side channels will be made of the 11 gauge 304 stainless steel. The auger conveyor bed plate shall be constructed of 3/16" stainless steel and shall be bolted in place for easy replacement. The auger shall be 7" diameter variable pitch. The auger shall be constructed with ½" thick flighting installed on a 4" diameter heavy-duty pipe.

**2. CHAIN CONVEYOR:**

The overall width of the conveyor shall be 24" minimum. The conveyor side channels shall be made up of seven (7) gauge stainless steel. The conveyor chain link shall be protected by a cover the full length of the inside of the hopper. The conveyor bed plate shall be constructed of 12 gauge stainless steel and shall be mounted for ease of replacement. The conveyor chain will be pintle-type with a pitch of 2-1/4" and an average tensile strength of 42,000 pounds. The chain slats shall be on 4" centers + or - 1". The conveyor chain shall operate on a minimum of six (6) tooth cast sprocket system that shall be driven by a 1-1/2" minimum drive shaft which is driven by a

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

fully enclosed and lubricated 25:1 worm gear type gearbox that has bronze gears with double lip spring-loaded oil seals encased in a cast iron housing. The Conveyor Chain shall be adjustable by means of grease (hydraulic) cylinders located on either side of the sliding drive frame. Grease cylinders shall be designed to push Sliding Drive Frame along conveyor side rails and away from tail shaft end of unit in order to tension conveyor chain. Working length of conveyor chain shall be adjustable three (3) inches minimum from 12 feet 8 inches. The spreader unit shall be designed such that material to be spread is conveyed to the rear of the dump box through the tailgate door, dropped between the deflector panels and on to a spinner.

**3. MATERIAL CHUTE:**

The spinner disc shall be powered by a hydraulic high-speed motor mounted under the spinner. The spinner shall be 20" diameter Urethane, non-corrosive, with a minimum of six (6) angle vanes for spreading the material. The material chute shall be constructed of 304 stainless steel minimum, full enclosed and pinned to the conveyor. The spinner chute and spinner shall be vertically adjustable a minimum of 12" in 3" increments for precise control of spinner to ground height and for varying truck heights. There shall be four (4) external adjustable deflectors and two (2) internal baffles for precise spreading control. The deflectors shall be controlled by 3/8" 304 stainless steel rod for rigid placement of the deflectors. The material chute will be constructed so as to swing level with the bottom of the conveyor. Also, the chute shall be constructed so it can be swung completely clear of the conveyor for discharging of the material without running the material over the spinner for windrowing or quick unloading of the conveyor.

**4. HYDRAULIC AND MOTOR SYSTEM:**

The system shall be a dual hydraulic motor drive system. The two (2) hydraulic motors permit separate spinner and conveyor speeds. A heavy-duty hydraulic motor shall be integrally mounted to the conveyor gear box and a heavy-duty hydraulic motor shall be mounted to the spinner. The motor on the conveyor shall contain a hall effect type sensor that must provide 50 pulses per revolution. The sensor connection must be of the DIN type using 3 or 4 pins. Hydraulic tubing shall be used where practical and to be rated along with the hydraulic hose to withstand system pressure requirements. Spreader hydraulic system and truck hydraulic system shall be compatible together.

All hydraulic hoses shall be equipped with quick disconnect snap type couplings; Aeroquip 5600 series valved nipples with dust plugs and dust caps. The couplers shall be reversed male-female to prevent incorrect hookup. The couplers on the conveyor shall be 3/4" and the couplers on the spinner shall be 1/2".

**5. GREASE SYSTEM:**

All bearings shall be greased from a grease manifold mounted on the right rear. All lines running to the bearings shall be stainless steel tubing.

**6. BOLTS:**

All bolts, nuts, and washers shall be stainless steel.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

7. **PAINT:**

All stainless steel components do not require paint. All non stainless steel components shall be painted black.

8. **MANUALS AND TAPES:**

Operator's Repair Parts and Shop Repair Manuals or CD's shall be provided for all components.

- A. One (1) Operator's Manual (per unit) - No CD needed for this item
- B. Five (5) Repair Parts Manuals or CD (contract total for each model year)
- C. Five (5) Shop Repair/Service Manuals or CD (contract total for each model year)

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

BID QUOTATION REPLY SECTION

CONTRACT NO. **GSS11619-SALTSANDSPR**

SAND /SALT SPREADERS

Please fill out the attached forms fully and completely and return with your bid in a sealed envelope clearly displaying the contract number to the Department of Transportation / Contract Administration by August 2, 2011, 2:00 p.m. local time at which time bids will be opened.

**Bids shall be submitted to:**

**STATE OF DELAWARE  
DEPARTMENT OF TRANSPORTATION  
CONTRACT ADMINISTRATION  
800 BAY ROAD  
DOVER, DE 19901**

**PUBLIC BID OPENINGS**

The public bid opening insures the citizens of Delaware that contracts are being bid fairly on a competitive basis and comply with Delaware procurement laws. The agency conducting the opening is required by law to publicly open the bids at the time and place specified and the contract shall be awarded within thirty (30) days thereafter. The main purpose of the bid opening is to reveal the name(s) of the bidders(s), not to serve as a forum for determining the apparent low bidders. The disclosure of additional information, including prices, shall be at the discretion of the contracting agency until such time that the responsiveness of each bid has been determined.

After receipt of a fully executed contract(s), the Delaware public and all bidders are invited to make an appointment with the contracting officer in order to review pricing and other non-confidential information.

STATE OF DELAWARE  
Office of Management and Budget  
Government Support Services

Bid Form for Salt and Sand Spreaders

PAGE 01

\*\* ALL COLUMNS MUST BE COMPLETED AS INDICATED \*\*

ITEM NO.	QUANTITY	UNIT PRICE	EXTEND AMOUNT
1	25	Specification A, 10 Wheel V Box \$ _____ UNIT -EA	_____
2	5	Specification B, 6 Wheel V Box \$ _____ UNIT – EA	_____
3	20	Specification C, Tailgate Spreader \$ _____ UNIT – EA	_____
4	12	Specification D, Chain Auger Spreader \$ _____ UNIT – EA	_____

**Salt and Sand Spreaders Total Bid Price** \_\_\_\_\_

ATTACHMENT 1

STATE OF DELAWARE  
DEPARTMENT OF TRANSPORTATION  
CONTRACT ADMINISTRATION  
800 BAY ROAD  
DOVER, DE 19901

NO BID REPLY FORM

**BID #** GSS11619-SALTSANDSPR

**BID TITLE:** SAND /SALT SPREADERS

To assist us in obtaining good competition on our Request for Bids, we ask that each firm that has received an invitation, but does not wish to bid, state their reason(s) below and return in a clearly marked envelope displaying the contract number. This information will not preclude receipt of future invitations unless you request removal from the Bidder's List by so indicating below, or do not return this form or bona fide bid.

Unfortunately, we must offer a "No Bid" at this time because:

\_\_\_\_\_ 1. We do not wish to participate in the bid process.

\_\_\_\_\_ 2. We do not wish to bid under the terms and conditions of the Request for Bid document. Our objections are:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ 3. We do not feel we can be competitive.

\_\_\_\_\_ 4. We cannot submit a Bid because of the marketing or franchising policies of the manufacturing company.

\_\_\_\_\_ 5. We do not wish to sell to the State. Our objections are: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ 6. We do not sell the items/services on which Bids are requested.

\_\_\_\_\_ 7. Other: \_\_\_\_\_

\_\_\_\_\_ FIRM NAME

\_\_\_\_\_ SIGNATURE

\_\_\_\_\_ We wish to remain on the Bidder's List **for these goods or services.**

\_\_\_\_\_ We wish to be deleted from the Bidder's List **for these goods or services.**

ATTACHMENT 2

CONTRACT NO.: GSS11619-SALTSANDSPR
TITLE: SAND /SALT SPREADERS
OPENING DATE: August 2, 2011

NON-COLLUSION STATEMENT

This is to certify that the undersigned bidder has neither directly nor indirectly, entered into any agreement, participated in any collusion or otherwise taken any action in restraint of free competitive bidding in connection with this bid submitted this date to the Delaware Department of Transportation.

It is agreed by the undersigned bidder that the signed delivery of this bid represents the bidder's acceptance of the terms and conditions of this Invitation to Bid including all specifications and special provisions.

NOTE: Signature of the authorized representative MUST be of an individual who legally may enter his/her organization into a formal contract with the State of Delaware, Government Support Services.

COMPANY NAME (Check one) Corporation Partnership Individual

NAME OF AUTHORIZED REPRESENTATIVE (Please type or print)

SIGNATURE TITLE

COMPANY ADDRESS

PHONE NUMBER FAX NUMBER

EMAIL ADDRESS

FEDERAL E.I. NUMBER STATE OF DELAWARE LICENSE NUMBER

Table with 3 columns for classification types (Women, Minority, Disadvantaged) and 2 columns for Yes/No responses.

[The above table is for information and statistical use only.]

PURCHASE ORDERS SHOULD BE SENT TO: (COMPANY NAME)

ADDRESS

CONTACT

PHONE NUMBER FAX NUMBER

EMAIL ADDRESS

AFFIRMATION: Within the past five years, has your firm, any affiliate, any predecessor company or entity, owner, Director, officer, partner or proprietor been the subject of a Federal, State, Local government suspension or debarment?

YES NO if yes, please explain

THIS PAGE SHALL BE SIGNED, NOTARIZED AND RETURNED FOR YOUR BID TO BE CONSIDERED

SWORN TO AND SUBSCRIBED BEFORE ME this day of 20

Notary Public My commission expires

City of County of State of



ATTACHMENT 4

**OMWBE Certification Application found here:**

<http://gss.omb.delaware.gov/omwbe/certify.shtml>

**State of Delaware**

**Office of Minority and Women Business Enterprise  
Certification Information**



**Complete application and mail, email or fax to:**

Office of Minority and Women Business Enterprise (OMWBE)  
100 Enterprise Place, Suite 4 Dover, DE 19904 Telephone: (302) 857-4554 Fax: (302) 677-7086  
Email: [deomwbe@state.de.us](mailto:deomwbe@state.de.us)

Web site: <http://gss.omb.delaware.gov/omwbe/index.shtml>

Link to Certification Application: <http://gss.omb.delaware.gov/omwbe/certify.shtml>