

Daktronics Inc. PO Box 5128, Brookings, SD 57006

**Description of Cost Factors Cost Eval**

Offeror's Support for AEPA Pricing (Percent off catalog)  
 Travel time round trip from home location (Percent of regular time)  
 Per diem rate (Labor, meals and lodging per 24 hour period)  
 Bonding capacity (Total amount of capacity available)  
 Alternative methods of costing - percent of overhead/markup to cost  
 Discounts offered off Alternative Costing method.  
 Discounts provided on price sheets and catalogs (average discount offered)  
 Consultant  
 Installer/Repairman (Tradesman)  
 Electrician  
 Labor (General)

Unit of Measure	Offeror's Bid
Percent	10%
Percent	0%
Per Day	\$50.00
Dollar Amount	\$125,000,000.00
Percent	20%
Percent	0%
Percent	10%
Per Hour	\$105.00
Total cost installed	\$11,645.00
Total cost installed	\$8,190.00
Total cost installed	\$6,193.00
Total cost installed	\$8,980.00
Cost per mile	Freight price is calculated per the shipping method requested by member agencies participating member and applied to the quote
From (City,State)	SD/MN

**Outdoor football score board Daktronics FB-2021 with horn, complete system.** Owner provides mounting structure and power.

**Outdoor led technology messaging marquee Daktronics AF-3220 3' x 8' display.** Complete system, marquee size 8'w x 7'h, display area 6' x 3', school name and logo at top, School colors, owner will provide mounting structure and power.

**Indoor led bar digit technology (pair), volleyball, basketball and wrestling scoreboard Daktronics BB-2101.** Complete system, standard configuration.

**Indoor led bar digit technology (pair), volleyball, basketball and wrestling scoreboard Daktronics BB-2103.** Complete system, wireless configuration.

Please explain your shipping charges (Cost per mile/from)

Lease quote pricing on all display systems

Sales Taxes

Lease quote pricing calculated upon request by member agencies participating member and applied to the quote  
 State and Local taxes will be added to all cost proposals and invoices



Berthel Park School District-Berthel Park, PA



Kenwood High School-Ever, MD



Medonogh School-Owens Mills, MD



Allegheny Area School District-Allentown, PA

## SCOREBOARDS

LED (light emitting diode) technology for excellent visibility.

Complete line of scoreboards for indoor and outdoor sports.

## MESSAGE DISPLAYS

LED message displays show text, graphics, animations and recorded video in amazingly true-to-life images.

Various sizes and configurations so there is a perfect size and color combination for each facility.

## VIDEO DISPLAYS

LED video displays show animations, statistics, advertisements and live video in 4.3 trillion colors.

Affordable solution for smaller facilities looking for a professional live video experience.

## AUDIO SYSTEMS

Daktronics audio systems integrate into the design of the scoreboard and can include advertising or logo panels.

Ensure excellent sound projection, clear and intelligible speech and a powerful audio experience.

**THE DAKTRONICS TEAM IN PENNSYLVANIA & MARYLAND IS COMMITTED TO SERVING SCHOOLS, PARK & RECREATION DEPARTMENTS & JUNIOR COLLEGES WITH EXPERIENCED LOCAL SERVICE, HELPING CUSTOMERS CREATE LASTING SOLUTIONS.**



KEYSTONE  
PURCHASING  
NETWORK

LOCAL SERVICE **LASTING SOLUTIONS**  
WWW.DAKTRONICS.COM



**WASHINGTON**  
**BLUE JAYS**

**BANK OF WASHINGTON**

**MERCY ST. JOHN'S MERCY**  
*St. John's Mercy is a work of Mercy*

**pepsi**

**MyMercy**  
*Connect with your doctor and your health - online, anytime and anywhere.*

**FAN CAM!**

**BLUE JAYS** **12:00** **LIONS**

**11** - **0**

**T.O.L.** **DOWN** **TO GO** **BALL ON** **QTR** **T.O.L.**

**3** **1** **10** **22** **2** **2**

**First State Community Bank**

**PATIENTS FIRST HEALTH CARE**

**Williams Brothers**  
*Best Market & Catering*  
[www.WilliamsBrothers.com](http://www.WilliamsBrothers.com)

## SCOREBOARDS & DISPLAY PRODUCTS

## SPORTS

 BASEBALL/SOFTBALL

 BASKETBALL

 DIVING

 SYNCHRONIZED DIVING

 FIELD HOCKEY

 FOOTBALL

 GYMNASTICS

 HOCKEY

 LACROSSE

 RODEO

 SOCCER

 SWIMMING

 SYNCHRONIZED SWIMMING

 TEAM HANDBALL

 TENNIS

 TRACK

 VOLLEYBALL

 WATER POLO

 WRESTLING

## **COMPANY**

DAKTRONICS	2
SCOREBOARD ENHANCEMENTS	4
SCOREBOARD OPTIONS	6
SCOREBOARD DIGITS	7

## **SCOREBOARDS**

AQUATICS	8
BASEBALL	10
BASKETBALL	18
FOOTBALL	26
GYMNASTICS	31
HOCKEY	32
LACROSSE	35
RODEO	36
SOCCER	37
TRACK	41
VOLLEYBALL	42
WRESTLING	43

## **ENHANCEMENTS**

ACCENTS	44
AUDIO	48
CHARACTER GENERATOR	50
LOGO/SPONSOR PANELS	51
MESSAGE DISPLAYS	52
SCORER'S TABLES	70
SOFTWARE	71
VIDEO DISPLAYS	72

## **SPECIFICATIONS**

CONTROLLERS	76
CONTROL SOFTWARE	79
TIMING DISPLAYS	80
SPORT MODES	82
SCOREBOARD INDEX	92
ACCENT INDEX	95

## COMPANY HISTORY

Founded in 1968 by two electrical engineering professors, Daktronics is the leading designer and manufacturer of scoreboards, programmable display systems, large screen video displays and sound systems.

Ninety thousand customers have chosen Daktronics scoreboards and display systems to communicate with millions of people in more than 95 countries on six continents around the world.

Daktronics industry-leading products meet the needs of sport customers worldwide. Professional teams, universities, colleges, high schools and park and recreation facilities use Daktronics technologies to increase revenue for their organizations, improve sponsor awareness and most importantly, to entertain and inform fans.

When fans watch sports on television, including major international sports competitions, professional or collegiate football, basketball, baseball, hockey or soccer events, they can see Daktronics scoreboards keeping track of the action.

## MADE IN THE USA

The entire production process from conception through the design and manufacture of scoreboards and displays for high schools, parks and recreation facilities occurs in the Brookings, South Dakota plant. As manufacturing processes become more efficient, Daktronics is delivering more products than ever before while maintaining the highest standards of quality. Daktronics manufacturing facilities include component assembly, electronic assembly, printed circuit board fabrication, welding, painting, final assembly and testing.

## CHOOSE DAKTRONICS

- Complete line of scoring and timing products, sound systems and video displays
- Financial stability with a publicly traded corporation (NASDAQ: DAKT)
- Experience with tens of thousands of displays installed worldwide
- Design assistance and dedicated project management
- Designed and manufactured in the United States
- A history of on-time, on-budget performance
- Ongoing research and development
- Unmatched technical expertise
- Installation supervision
- Local service



## LONG LASTING LED TECHNOLOGY

Light emitting diodes, or LEDs, are tiny, solid-state units that harness a semiconductor chip to convert electric energy into visible light. Daktronics was one of the first major display companies to use LED technology in scoreboards, programmable message centers and video displays.



Compared to incandescent lighting, LEDs are more robust because there is no fragile filament to break. LEDs save money by consuming minimal power, operating on less than 10 percent of the power required for incandescent lamps. Plus, LEDs last up to 16 times longer and look amazing due to high-visibility brightness, greater off-state contrast and a modern, attractive digit design.

## HIGH QUALITY ALUMINUM

Daktronics is committed to quality at all stages of the manufacture and design process and uses the best materials available. Aluminum is more expensive than steel, and for a simple reason: it's better.

### IMPROVED CORROSION RESISTANCE

Avoid corrosion with Daktronics all-aluminum construction. When steel ages, it rusts. As aluminum ages, an imperceptible layer forms that contributes to long-term protection of the scoreboard.

### ATTRACTIVE DURABLE FINISH

Daktronics cleans and pretreats all of its aluminum products for a long lasting, consistent finish.

### UP TO 50 PERCENT LIGHTER

Aluminum is easier to handle during construction and installation. It is substantially lighter than steel.

### RUGGED AND STRUCTURALLY SOUND

Daktronics aluminum construction is based on conservative design parameters to withstand severe wind, ice and snow accumulation.

### ENVIRONMENTALLY FRIENDLY

Recycling aluminum is a great benefit for the environment and for Daktronics displays, since repeated recycling of aluminum does not affect its quality. Daktronics recycles all of the scrap aluminum that is produced in the manufacturing process.

## INDUSTRY-LEADING CUSTOMER SERVICE

**DAKTRONICS HAS ESTABLISHED THE MOST COMPREHENSIVE FIELD SERVICE ORGANIZATION IN THE SCORING AND DISPLAY INDUSTRY.**



### ON-SITE SERVICE

Factory certified local technicians across the country



### PARTS EXCHANGE

Major components shipped same day to reduce downtime



### TECHNICAL SUPPORT

Live technicians available including nights and weekends



### PROTECTION PLANS

Several service plans available



To learn more about what Daktronics offers, please contact us at [1-800-DAKTRONICS](tel:1-800-DAKTRONICS) or [800-325-8766](tel:800-325-8766).

## ENDLESS OPTIONS

Daktronics offers the most complete line of scoring and timing systems, which includes message displays, large screen video displays, scoreboard hoists and sound systems.

Often, the main scoreboard provides vital information, while it is the scoreboard enhancements that make the most impact to integrate with the facility, and create a unique display. Daktronics is constantly developing new enhancements to accompany scoreboards.

Learn more about Daktronics scoreboard enhancements in the section following the scoreboard sections on page 44.





**SCHOOL ID PANEL** page 51

**MESSAGE DISPLAY** page 52

**COLORSMART® DIGITS** page 7

**TEAM NAME CAPTION** page 6

**STATISTICS DISPLAY** page 24

**SCOREBOARD STRIPING** page 6



## SCOREBOARD OPTION LIST

- **Logo/sponsor panels** - Identify the facility and recognize sponsors
- **Striping** - Trim the display with white or colored striping, over 50 colors available
- **Caption color** - Select from more than 50 colors
- **Radio control** - Increase flexibility and reduce installation costs with radio
- **Team name caption in place of HOME** - Showcase team name with vinyl
- **Team name message centers (TNMC)** - Personalize team names
- **Message displays** - Boost excitement in the facility
- **Video displays** - Entertain and inform fans
- **Red PanaView® digits (outdoor)** - Excellent digit readability
- **Amber PanaView digits (outdoor)** - Complement school colors
- **White PanaView digits (outdoor)** - Provide maximum brightness
- **UniView® digits (indoor)** - Achieve a uniform bar look with the money saving advantages of LED technology
- **PanaView digits (indoor)** - Bright, affordable digits with an enhanced viewing angle
- **Accents** - Add detail and interest to the display
- **Daktronics software** - Manage and display real-time statistics
- **Daktronics audio** - Achieve superior sound quality throughout the facility
- **Horn (outdoor)** - Audibly signal important game events
- **Individual digit screens (outdoor)** - Provide additional digit protection from unexpected flying objects
- **Protective screens (indoor)** - Provide additional protection for the display face from unexpected flying objects
- **Netting** - Another protective option which covers the entire display
- **Solar power** - Power the scoreboard with solar rechargeable batteries

## THE MOST COLOR OPTIONS IN THE INDUSTRY

The paint buckets shown represent the most popular scoreboard colors as chosen by Daktronics customers. Daktronics is the only company providing more than 150 color choices at no additional charge. Regardless of the color, Daktronics offers high-quality, long-lasting display finishes designed to resist fading due to ultraviolet rays.

All Daktronics scoreboard paints and primers are lead-free and chromate-free, which makes the paint safer for the environment.

For more specific information on scoreboard color options, please refer to Daktronics Scoreboard Color Selection brochure. Ask for SL-02730.



Scoreboard Paint Brochure



## SCOREBOARD PERSONALIZATION

### CUSTOMIZE WITH TEAM NAME

Change the HOME caption of the scoreboard to your school's mascot or team name.

### ACCENT THE SCOREBOARD WITH COLORED CAPTIONS


Select colored captions for the scoreboard to match the striping and/or school colors. Outlined captions are available for an additional fee.

### PERSONALIZE A SCOREBOARD WITH STRIPING

Add striping to a scoreboard to coordinate with school colors. Choose from more than 50 colors.


## SCOREBOARD DIGIT SIZE

In this catalog, the sizes of each scoreboard's digits are listed, as well as the height, width and depth of each model. The height of each digit determines how well the scoreboard can be viewed from a particular distance. Here's a rule of thumb: for every inch of digit height, add 40 feet to the display's total viewing distance.



## INDOOR DIGITS

### COLORSMART® COLOR-CHANGING DIGITS (-19)



Daktronics patented ColorSmart® digits respond to the ever changing events of the game. ColorSmart LED technology follows the flow of the game by changing colors between red, amber and green according to which team is ahead and whether the game clock is stopped or running.



Game Clock stopped  
Home team ahead



Game Clock running  
Guest team ahead

### UNIVIEW® DIGITS (-15)



Daktronics exclusive, patented UniView® digits provide the advantages of money-saving LED technology while retaining a clean, sleek "bar" look. The digit uses a specially designed diffuser to promote a uniform glow and dramatically increase the viewing angle of the scoreboard.

### PANAVIEW® DIGITS (-13)



Daktronics PanaView® digits are robust and strong, especially designed for Daktronics Tuff Sport® scoreboards. They offer every money-saving advantage of LED technology and provide an outstanding viewing angle that outshines previous LED technologies.

## OUTDOOR PANAVIEW DIGITS

### WHITE (-41)



White LED digits are a rising trend for outdoor scoreboards. This additional color provides another option to match school and mascot colors. White will complement almost any color and can be used to create a sleek, new, fresh-looking display.




### AMBER (-21)



Daktronics PanaView digits fully utilize the LED's specific cone of light, resulting in displays with dramatically enhanced viewing angles. PanaView digits protrude directly through the display face. With nothing to block the stream of light, PanaView digits produce a brighter appearance and wider viewing angle than other LED digits. PanaView digits are available in amber, red or white.

### RED (-11)



To further customize the scoreboard, mix and match digit colors within one display. Clock digits can be red, while the score and stats digits are amber. There are examples of mixed digit color scoreboards throughout the outdoor sport sections.

## TEAM NAME MESSAGE CENTERS (TNMC)

Daktronics team name message centers are excellent for tournaments. TNMCs feature cost-efficient LED technology and allow operators to display the names of home and guest teams. Add a TNMC to an existing scoreboard with a retrofit kit.

### INDOOR TEAM NAME MESSAGE CENTERS (amber)



Indoor TNMC  
single stroke letters



Indoor TNMC  
double stroke letters

### OUTDOOR TEAM NAME MESSAGE CENTERS (red or amber)



Outdoor TNMC  
single stroke letters



Outdoor TNMC  
double stroke letters

EVENT: 4 HEAT: 1 2:32.5  
**M 200 FREE TIMED FINALS**

LH	PL	SWIMMER	TIME
1	4	PATEL, RAHUL	25.60
2	5	TROSKE, ERIC	36.49
3	2	LEETH, TYLER	2:13.93
4	1	BYERS, RYAN	2:11.50
5	3	JOLL, ETHAN	2:19.67
6	6	KRIYAK, ETHAN	33.38

Valparaiso High School Valparaiso, Indiana  
 96x176-20



Aquatics Catalog

## VIDEO & MESSAGE DISPLAYS

Daktronics video and message displays can display aquatics-specific information such as: event titles, athlete names, team scores, team logos, final results, sponsor ads and many other personalized features. Daktronics can identify the correct display for any facility and can make sure it operates to its fullest potential. Contact Daktronics today to schedule an on-site visit.

For a complete list of aquatics timing equipment and displays, please refer to the Daktronics Aquatics Catalog. Ask for DD1565872.

H: 14' - 9" (4496 mm) W: 25' - 6" (7772 mm) D: 0' - 11" (279 mm)

The **168x294-26** is a popular large video display with 26mm pixel spacing.

**W 200 Breast Timed Final** 2:22.7  
**EVT#: 9 HT#: 1**

1	Betzin, Karnon	LSU	2:22.46	4
3	Ackerman, Ashle	OWLS	2:21.13	3
4	Hillis, Deocy	UH	2:17.98	1
5	Givens, Vialori	LSU	2:20.80	2
6	Liy, Cristina	UNO		
7	O'Brian, Alex	OWLS		
8	Newcomb, Oatal	UH		

H: 11' - 2" (3404 mm) W: 19' - 6" (5944 mm) D: 0' - 11" (279 mm)

The **162x288-20** has a higher resolution with 20mm pixel spacing. This display is a popular mid-range cabinet size.

**Men 200 Breast** E 31 H 5  
 2:11.22 1:53.3

LH	PL	National-SR	TIME	SCORE
1	5	Nosenl, S	SFA 38.38	1:48.27
2	10	irembloy, U	SAMAK 40.48	1:52.79
3	2	Ulassman, Z	DDO 37.00	1:45.00
4	7	Tubin, C	UCSC 38.82	1:48.42
5	1	Buls, M	CNPPD 35.58	1:40.05
6	3	Cal, I	HYACK 38.07	1:46.36
7	4	Actun, S	ROD 37.43	1:46.44
8	6	Bluck, J	BRSA 38.52	1:48.41
9	8	Salmun, D	LAC 38.76	1:48.88
10	9	Buisvert, S	CNPPD 38.85	1:49.39

H: 6' - 7" (2007 mm) W: 11' - 8" (3556 mm) D: 0' - 9" (229 mm)

The **96x176-20** is an excellent display size for natatoriums with a shorter viewing distance.



Deer Lakes Swimming Russellton, Pennsylvania  
SW-2106, SW-2005




## SCOREBOARDS & TIMING SYSTEMS



Swimming mode



Water polo mode



Diving mode



Digit size: 10"

H: 5' - 10" (1778 mm) W: 18' - 0" (5486 mm) D: 0' - 6" (152 mm)

To accommodate a full range of aquatic sports, the 2200 series scoreboards can score diving, synchronized diving, synchronized swimming, water polo and swimming. A **SW-2218** is shown in several modes. For swimming only scoreboards, choose from the popular SW-2100 series models. All models, ranging from 1-10 lines, are available in horizontal or vertical layouts to fit any facility.



T-7000 series touchpads



Relay Take-Off Platform



HS-200 Horn Start

Complete the timing package with Daktronics patented **T-7000** series touchpads and **Relay Take-Off Platforms (RTOP)** for consistent, accurate results. The **HS-200 horn start** and public address system is available in addition to many other products. For complete details, visit: [www.daktronics.com/aquatics](http://www.daktronics.com/aquatics).



Digit size: 7"

H: 0' - 9" (229 mm) W: 2' - 0" (610 mm) D: 0' - 5" (127 mm)

The **PC-2001** pace clock can be used for training and as a shot clock for water polo. With its built-in rechargeable battery, this pace clock can go wherever it is needed.



Desert Vista High School Phoenix, Arizona  
BA-3724


## 36' WIDE SCOREBOARDS



Digit size: 24", 18"

H: 9' - 4" (2845 mm) W: 36' - 0" (10973 mm) D: 0' - 8" (203 mm)


The **BA-2026** displays runs for 10 innings, along with total RUNS, HITS and ERR. This model ships in four sections and is front and rear accessible. It is shown with mixed digits.



Digit size: 24", 18"

H: 9' - 4" (2845 mm) W: 36' - 0" (10973 mm) D: 0' - 8" (203 mm)

The **BA-2028** interfaces with a radar gun to display MPH, even over 100. It ships in four sections and is front and rear accessible.



Digit size: 24", 18"

H: 9' - 4" (2845 mm) W: 36' - 0" (10973 mm) D: 0' - 8" (203 mm)


The **BA-2029** scores up to ten innings and displays TIME and PITCH SPEED for added statistical convenience. Total RUNS, HITS and ERR are also tallied numerically. This scoreboard ships in four sections and is front and rear accessible.




Jefferson High School - Festus, Missouri  
BA-3718, DA-1205



## 27' WIDE SCOREBOARDS



Digit size: 18", 15"  
H: 7' - 0" (2134 mm) W: 27' - 0" (8230 mm) D: 0' - 8" (203 mm)  
The **BA-2025** displays up to 10 innings and offers a number of caption choices. This model ships in two sections and is accessible from both the front and rear.



Digit size: 18", 15"  
H: 7' - 0" (2134 mm) W: 27' - 0" (8230 mm) D: 0' - 8" (203 mm)  
The **BA-2027** displays pitch speed in MPH with the use of a radar gun. It is front and rear accessible and ships in two sections. This model is shown with mixed digits.



## DID YOU KNOW?

The scoreboards shown on these pages are available with mixed LED digit colors. The icon above will appear after the sport icons if the scoreboard model is available with standard mixed LED digits.



Clarksville Academy Clarksville, Tennessee  
BA-2004

## 20' WIDE SCOREBOARDS



Digit size: 18", 15"

H: 6' - 6" (1981 mm) W: 20' - 0" (6096 mm) D: 0' - 6" (152 mm)


The **BA-2004** displays up to nine innings and offers the H/E (hit/error) digit. This scoreboard also displays total RUNS.



Digit size: 18", 15"

H: 6' - 6" (1981 mm) W: 20' - 0" (6096 mm) D: 0' - 6" (152 mm)


The **BA-2005** offers the AT BAT caption. If desired, the AT BAT caption can be replaced with a TIME caption. TIME can count up or down in hours, minutes and seconds. The times shift to show the most significant value. This scoreboard scores up to nine innings.



Digit size: 18", 15"

H: 6' - 6" (1981 mm) W: 20' - 0" (6096 mm) D: 0' - 6" (152 mm)


The **BA-2014** displays up to eight innings and offers the H/E digit to display whether a play was scored as a hit or an error. It also displays total RUNS, HITS and ERR. It is shown with mixed digits.



Digit size: 15", 10"

H: 6' - 0" (1829 mm) W: 20' - 0" (6096 mm) D: 0' - 6" (152 mm)


The **BA-2019** displays up to 10 innings and displays RUNS, HITS and ERR. Alternate captions are also available as shown.



North Kossuth Senior High School, Swea City, Iowa  
BA-1518




## 16' WIDE SCOREBOARDS



Digit size: 18"

H: 8' - 0" (2438 mm) W: 16' - 0" (4877 mm) D: 0' - 6" (152 mm)


The **BA-1518** has at bat indicators next to HOME and GUEST. This model utilizes 18" digits and scores up to 19 innings.



Digit size: 15"

H: 7' - 0" (2134 mm) W: 16' - 0" (4877 mm) D: 0' - 6" (152 mm)

The **BA-2022** displays seven innings and offers BALL, STRIKE and OUT digits. The total number of runs is tallied in TOTAL.



Digit size: 24"

H: 6' - 0" (1829 mm) W: 16' - 0" (4877 mm) D: 0' - 6" (152 mm)

The **BA-624** offers 24" digits for greater viewing distance. It scores up to 19 innings and features BALL, STRIKE, OUT and H(it) or E(rror) indicators.



Spokane High School - Spokane, Missouri  
BA-618


## 14' WIDE SCOREBOARDS



Digit size: 18"

H: 6' - 0" (1829 mm) W: 14' - 0" (4267 mm) D: 0' - 6" (152 mm)

The **BA-2017** offers AT BAT, TIME, H(it)/E(rror) or PITCH COUNT and scores to 19 innings.



Digit size: 18"

H: 5' - 0" (1524 mm) W: 14' - 0" (4267 mm) D: 0' - 6" (152 mm)

The **BA-618** has 18" digits and scores up to 19 innings. BALL, STRIKE, OUT and H(it) or E(rror) are displayed with indicators.



Digit size: 18", 15"

H: 5' - 0" (1524 mm) W: 14' - 0" (4267 mm) D: 0' - 6" (152 mm)

The **MS-918** can be used for numerous sports by simply changing the INNING caption to PERIOD. A QTR/HALF panel is available at an additional cost.



## HANDHELD CONTROLLER




The RC-100 instantly updates stats when an umpire presses a button. It controls smaller Daktronics scoreboards, including all the scoreboards shown on these two pages. Refer to the index for all the scoreboards that can be operated by the RC-100.



Ethel High School Ethel, Mississippi  
BA-2618



## 9'-10' WIDE SCOREBOARDS



Digit size: 18"

H: 5' - 0" (1524 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **BA-2718** has the TIME feature. AT BAT, PITCH COUNT or H(it)/E(rror) are also available in place of TIME. This model displays basic game information for up to 9 innings.



Digit size: 18"

H: 5' - 0" (1524 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **BA-2618** offers an optional logo/sponsor panel. Indicators show if a play was scored as a HIT or ERR.



Digit size: 18"

H: 5' - 0" (1524 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **MS-3918** displays the time and H(it) or (E)rror indicators.



Digit size: 18"

H: 4' - 0" (1219 mm) W: 9' - 0" (2743 mm) D: 0' - 6" (152 mm)

The **BA-2518** has a small cabinet design, but still retains large 18" digits for increased viewing distance.



Digit size: 15"

H: 3' - 0" (914 mm) W: 9' - 0" (2743 mm) D: 0' - 6" (152 mm)

The **BA-2715** offers a choice of TIME, AT BAT, H(it)/E(rror) or PITCH COUNT. This model displays up to 9 innings of game information.




Hackettstown High School | Hackettstown, New Jersey  
BA-2010

## 4'-8' WIDE SCOREBOARDS



Digit size: 18"  
H: 6' - 0" (1829 mm) W: 8' - 0" (2438 mm) D: 0' - 6" (152 mm)

The **BA-2010** is compact yet very powerful in its ability to display game information.



Digit size: 15"  
H: 4' - 0" (1219 mm) W: 8' - 0" (2438 mm) D: 0' - 6" (152 mm)

The **MS-915** can score different sports with a change of the INNING caption. Recognize team sponsors or display mascots with logo/sponsor panels.



Digit size: 15"  
H: 3' - 0" (914 mm) W: 6' - 0" (1829 mm) D: 0' - 6" (152 mm)

The **BA-2515** offers 15" digits and is great for smaller venues.




Digit size: 10"  
H: 2' - 10" (864 mm) W: 4' - 4" (1321 mm) D: 0' - 8" (203 mm)

The **MS-2013** is a portable indoor/outdoor scoreboard. It comes equipped with two or optional four wheels and a horn, segment timer and smart charger for recharging the internal batteries. Batteries operate up to 14 hours on a full charge.

The MS-2013 offers built-in storage for the control console. An optional metal cover is available and the display can be wireless with the addition of a few control options. The MS-2013 can withstand 35 MPH winds. It stands 3' - 4" (1016 mm) tall or 5' - 2" (1575 mm) when extended.



Westwood High School, Westwood, Massachusetts  
BA-518, solar power option



## ACCESSORIES

### PITCH COUNT



Digit size: 15"  
H: 2' - 0" (610 mm) W: 9' - 0" (2743 mm) D: 0' - 6" (152 mm)

The **BA-2023** pitch count display records the number of pitches thrown by both teams.



Digit size: 15"  
H: 1' - 6" (457 mm) W: 2' - 0" (610 mm) D: 0' - 6" (152 mm)

The **BA-2024** records the number of pitches thrown.

### PITCH SPEED/PITCH TIME



Digit size: 18"  
H: 2' - 0" (610 mm) W: 3' - 0" (914 mm) D: 0' - 6" (152 mm)

The **TI-2010** displays speed of pitch up to 99 miles per hour or displays time up to 99 minutes as a clock. It also has large 18" digits.

There are four additional timers that can be used to display speed of pitch. There are also two models available to display pitch time. Refer to page 80 for these model numbers.

The **radar gun** measures the speed of any object by using advanced digital signal processing (DSP). The radar gun works well to provide instant speed feedback. Many larger scoreboard models are compatible with the radar gun.

### SOLAR POWER

The **solar power** option can be used to provide power to the scoreboard when electrical service is impractical to install. It also helps conserve energy. The solar power package includes two 40 watt solar panels, a control box and batteries. The solar option powers the scoreboard with direct 24V for maximum efficiency. Electronics are factory assembled in the enclosure and properly fused to protect against short circuits.

See page 94 for a list of scoreboards available with the solar power option.



Central High School Park Hills, Missouri  
BB-3126


## 6' HIGH CENTERHUNG SCOREBOARDS



Digit size: 13", 10", 7"

H: 6' - 0" (1829 mm) W: 12' - 10" (3912 mm) D: 12' - 10" (3912 mm)


The **BB-3124** features individual player points digits. The BB-3124 offers innovative ColorSmart® color-changing digit technology but is also available as a BB-2124 with PanaView® or UniView® digit technology.



Digit size: 13", 10"

H: 6' - 0" (1829 mm) W: 12' - 10" (3912 mm) D: 12' - 10" (3912 mm)


The **BB-3108** displays all necessary game and player stats. The BB-3108 has the innovative ColorSmart color-changing digit technology. The BB-2108 has PanaView or UniView digit technology.



Digit size: 13", 10"

H: 6' - 0" (1829 mm) W: 10' - 10" (3302 mm) D: 10' - 10" (3302 mm)

The **BB-3104** can be enhanced with 7" high time-outs-left digits. This scoreboard is shown with ColorSmart color-changing digit technology but is also available with PanaView or UniView digit technology, as a BB-2104.



Republic High School, Republic, Missouri  
BB-2107 (2, opposite sides) and ad panels (2, opposite sides)



## 4' HIGH CENTERHUNG SCOREBOARDS



Digit size: 10", 7"

H: 4' - 0" (1219 mm) W: 12' - 10" (3912 mm) D: 12' - 10" (3912 mm)

At only 4 feet tall, the **BB-3126** is one of the shortest centerhung models available. It features ColorSmart color-changing digit technology. For PanaView or UniView digit technology, the BB-2126 is available.



Digit size: 13", 10"

H: 4' - 0" (1219 mm) W: 12' - 10" (3912 mm) D: 12' - 10" (3912 mm)

The **BB-3106** is an excellent centerhung for arenas with a low ceiling height. This scoreboard has ColorSmart color-changing digit technology. The BB-2106 features PanaView or UniView digit technology.



Digit size: 13", 10"

H: 4' - 0" (1219 mm) W: 10' - 10" (3302 mm) D: 10' - 10" (3302 mm)

The **BB-3102** works well for multiple indoor sports and has ColorSmart color-changing digit technology. For PanaView or UniView digit technology, the BB-2102 is available.





Southeast Polk High School Pleasant Hill, Iowa  
BB-2116 with BB-2119, 96x160-20

## 14' WIDE MODULAR SCOREBOARDS



Digit size: 18", 13"

H: 4' - 0" (1219 mm) W: 14' - 0" (4267 mm) D: 0' - 6" (152 mm)


The **BB-2116** can be used as the primary scoreboard or in conjunction with the BB-2117 or BB-2119 modular scoreboards.



Digit size: 18", 13"

H: 7' - 0" (2134 mm) W: 14' - 0" (4267 mm) D: 0' - 6" (152 mm)


The **BB-2116 with BB-2119** displays necessary game information in 18" and 13" digits.



Digit size: 18", 13", 10"

H: 7' - 0" (2134 mm) W: 14' - 0" (4267 mm) D: 0' - 6" (152 mm)

The **BB-2116 with BB-2117** displays the most complete game information, including individual player PTS.



## TUFF SPORT® SCOREBOARDS WITHSTAND INDOOR SPORT BALL IMPACT UP TO 40 MPH

Daktronics Tuff Sport® scoreboards are engineered for superior durability. A load distributing construction and 25 percent thicker aluminum allow Tuff Sport scoreboards to withstand hits from indoor sport balls up to 40 miles per hour.


All permanent-mount basketball scoreboards utilize Tuff Sport construction.



Dexter High School, Dexter, Missouri  
BB-3107




## 10' WIDE SCOREBOARDS



Digit size: 13", 10", 7"

H: 6' - 0" (1829 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **BB-3123** displays the most complete game and statistical information. It is shown with ColorSmart color-changing digit technology. For PanaView or UniView digit technology, the BB-2123 is available.



Digit size: 13", 10"

H: 6' - 0" (1829 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **BB-3107** displays game information along with PLAYER and FOUL number. It features ColorSmart color-changing digit technology but is also available as a BB-2107 with PanaView or UniView digit technology.



Digit size: 10", 7"

H: 4' - 0" (1219 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **BB-3125** ColorSmart scoreboard is especially compact at four feet tall, but displays complete game information. This scoreboard is also available with PanaView or UniView digit technology, as a BB-2125.



Digit size: 13", 10"

H: 4' - 0" (1219 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **BB-3105** is a ColorSmart scoreboard that displays basic game information and has space to promote sponsors with logo/sponsor panels. The BB-2105 features PanaView or UniView digit technology.



Digit size: 10", 7"

H: 2' - 6" (762 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **BB-3121** has a shorter arrangement and different digit size than the other 10' wide models, making it ideal for facilities with a shorter ceiling height. The BB-2121 has PanaView or UniView digit technology.



Cathedral High School Natchez, Mississippi  
BB-3101

## 6'-8' WIDE SCOREBOARDS


### INDOOR



Digit size: 13", 10"

H: 6' - 0" (1829 mm) W: 8' - 0" (2438 mm) D: 0' - 6" (152 mm)

The **BB-3103** is the most popular ColorSmart scoreboard. It has an option of adding 7" high T.O.L. digits. For PanaView or UniView digit technology, the BB-2103 is available.



Digit size: 13", 10"

H: 4' - 0" (1219 mm) W: 8' - 0" (2438 mm) D: 0' - 6" (152 mm)

The **BB-3101** is a compact basketball scoreboard with two logo/sponsor panels. This scoreboard features ColorSmart color-changing digit technology but is also available with PanaView or UniView digit technology, as a BB-2101.



Digit size: 10", 7"

H: 3' - 0" (914 mm) W: 6' - 6" (1981 mm) D: 0' - 6" (152 mm)

The most compact permanent-mount basketball scoreboard is the **BB-3142**. It has ColorSmart color-changing digit technology. The BB-2142 has PanaView or UniView digit technology.



### OUTDOOR



Digit size: 10"

H: 3' - 0" (914 mm) W: 6' - 0" (1829 mm) D: 0' - 6" (152 mm)

The **MS-2026** displays basic game information and scores for multiple sports. It features PanaView digit technology.



Strafford High School - Strafford, Missouri  
BB-2122



## PORTABLE SCOREBOARDS




### OUTDOOR



Digit size: 10"

H: 2' - 10" (864 mm) W: 4' - 4" (1321 mm) D: 0' - 8" (208 mm)

The **MS-2013** is available with two or an optional four wheels. It contains a horn and a smart charger for recharging the internal batteries. On a full charge the batteries last 14 hours. There is also built-in storage for the control console.



### INDOOR



Digit size: 7"

H: 2' - 0" (610 mm) W: 4' - 0" (1219 mm) D: 0' - 6" (152 mm)

The **BB-2122** is an indoor scoreboard with a choice of either PanaView or UniView digit technology and durable Tuff Sport® construction, yet only weighs 35 pounds.



Digit size: 5"

H: 1' - 6" (457 mm) W: 3' - 0" (914 mm) D: 0' - 6" (152 mm)

The **BB-114/BB-314** weighs only 20 pounds with its high-quality ABS plastic enclosure. The BB-114 is controlled by the All Sport 100 or 5000; the BB-314 is ColorSmart compatible and is controlled by the All Sport 5500 console.



Republic High School Republic, Missouri  
BB-2107, SD-2103

## STATISTICS DISPLAYS




Character height: 3"

H: 6' - 0" (1829 mm) W: 3' - 0" (914 mm) D: 0' - 6" (152 mm)

The **PN-2101** includes a pair of reversible name panels, rope, pulleys, 1,170 letter cards and 270 numeral cards.



PN-2101



SD-2104



Digit size: 10"

H: 9' - 0" (2743 mm) W: 5' - 0" (1524 mm) D: 0' - 6" (152 mm)

The **SD-2104** shows statistics for basketball, hockey, volleyball and wrestling at six digits wide, providing increased flexibility for volleyball stats.



Digit size: 7"

H: 6' - 0" (1829 mm) W: 3' - 6" (1067 mm) D: 0' - 6" (152 mm)

The **SD-2101** displays five lines of player information at five digits wide. The SD-3101 is the ColorSmart compatible version controlled by the All Sport 5500.




Digit size: 7"


H: 6' - 0" (1829 mm) W: 3' - 6" (1067 mm) D: 0' - 6" (152 mm)

The **SD-2102** displays six lines of player information at five digits wide. The SD-3102 is the ColorSmart compatible version controlled by the All Sport 5500.


SD-2101/SD-3101



SD-2102/SD-3102



SD-2103/SD-3103



Digit size: 7"

H: 6' - 0" (1829 mm) W: 4' - 0" (1219 mm) D: 0' - 6" (152 mm)

The **SD-2103** has six lines of player information at six digits wide, providing increased flexibility for volleyball stats. The ColorSmart compatible SD-3103 is controlled by the All Sport 5500.

This model is shown with an optional 8x48 programmable caption matrix that replaces vinyl captions, making the change to different sports as easy as pushing a button. This option is available on the SD-2101, SD-2102, SD-2103, SD-2104 and the ColorSmart compatible models.



Volleyball



Wrestling

Lincoln University Jefferson City, Missouri  
BB-2115, BB-2135



## SHOT CLOCKS & ACCESSORIES




BB-2115/BB-3115




BB-2140/BB-3140



BB-2114/BB-3114




BB-2135



BB-2133



VHI



TI-2031/TI-3031

PI-1



Digit size: 13", 7"

Single sided dimensions:

H: 2' - 4" (711 mm) W: 2' - 5" (737 mm) D: 0' - 6" (152 mm)

Two-sided model: **BB-2109** Three-sided model: **BB-2111**

The **BB-2115** can be used as a portable display or mounted on a wall or above the backboard.

The ColorSmart compatible BB-3115 is controlled by the All Sport 5500.



Digit size: 13", 7"

H: 2' - 6" (762 mm) W: 2' - 6" (762 mm) D: 0' - 3.5" (89 mm)

The **BB-2140** is a two-sided transparent shot clock.

Around the perimeter of both sides are LED light strips that illuminate when the game clock reaches zero. The BB-2141 (not shown) is a smaller version.

A ColorSmart compatible model is also available.



Digit size: 13"

H: 1' - 7" (762 mm) W: 1' - 10" (559 mm) D: 0' - 6" (152 mm)

The **BB-2114** is a full featured compact shot clock with

many mounting options. The ColorSmart compatible BB-3114 is controlled by the All Sport 5500.



The **BB-2135** is a strip of LEDs lining the perimeter

of the backboard that illuminates when the game clock reaches zero. The **BB-2133** has a circle of LEDs on both sides of an aluminum housing and the

**VHI** (Visual Horn Indicator) is a red lamp.



Digit size: 4"

H: 0' - 8" (203 mm) W: 1' - 2.25" (362 mm) D: 0' - 2.5" (64 mm)

The **TI-2031** LED locker room clock/timer is capable

of counting up to or down from 99:59. It also runs as a time-of-day clock. The TI-3031 is the ColorSmart model

controlled by the All Sport 5500.



H: 0' - 5" (127 mm) W: 1' - 9" (533 mm) D: 0' - 5" (127 mm)

The **PI-1** possession indicator displays which team gets possession on the next jump ball situation.



Ansin Sports Complex Miramar, Florida  
FB-2025

## 32'-36' WIDE SCOREBOARDS



Digit size: 36", 24", 18"

H: 10' - 0" (3048 mm) W: 36' - 0" (10973 mm) D: 0' - 8" (203 mm)


The **FB-2028** displays complete game information. It is shown with upgraded backlit captions and mixed digits.



Digit size: 30", 24", 18"

H: 10' - 0" (3048 mm) W: 32' - 0" (9754 mm) D: 0' - 6" (152 mm)


The **FB-2027** communicates the same information as the FB-2028 and also indicates track timing to 1/100 of a second.



Digit size: 30", 24", 18"

H: 10' - 0" (3048 mm) W: 32' - 0" (9754 mm) D: 0' - 6" (152 mm)

The **FB-2026** displays complete game information and has two options for logo/sponsor panels.



Digit size: 30", 24", 18"

H: 8' - 0" (2438 mm) W: 32' - 0" (9754 mm) D: 0' - 6" (152 mm)

The **FB-2025** is an all-purpose display featuring a six-digit clock to display track timing to 1/100 of a second.



Digit size: 30", 24", 18"

H: 8' - 0" (2438 mm) W: 32' - 0" (9754 mm) D: 0' - 6" (152 mm)


The **FB-2024** features a four-digit clock and large logo/sponsor panels. An indicator shows which team has possession.



Bennington High School, Bennington, Nebraska  
FB-2022, DA-1001, 16x128-34




## 25' WIDE SCOREBOARDS



Digit size: 30", 24", 18"

H: 8' - 0" (2438 mm) W: 25' - 0" (7620 mm) D: 0' - 6" (152 mm)

The **FB-2023** features a six-digit clock for displaying track results to 1/100 of a second.




Digit size: 30", 24", 18"

H: 8' - 0" (2438 mm) W: 25' - 0" (7620 mm) D: 0' - 6" (152 mm)

The **FB-2022** is a full-sized scoreboard that incorporates a five-digit clock for timing track events to 1/10 of a second. It is shown with mixed digits and optional T.O.L. digits

Optional T.O.L. digits shown



Digit size: 30", 24", 18"

H: 8' - 0" (2438 mm) W: 25' - 0" (7620 mm) D: 0' - 6" (152 mm)

The **FB-2021** is similar to the FB-2022 but has a basic four-digit clock and also includes optional T.O.L. digits.

Optional logo/sponsor panels shown



Optional electronic captions shown

## DID YOU KNOW?

The 36', 32', 25' and 18' wide football scoreboards have optional backlit captions. You can get these same models with electronic captions also, making the transition between different sport modes as easy as pushing a button.



Ethel High School Ethel, Mississippi  
FB-2018

## 16'-18' WIDE SCOREBOARDS



Digit size: 24", 15"

H: 8' - 0" (2438 mm) W: 18' - 0" (5486 mm) D: 0' - 6" (152 mm)

The **FB-2020** features a six-digit clock that allows track results to be displayed to  $\frac{1}{100}$  of a second.

This scoreboard is shown with mixed digits.



Optional T.O.L. digits shown



Digit size: 24", 15"

H: 8' - 0" (2438 mm) W: 18' - 0" (5486 mm) D: 0' - 6" (152 mm)

The **FB-2019** has the same layout as the FB-2020, but is equipped with a five-digit clock that displays time to  $\frac{1}{10}$  of a second for track.




Optional T.O.L. digits shown



Digit size: 24", 15"

H: 8' - 0" (2438 mm) W: 18' - 0" (5486 mm) D: 0' - 6" (152 mm)

The **FB-2018** is an all purpose scoreboard at a moderate size and price.



Optional logo/sponsor panels shown



Digit size: 24", 18"

H: 4' - 6" (1372 mm) W: 16' - 0" (4877 mm) D: 0' - 6" (152 mm)

The **MS-2002** displays basic game information with 24" clock and score digits in a compact layout.



Ballard High School - Seattle, Washington  
FB-4005



## 10'-14' WIDE SCOREBOARDS



Digit size: 18", 15"

H: 5' - 0" (1524 mm) W: 14' - 0" (4267 mm) D: 0' - 6" (152 mm)

The **MS-918** can be used for numerous sports by simply changing the INNING caption to QTR/HALF. A PERIOD panel is available at an additional cost.



Digit size: 24"

H: 4' - 0" (1219 mm) W: 14' - 0" (4267 mm) D: 0' - 6" (152 mm)

The **FB-824** offers large 24" digits on a compact scoreboard.



Digit size: 18"

H: 5' - 0" (1524 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **FB-4005** scoreboard displays basic game information. The included QTR and PER caption is reversible so the display can be used to score multiple sports.



Digit size: 18"

H: 5' - 0" (1524 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **MS-3918** is a compact multisport scoreboard that can be used to score a large variety of sports by simply changing the captions.



Goulier High School Goulier, Mississippi  
TI-2003

## TIMING DISPLAYS

All three of the timers shown on this page can count down from any preset number in minutes. This is valuable for practices and other activities.



Digit size: 30"  
H: 3' - 0" (914 mm) W: 4' - 0" (1219 mm) D: 0' - 6" (152 mm)

The **TI-2003** delay-of-game timer is an important addition to any football field. With its large digits, this timer can be utilized in facilities of any size.





Digit size: 24"  
H: 2' - 4" (711 mm) W: 3' - 4" (1016 mm) D: 0' - 6" (152 mm)

The **TI-2015** counts down from any preset number up to 99. Like the other two models, it is controlled by the All Sport 1600 or 5000 controllers.



Digit size: 18"  
H: 2' - 0" (610 mm) W: 3' - 0" (914 mm) D: 0' - 6" (152 mm)

Similar to the TI-2003 and TI-2015, the **TI-218** can count down seconds from any preset number ranging from 99 to zero when in football mode.



## PORTABLE SCOREBOARD



Digit size: 10"  
H: 2' - 10" (864 mm) W: 4' - 4" (1321 mm) D: 0' - 8" (203 mm)

The **MS-2013** is a lightweight portable display. It has a horn, segment timer and a smart charger for recharging the internal batteries. The display can run for up to 14 hours when fully charged.





Huron High School | Huron, South Dakota  
GM-2101

## PORTABLE SCOREBOARDS




GM-2103 on optional tripod



Digit size: 5"

H: 1' - 9" (533 mm) W: 2' - 0" (610 mm) D: 0' - 7" (178 mm)

The **GM-2101** works on a tabletop or mounts on an optional tripod. Two-sided (**GM-2102**) and three-sided (**GM-2103**) models, as shown to the left, are also available.



WR-2103 on optional tripod



Digit size: 5"

H: 1' - 9" (533 mm) W: 2' - 0" (610 mm) D: 0' - 7" (178 mm)

The **WR-2101** wrestling scoreboard can also display gymnastics scores. The four-digit clock shows game/match time in basketball, volleyball and wrestling mode and shows the competitor score in gymnastics mode. Two-sided (**WR-2102**) or three-sided (**WR-2103**) models, as shown to the left, are also available.



Crookston Civic Arena, Crookston, Minnesota  
H-2105, 16x112-20 (4)

## CENTERHUNG SCOREBOARDS



Digit size: 10", 7"

H: 5' - 0" (1524 mm) W: 12' - 10" (3912 mm) D: 12' - 10" (3912 mm)

The **H-2105** is a centerhung scoreboard that displays SHOTS ON GOAL.



Digit size: 10", 7"

H: 5' - 0" (1524 mm) W: 12' - 10" (3912 mm) D: 12' - 10" (3912 mm)

Associate players with their penalties on the **H-2107**. This display also has a logo/sponsor area to recognize key sponsors.



Digit size: 13", 10"

H: 4' - 0" (1219 mm) W: 10' - 10" (3302 mm) D: 10' - 10" (3302 mm)

The **H-2112** displays basic game information and also has two logo/sponsor panels per side.



## GOAL LIGHTS



Pro & Varsity models:

H: 0' - 9.7" (246 mm) W: 2' - 6" (762 mm) D: 0' - 6" (152 mm)

The Pro model hockey goal light is mounted on top of the glass and features two rotating beacons that signal when a goal is scored along with a green light that comes on at the end of each period.

The Varsity model hockey goal light is pole mounted and functions like the Pro model, but has a single red light to indicate a goal and a green light to indicate the end of a period or when the clock reaches zero.



Pro model



Varsity model

Isabella Ice Arena Mount Pleasant, Michigan  
H-2106



## 10' WIDE SCOREBOARDS



Digit size: 10", 7"

H: 5' - 0" (1524 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **H-2104** allows fans to keep track of who is in the penalty box along with the number of SHOTS ON GOAL each team has attempted.



Digit size: 10", 7"

H: 5' - 0" (1524 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **H-2106** has a logo/sponsor panel that replaces the SHOTS ON GOAL digits on the H-2104.



Digit size: 10", 7"

H: 5' - 0" (1524 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **H-2108** displays penalty times to keep players and fans informed during power plays. It also features a logo/sponsor panel.



Mennen Sports Arena, Morristown, New Jersey  
H-2101, H-2102, H-2103

## MODULAR SCOREBOARDS



Digit size: 18", 13"

H: 4' - 0" (1219 mm) W: 14' - 0" (4267 mm) D: 0' - 6" (152 mm)

The **H-2101** can be combined with any modular scoreboard or used as a stand-alone display.



Digit size: 13", 10"

H: 4' - 0" (1219 mm) W: 8' - 0" (2438 mm) D: 0' - 6" (152 mm)

The **H-2111** is more compact than the H-2101. It also provides two locations to recognize sponsors or identify the facility.



Digit size: 13"

H: 4' - 0" (1219 mm) W: 7' - 0" (2134 mm) D: 0' - 6" (152 mm)

The **H-2102** displays players' number and communicates the amount of time the players have remaining in the penalty box.



Digit size: 13"

H: 2' - 6" (762 mm) W: 5' - 0" (1524 mm) D: 0' - 6" (152 mm)

The **H-2114** works in a horizontal format to fit configurations where the H-2103 is not as suitable because of height concerns or size.



Digit size: 13"

H: 4' - 0" (1219 mm) W: 4' - 0" (1219 mm) D: 0' - 6" (152 mm)

The **H-2115** modular displays are sold in sets of two to keep fans informed during power plays.



Digit size: 13"

H: 4' - 0" (1219 mm) W: 3' - 0" (914 mm) D: 0' - 6" (152 mm)


Configured in groups of two, the vertical format of the **H-2103** works well with elongated configurations. The H-2103 must be paired with a H-2102 or H-2115.



Archbishop Spalding High School, Severn, Maryland  
MS-2009, SS-1500HD, DA-1006, 144x192-23



## MULTISPORT SCOREBOARDS



Digit size: 24", 18"

H: 10' - 0" (3048 mm) W: 25' - 0" (7620 mm) D: 0' - 6" (152 mm)

The **MS-2009** displays PLAYER and PENALTY on large digits while leaving space for an optional logo/sponsor panel.



Digit size: 18"

H: 5' - 0" (1524 mm) W: 25' - 0" (7620 mm) D: 0' - 6" (152 mm)


The **MS-2012** can be used independently, or operates in conjunction with football or soccer scoreboards.



Digit size: 18"

H: 5' - 0" (1524 mm) W: 18' - 0" (5486 mm) D: 0' - 6" (152 mm)

The **MS-2004** can be used independently, or can operate in conjunction with a main football or soccer scoreboard.



Digit size: 18", 15"

H: 8' - 0" (2438 mm) W: 16' - 0" (4877 mm) D: 0' - 6" (152 mm)

The **MS-2918** displays PLYR and PENALTY and has space for an optional logo/sponsor panel.



Red Horse Ranch Arena - Fergus Falls, Minnesota  
64x112-34



Rodeo Solutions Brochure

## SCOREBOARDS & DISPLAYS

Daktronics matrix displays can be used with Daktronics rodeo results software. Matrix displays are capable of displaying everything a numeric scoreboard can plus colorful graphics, logos and sponsor advertising. Use the matrix display to inform and entertain spectators and to recognize sponsors. For more information on rodeo products, refer to DD1682925.

Character height from 9" to 64"

H: 5' - 10" (1778 mm) W: 14' - 9" (4496 mm) D: 0' - 8" (203 mm)

An example of a popular rodeo display, the **48x128-34-RGB** is shown to the right. Monochrome (red or amber) versions and other sizes are also available.



Character height from 9" to 53"

H: 5' - 0" (1524 mm) W: 14' - 9" (4496 mm) D: 0' - 8" (203 mm)


Another popular rodeo display size is the **40x128-34-R**. A full-color version along with other sizes is available.



Digit size: 13"

H: 6' - 0" (1829 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)


The indoor **RO-7002** scoreboard displays LEADER and NOW UP competitor numbers to 1999. The TIME/SCORE feature displays to 99.999. This scoreboard also features PENALTY and RERIDE indicators.



Digit size: 18"

H: 6' - 6" (1981 mm) W: 25' - 0" (7620 mm) D: 0' - 6" (152 mm)


The outdoor **RO-2008** features basic scoring information for rodeo, including PENALTY and RERIDE indicators, CONTESTANT numbers to 1999 and TIME/SCORE to 99.999. The RO-2008 features two large logo/sponsor panels.



Calvert Hall College High School - Towson, Maryland  
MS-2009, DA-1001



## 25' WIDE SCOREBOARDS



Optional soccer captions shown



Digit size: 24", 18"

H: 10' - 0" (3048 mm) W: 25' - 0" (7620 mm) D: 0' - 6" (152 mm)


The **MS-2009** shows SAVES and S.O.G. A large logo/sponsor panel is prominently featured in the center of the display.



Digit size: 24", 18"

H: 8' - 0" (2438 mm) W: 25' - 0" (7620 mm) D: 0' - 8" (203 mm)

The **SO-2043** displays detailed statistical information such as SHOTS, SAVES, CORNER KICKS and FOULS. Space is available for two logo/sponsor panels on either side of the clock and another below the the clock.



Digit size: 30", 24"

H: 8' - 0" (2438 mm) W: 25' - 0" (7620 mm) D: 0' - 6" (152 mm)

The **SO-2023** is capable of displaying time to 1/100 of a second for fields that are also used for track.



Digit size: 30", 24"

H: 8' - 0" (2438 mm) W: 25' - 0" (7620 mm) D: 0' - 6" (152 mm)

The **SO-2021** displays C. KICKS and S.O.G. and indicates the HALF.



West Hills Community College Lemoore, California  
SO-2019, 24x112-34

## 18'-20' WIDE SCOREBOARDS



Digit size: 24", 18"  
H: 7' - 6" (2286 mm) W: 20' - 0" (6096 mm) D: 0' - 6" (152 mm)  
The **SO-2011** displays HALF, SHOTS, SAVES and C/K (corner kicks). This model also has room for an optional logo/sponsor panel.



Digit size: 24"  
H: 8' - 0" (2438 mm) W: 18' - 0" (5486 mm) D: 0' - 6" (152 mm)  
The **SO-2019** communicates SHOTS and SAVES. The HALF is displayed by the indicator next to the scores.



Digit size: 24"  
H: 8' - 0" (2438 mm) W: 18' - 0" (5486 mm) D: 0' - 6" (152 mm)  
The **SO-2018** displays scores and S.O.G. (shots on goal) for both teams and HALF.



William Paterson University Wayne, New Jersey  
MS-2002, DA-1001



16' WIDE SCOREBOARDS



Optional soccer captions shown




Digit size: 18", 15"  
H: 8' - 0" (2438 mm) W: 16' - 0" (4877 mm) D: 0' - 6" (152 mm)

The **MS-2918** has an optional logo/sponsor panel area on the center of the display.



Digit size: 24", 18"  
H: 6' - 0" (1829 mm) W: 16' - 0" (4877 mm) D: 0' - 6" (152 mm)

The **SO-2013** displays SHOTS, SAVES and PERIOD as well as team scores.



Digit size: 18"  
H: 5' - 6" (1676 mm) W: 16' - 0" (4877 mm) D: 0' - 6" (152 mm)

The **SO-2008** displays SHOTS, PERIOD and team scores.



Digit size: 24", 18"  
H: 4' - 6" (1372 mm) W: 16' - 0" (4877 mm) D: 0' - 6" (152 mm)

The **MS-2002** has large 24" and 18" digits.

Optional HALF caption shown



Bay City Western High School Auburn, Michigan  
SO-918

## 6'-14' WIDE SCOREBOARDS



Digit size: 18", 15"

H: 5' - 0" (1524 mm) W: 14' - 0" (4267 mm) D: 0' - 6" (152 mm)

The **MS-918** is a great display for when the field is shared between baseball, soccer and other sports.

Optional soccer caption shown



Digit size: 18"

H: 4' - 0" (1219 mm) W: 12' - 0" (3658 mm) D: 0' - 6" (152 mm)

The **SO-918** has optional QTR and PERIOD captions available in place of HALF.



Digit size: 10"

H: 5' - 0" (1524 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **MS-2024** displays similar information as the larger scoreboards, but in a more compact cabinet.

Optional soccer captions shown



Digit size: 18"

H: 5' - 0" (1524 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **SO-2918** displays basic soccer game information.



Digit size: 15"

H: 4' - 0" (1219 mm) W: 8' - 0" (2438 mm) D: 0' - 6" (152 mm)

The **MS-915** displays HOME and GUEST scores and PERIOD. It also has two optional logo/sponsor panels.



Digit size: 10"

H: 3' - 0" (914 mm) W: 6' - 0" (1829 mm) D: 0' - 6" (152 mm)

The **MS-2025** displays HOME and GUEST scores to 99 and displays time with a four-digit clock.

Optional soccer captions shown





Track Timing Brochure

Awty International School Houston, Texas  
64x144-34, DA-1201




## SCOREBOARDS & DISPLAYS

For a complete list of track timing products refer to SL-09701.




Digit size: 30", 24", 18"  
H: 10' - 0" (3048 mm) W: 32' - 0" (9754 mm) D: 0' - 6" (152 mm)

The **FB-2027** scores football along with timed track events. It displays HOME and GUEST scores, PLACE, EVENT, HEAT and LANE information in track mode.



Digit size: 30", 24"  
H: 8' - 0" (2438 mm) W: 25' - 0" (7620 mm) D: 0' - 6" (152 mm)

The **SO-2023** scores soccer and timed track events. It displays similar information as the FB-2027 in track mode. Both the SO-2023 and FB-2027 can also score GUEST 2 and GUEST 3, for an example of this refer to the Sport Modes section of the catalog, page 82.




Daktronics has fully integrated solutions that are compatible with **FinishLynx**® and **Omega**™ photo finish timing systems. The **Hy-Tek** **MEET MANAGER** system is also fully compatible with Daktronics matrix displays.

The matrix displays below are available in monochrome or full color. The most popular sizes are shown.



Character height from 11" - 86"  
H: 7' - 9" (2362 mm) W: 22' - 2" (6756 mm) D: 0' - 8" (203 mm)

The **48x144-46** displays multiple font styles and sizes, graphics, logos and basic animations in more than 68 billion shades of color.



Character height from 8" - 63"  
H: 5' - 10" (1778 mm) W: 14' - 9" (4496 mm) D: 0' - 8" (203 mm)

The **48x128-34** has similar capabilities as the 48x144-46, but will display sharper images.



Digit size: 10"  
H: 1' - 6" (457 mm) W: 5' - 4" (1626 mm) D: 0' - 6" (152 mm)

The **TI-2021** is a multi-function timing and field event display. As a timer it performs nine clock functions. It shows COMPETITOR/ATTEMPT, IMPERIAL PERFORMANCE and METRIC PERFORMANCE information for field events.



Siloam Springs High School Siloam Springs, Arkansas  
VB-2101, SD-2106

## SCOREBOARD



Digit size: 13"

H: 4' - 0" (1219 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **VB-2101** can be used as a stand-alone display or can be combined with any of the stats panels shown on this page to show player statistics.



## STATISTICS DISPLAYS



Digit size: 7"

H: 2' - 0" (610 mm) W: 10' - 0" (3048 mm) D: 0' - 6" (152 mm)

The **SD-2106** displays previous game scores. Combine this scoreboard with the VB-2101 and additional stats panels for a complete system. This scoreboard can also be combined with 10' wide basketball scoreboards for a complete system.



**SD-2102:** digit size: 7"

H: 6' - 0" (1829 mm) W: 3' - 6" (1067 mm) D: 0' - 6" (152 mm)


**SD-2103:** digit size: 7"

H: 6' - 0" (1829 mm) W: 4' - 0" (1219 mm) D: 0' - 6" (152 mm)

**SD-2104:** digit size: 10"

H: 9' - 0" (2743 mm) W: 5' - 0" (1524 mm) D: 0' - 6" (152 mm)

The **SD-2102** displays six lines of player information at five digits wide. The **SD-2103** and **SD-2104** display six lines of player information at six digits wide which allows for a double digit ACES and KILLS. The SD-2104 is the largest display and has 10" digits for greater viewing distances.



SD-2102

Programmable caption matrix\*



SD-2103



SD-2104

Calvary Baptist Academy, Shreveport, Louisiana  
WR-2103



## PORTABLE SCOREBOARDS



Digit size: 5"


H: 1' - 9" (533 mm) W: 2' - 0" (610 mm) D: 0' - 7" (178 mm)

The Matside® **WR-2101** comes with removable captions, allowing it to score several additional sports including intramural basketball, gymnastics and volleyball.

Two-sided (**WR-2102**) and three-sided (**WR-2103**) models are also available. These wrestling displays can be used to show blood time, injury time, recovery time and can be used as a segment timer.



WR-2103 with WR-2106  
Advantage time mode  
on optional tripod



Two-sided model (**WR-2102**)  
Three-sided model (**WR-2103**)

Advantage time mode



Team score mode



Two-sided model (**WR-2105**)  
Three-sided model (**WR-2106**)



Digit size: 5"

H: 0' - 9" (229 mm) W: 2' - 0" (610 mm) D: 0' - 7" (178 mm)

The **WR-2104** is an add-on module that appends to the bottom of the WR-2101 scoreboard to display advantage time and team score information for competitors, coaches and fans. Two-sided (**WR-2105**) or three-sided (**WR-2106**) models are also available.

Programmable  
caption matrix\*



\*The 8x48 programmable caption matrix replaces vinyl captions on the SD-2101, SD-2102, SD-2103 and SD-2104 so changing captions for different sports is as easy as pushing a button.

## STATISTICS DISPLAYS



Digit size: 7"

H: 6' - 0" (1829 mm) W: 3' - 6" (1067 mm) D: 0' - 6" (152 mm)

The **SD-2101** stats display can be used with most indoor single-sided displays. The SD-2101 shows winners and points scored for up to 10 weight classes at a time. The SD-2102, SD-2103 and SD-2104 can show up to 12 weight classes at one time.



Shepherd High School, Shepherd, Michigan  
FB-2022, DA-1001

## OUTDOOR TRUSS

Daktronics offers a series of cost effective, standard decorative accents. Daktronics accents are made of durable, weatherproof materials. Choose from more than 15 styles to enhance most standard scoreboards. Personalize the display further by selecting from a large variety of color options and adding logos, mascots and team names. Decorative accents are mounted in a similar fashion as the displays they accompany.

The **DA-1007** square truss and the **DA-1008** arch truss are designed to complement the SS-500HD sound system. Team names and logos can be applied to the truss as well.

Create visual interest using outdoor truss with the square **DA-1000** or arch **DA-1001** styles. The truss extends the full length of the scoreboard and provides an area to showcase logos, mascots and team names.

The **DA-1005** square truss and **DA-1006** arch truss integrate the SS-1500HD sound system into the decorative accent.



DA-1007 with SS-500HD



DA-1008 with SS-500HD




DA-1000



DA-1001



DA-1005 with SS-1500HD



DA-1006 with SS-1500HD & FB-2024

D'IBerville High School Biloxi, Mississippi  
BA-3718, DA-1205



## OUTDOOR DOME

Add a rounded element to accent almost any scoreboard. The dome accents have a solid, non-backlit surface and are available in center and full styles.

The center domes like **DA-1202**, **DA-1203** and **DA-1204** are available in a variety of diameters and heights. The tall domes allow a large area for displaying team mascots, images and school/town names. Short center domes like **DA-1200** and **DA-1201** cap off a display with team/school names.

The full dome **DA-1205** is a popular style of dome. It spans the length of the scoreboard, allowing a large display area for mascots, images and team names.



DA-1200



DA-1201




DA-1202



DA-1203



DA-1204



DA-1205 with FB-2022



Adel Desoto Minburn High School Adel, Iowa  
BA-1524, DA-1004, DA-1102

## OUTDOOR CLOCKS

Add a timeless, traditional feel to any scoreboard with an analog clock. Analog clocks are available with different diameters and in standard, edged and scroll styles.


The standard clock **DA-1100** adds a basic time function to a baseball scoreboard.

The edged clock **DA-1101** allows the clock to be easily integrated with logo/sponsor panels or the arch truss.


The scroll clock **DA-1102** is the most popular version of the clock display. The clock is attached to two smaller circles.



DA-1100 with non-backlit identification panel



DA-1101 with DA-1001



DA-1102 with DA-1000, BA-2001

Broken Bow Public Schools, Broken Bow, Nebraska  
BB-2107, SD-2102, DA-1501



## INDOOR TRUSS & PIPING

The **DA-1500** provides an attractive structural appearance by connecting the scoreboards with piping in a variety of lengths. Vary the number of pipes or the spacing to fit the available area.

Create the appearance of a frame, top off a scoreboard or connect several displays with an indoor truss. The indoor truss is available in either a **DA-1501** diagonal center-cut or a **DA-1502** cross style. Stack several or vary the orientation to create a one-of-a-kind display. The truss is a well-suited surface on which to mount graphics and lettering.



DA-1500




DA-1501



DA-1502 with BB-2107 & SD-2102



Marygrove College, Detroit, Michigan  
FB-2020, SS-500HD, DA-1008



Audio Systems Brochure


## AMPLIFY YOUR EVENTS

Give every fan the ultimate sound experience. Daktronics professionals specialize in providing integrated high quality audio systems for indoor and outdoor sport venues.

Daktronics has emerged as one of the only companies in the United States capable of providing self-contained stadium sound systems. The refined engineering and unique installation convenience of Sportsound® audio systems ensure the highest quality performance and maximum value.

### FEATURES

- Fully contained system
- Single or dual-sided coverage pattern
- Single cabinet accommodates future expandability
- Horn-loaded mid frequency drivers adjust 0–30 degrees horizontally in 5 degree increments
- Remote-mounted MEMA 3R control enclosure allows for ease of service
- CobraNet® communication between announcer's rack and control enclosure via a multimode fiber optic cable
- 20bit/48K digital audio
- On-board digital signal processing (DSP) with low signal latency
- On-board system diagnostics
- Global power configurations
- Rated to withstand hurricane-force winds
- Full-color printable front mesh
- Weatherproof control enclosure




## SPORTSOUND® 500HD

H: 3' - 0" (914 mm) W: 8' - 0" (2438 mm) D: 3' - 6" (1067 mm)

The Sportsound 500HD sound system is a complete sound system designed to provide high-impact sound reinforcement for a variety of outdoor facilities, including football, lacrosse, soccer and track. The system is installed in a permanent position and provides even coverage and levels capable of overcoming crowd noise. The 500HD is targeted at facilities with a maximum seating capacity of 3,000.

The 500HD offers three configurations: Dual (D), Single Left (SL) or Single Right (SR). The internal components of the single speaker configurations can be adjusted. The examples below show some of the popular aiming configurations. These adjustment options offer unprecedented installation flexibility without compromising on aesthetics.

### SS-500HD COVERAGE PATTERNS:



Augustana College, Sioux Falls, South Dakota  
Custom football scoreboard, SS-1500HD



## BENEFITS

Two main components make up the sound systems: the speaker cabinet and announcer's rack, each fully assembled when shipped. This keeps installation time and costs to a minimum. Additionally, each speaker's mesh can be outfitted with a custom message, mascot or team graphic. The Sportsound 500HD and the 1500HD sound systems have improved driver protection and low distortion. A single sound cabinet provides a broad, smooth coverage of the entire football or baseball playing field. Improved digital signal processing is available to individually tune each speaker. Signal transfer is accomplished digitally via Ethernet.



## SPORTSOUND® 1500HD

H: 6' - 0" (1829 mm) W: 8' - 0" (2438 mm) D: 3' - 6" (1067 mm)


The Sportsound 1500HD sound system is similar to the 500HD system with a single cabinet design that mounts in one location. However, the 1500HD has greater capabilities than the 500HD with a broader coverage pattern and a higher decibel rating, which dramatically increases the performance for larger stadiums. The 1500HD is targeted at facilities with a maximum seating capacity of 10,000.

## CUSTOMIZE

When sound needs to reach every fan in a large facility, Daktronics professionals can design, build and install a system to achieve the goal of any venue. Daktronics customizes systems for auditoriums, indoor arenas and large outdoor stadiums.

For a complete list of Daktronics audio equipment refer to the Daktronics audio systems brochure, DD1572488.

### SS-1500HD COVERAGE PATTERNS:



# CHARACTER GENERATOR



High school basketball game film with All Sport CG

## ALL SPORT CG

The **All Sport® CG** (Character Generator) helps coaches and athletes enhance their game film by overlaying game-in-progress information on top of live video footage.

### NEVER MISS A SECOND OF PLAY

Using the All Sport CG, the need to pan to the scoreboard to capture current game information is eliminated, and the camera operator is able to concentrate solely on the action.

### FEATURES AND BENEFITS

- Compact and easy to transport
- Simple to connect and easy to operate
- Time and situation info displayed throughout the game
- Affordable and available for multiple sports
- Efficient and effective evaluation of game film

### HOW IT WORKS

The All Sport CG takes scoring and timing information from the All Sport controller and combines it with a video feed before going to a recording device or computer. The result is a permanent on-screen scoreboard that automatically updates during the game.

### AVAILABLE SPORTS

- Baseball
- Soccer
- Basketball
- Softball
- Football
- Volleyball
- Hockey
- Wrestling
- Lacrosse
- Tennis

### COMPATIBLE SYSTEMS

The All Sport CG works with Daktronics All Sport 3000, 5000 and 5500 wired and wireless scoreboard controllers.



Video camera

All Sport 5000 Controller

All Sport CG

VCR

Game film with CG overlay

Cartersville High School Cartersville, Illinois  
FB-2023, DA-1001



## PERSONALIZE THE DISPLAY

Daktronics logo/sponsor panels are digitally printed on flexible, weatherproof vinyl or cut from solid colored vinyl. More than 700 pre-configured horizontal and vertical sizes are available to complement any type of display. Choose from a selection of vibrant colors to create a team logo or custom design.



Tenoroc High School Lakeland, Florida  
BA-1018 with identification panel



Blanco High School Blanco, Texas  
FB-2021 with sponsor panel

## RECOGNIZE SPONSORS

Set the display apart with a backlit or non-backlit logo/sponsor panel. Backlit logo/sponsor panels are illuminated with cool white fluorescent lamps for excellent night time viewing. The panels are encased in a durable aluminum cabinet and are mounted in the same fashion as other Daktronics displays.



Council Bluffs Community School District Council Bluffs, Iowa  
FB-2023, 80x160-20

## MESSAGE DISPLAY CAPABILITIES

### COLOR OPTIONS

The monochrome color options display animations, statistics and messages in either amber or red. The RGB color option combines red, green and blue LEDs to create one pixel which displays animations, statistics and messages in full color.



Monochrome amber




Monochrome red




Color RGB

### RESOLUTION

Resolution is the number of pixels contained in the physical area of an electronic display. The greater the number of pixels per square foot, the greater the amount of detail. The examples show a logo displayed on electronic message centers from the same distance, with different pixel spacing.



20mm 80 rows high  
approximately 5 feet tall




34mm 48 rows high  
approximately 5 feet tall

### ENTERTAIN FANS



Message centers allow unlimited freedom to create customized animations. Keep the crowd entertained during halftime or time-outs with personalized animations.

### INFORM THE CROWD



Daktronics premiere statistics software is for managing game, season and career statistics. With Daktronics software, displaying important live game statistics is easy.

### COMMUNICATE EVENTS



Inform fans of important upcoming special occasions or display the date and time of the next game.

### PROMOTE SPONSORS



Message displays make the recognition of local business sponsors quick and easy. Simply enter the name of the business to display, or create custom animations for the sponsor using the business logo and slogan.

Glenn High School, Glenn, Ohio  
FB-2025, 128x192-20, DA-1001




## MESSAGE DISPLAY CONTROL

Daktronics message display control software combines an easy-to-use control interface with powerful content compositing, state-of-the-art playback hardware, cutting-edge image processing and dynamic live data integration to offer a complete set of powerful production tools all in one package.

### DISPLAY STUDIO

Display Studio software enables user to group multiple buttons in a customizable window. Within the window, user can change the appearance of the buttons, create tabs to organize them and then click them to instantly deliver content to a display. An expandable playback queue enables users to edit and control the playlist in real-time to offer quick, efficient content delivery.



Multiple tabs to organize content




Customer supplied laptop

### CONTENT STUDIO

With the same look and feel as popular video editing programs, Content Studio software allows users to combine multiple layers of images, video, animations, text and real-time-data to create engaging display presentations.


Real-time-data integration allows users to drag and drop data enhanced text fields into any layout using a collection of programmable sports and information data profiles. When displayed, RTD fields show live, up-to-the-second team and individual player scores, statistics and much more.



Shelby County High School, Shelbyville, Kentucky  
FB-2025, 24x112-34, DA-1001

## ANIMATION PACKAGES & CONTENT

There are several animation packages available through Daktronics or through online purchase. Below are some examples of several different packages. There are additional sports available. Contact Daktronics for more information or go to [buy.daktronics.com](http://buy.daktronics.com) to purchase for an existing display.



Basketball package



Volleyball package




Football package



School package

Woodlawn High School Baltimore, Maryland  
64x144-46, DA-1205



## 46MM UNIVERSAL SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT		MAXIMUM WATTS RED/AMBER/RGB	CABINET HxW		ACTIVE AREA HxW		COPY AREA HxW @ 2	
	POUNDS	KILOGRAMS		FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS
<b>48x144</b>	1430 lbs	648.6 kg	2160/2960/5280	7'-10"x25'-0"	239x762	7'-2"x21'-6"	281x653	7'-10.4"x1'-4.4"	240x42
<b>64x144</b>	1900 lbs	861.8 kg	2860/3930/7020	10'-0"x25'-0"	305x762	9'-6"x21'-6"	290x653	N/A	



64x144 scoreboard mode

These large message displays can function as stand-alone scoreboards or can be paired with a clock/score numeric scoreboard.

### FLEXIBILITY

Matrix scoreboards are a flexible scoreboard solution because of their ability to display statistics, announcements and advertisements. One scoreboard can be used for multiple sports on a shared field or court. Changing between different sport modes is as easy as pressing a button.

### CUSTOMIZATION

Animations can be programmed to take over the scoreboard during breaks in the action. Customized scoreboard templates allow for complete customization of game information and statistics. The ability to display the names of individual participants provides a perfect solution for many sports.



64x144 track mode



48x144



Union High School, Union, Mississippi  
FB-2018, 16x96-34

## 34MM FOR 18' WIDE SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT		MAXIMUM WATTS RED/AMBER/RGB	CABINET HxW		ACTIVE AREA HxW		COPY AREA HxW @ 2	
	POUNDS	KILOGRAMS		FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS
<b>16x96</b>	430 lbs	195 kg	520/610/930	2'-9" x 18'-0"	84x549	1'-9" x 10'-7"	53x323	2'-9" x 3'-5"	84x104
<b>16x144</b>	460 lbs	209 kg	700/830/1310	2'-9" x 18'-0"	84x549	1'-9" x 15'-11"	53x485	2'-9" x 0'-9"	84x23
<b>24x112</b>	525 lbs	238 kg	770/920/1520	3'-7" x 18'-0"	109x549	2'-8" x 12'-5"	81x378	3'-7" x 2'-6"	109x76
<b>32x96</b>	785 lbs	356 kg	840/1020/1700	4'-6" x 18'-0"	137x549	3'-6" x 10'-7"	107x323	4'-6" x 3'-5"	137x104




16x96-34-RGB-18 with fillers



16x144-34-RGB-18 with fillers




24x112-34-RGB-18 with fillers



32x96-34-RGB-18 with fillers shown with FB-2018

The message displays on these pages are shown in RGB color. Monochrome red or amber color options are available in the same sizes. Filler and ad panels shown are non-backlit. Backlit panels are also available.

LeRoy Jr. High School LeRoy, Illinois  
FB-2018, 32x80-34



## 34MM FOR 20' WIDE SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT POUNDS KILOGRAMS	MAXIMUM WATTS RED/AMBER/RGB	CABINET HxW FEET-INCHES CENTIMETERS	ACTIVE AREA HxW FEET-INCHES CENTIMETERS	COPY AREA HxW @ 2 FEET-INCHES CENTIMETERS
<b>16x96</b>	450 lbs 204 kg	520/610/930	2'-9"x20'-0" 84x610	1'-9"x10'-7" 53x323	2'-9"x4'-5" 84x135
<b>16x144</b>	475 lbs 215 kg	700/830/1310	2'-9"x20'-0" 84x610	1'-9"x15'-11" 53x485	2'-9"x1'-8" 84x51
<b>24x112</b>	550 lbs 249 kg	770/920/1520	3'-7"x20'-0" 109x610	2'-8"x12'-5" 81x378	3'-7"x3'-6" 109x107
<b>32x96</b>	815 lbs 370 kg	840/1020/1700	4'-6"x20'-0" 137x610	3'-6"x10'-7" 107x323	4'-6"x4'-5" 137x135





16x96-34-RGB-20 with fillers



16x144-34-RGB-20 with fillers



24x112-34-RGB-20 with fillers



32x96-34-RGB-20 with fillers shown with BA-2014



Waterloo High School Waterloo, Illinois  
FB-2122, 16x144,34

## 34MM FOR 25' WIDE SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT		MAXIMUM WATTS RED/AMBER/RGB	CABINET HxW		ACTIVE AREA HxW		COPY AREA HxW @ 2	
	POUNDS	KILOGRAMS		FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS
<b>16x144</b>	400 lbs	181 kg	700/830/1310	2'-9" x 25'-0"	84x762	1'-9" x 15'-11"	53x485	2'-9" x 4'-3"	84x130
<b>24x112</b>	615 lbs	279 kg	770/920/1520	3'-7" x 25'-0"	109x762	2'-8" x 12'-5"	81x378	3'-7" x 6'-0"	109x183
<b>24x144</b>	700 lbs	318 kg	950/1140/1900	3'-7" x 25'-0"	109x762	2'-8" x 15'-11"	81x485	3'-7" x 4'-3"	109x130
<b>32x144</b>	850 lbs	386 kg	1170/1420/2490	4'-6" x 25'-0"	137x762	3'-6" x 15'-11"	107x485	4'-6" x 4'-3"	137x130
<b>48x144</b>	850 lbs	386 kg	1850/2240/3820	5'-11" x 25'-0"	180x762	5'-3" x 15'-11"	160x485	5'-11" x 4'-3"	180x130



16x144-34-RGB-25 with fillers



24x112-34-RGB-25 with fillers



24x144-34-RGB-25 with fillers



32x144-34-RGB-25 with fillers



48x144-34-RGB-25 with ad panels shown with FB-2022

The message displays on these pages are shown in RGB color. Monochrome red or amber color options are available in the same sizes. Filler and ad panels shown are non-backlit. Backlit panels are also available.

College of Southern Nevada - Henderson, Nevada  
BA-2008, 24x112-34, DA-1001




## 34MM FOR 27' WIDE SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT POUNDS KILOGRAMS	MAXIMUM WATTS RED/AMBER/RGB	CABINET HxW FEET-INCHES CENTIMETERS	ACTIVE AREA HxW FEET-INCHES CENTIMETERS	COPY AREA HxW @ 2 FEET-INCHES CENTIMETERS
<b>24x112</b>	675 lbs 306 kg	770/920/1520	3'-7"x27'-0" 109x823	2'-8"x12'-5" 81x378	3'-7"x7'-0" 109x213
<b>32x144</b>	905 lbs 411 kg	1170/1420/2490	4'-6"x27'-0" 137x823	3'-6"x15'-11" 107x485	4'-6"x5'-3" 137x160



24x112-34-34-27 with fillers



32x144-34-34-27 with fillers shown with BA-2025



Greer High School Greer, South Carolina  
FB-2024, 32x144-34, 48x208-20 (2), SS-1500HD, DA-1006

## 34MM FOR 32' WIDE SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT		MAXIMUM WATTS RED/AMBER/RGB	CABINET HxW		ACTIVE AREA HxW		COPY AREA HxW @ 2	
	POUNDS	KILOGRAMS		FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS
<b>24x112</b>	430 lbs	195 kg	770/920/1520	2'-9" x 18'-0"	84x549	2'-8" x 12'-5"	81x378	3'-7" x 9'-6"	109x290
<b>24x144</b>	460 lbs	209 kg	950/1140/1900	2'-9" x 18'-0"	84x549	2'-8" x 15'-11"	81x485	3'-7" x 7'-9"	109x236
<b>32x144</b>	525 lbs	238 kg	1170/1420/2490	3'-7" x 18'-0"	109x549	3'-6" x 15'-11"	107x485	4'-6" x 7'-9"	137x236
<b>48x144</b>	785 lbs	356 kg	1850/2240/3820	4'-6" x 18'-0"	137x549	5'-3" x 15'-11"	160x485	5'-11" x 7'-9"	180x236



24x112-34-RGB-32 with fillers



24x144-34-RGB-32 with fillers



32x144-34-RGB-32 with fillers



48x144-34-RGB-32 with ad panels shown with FB-2025

The message displays on these pages are shown in RGB color. Monochrome red or amber color options are available in the same sizes. Filler and ad panels shown are non-backlit. Backlit panels are also available.

Colleton County High School - Walterboro, South Carolina  
FB-2024, 32x144-34, SS-1500HD, DA-1006




## 34MM FOR 36' WIDE SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT POUNDS KILOGRAMS	MAXIMUM WATTS RED/AMBER/RGB	CABINET HxW FEET-INCHES CENTIMETERS	ACTIVE AREA HxW FEET-INCHES CENTIMETERS	COPY AREA HxW @ 2 FEET-INCHES CENTIMETERS
<b>24x112</b>	785 lbs 356 kg	770/920/1520	3'-7"x36'-0" 109x1097	2'-8"x12'-5" 81x378	3'-7"x11'-6" 109x351
<b>32x144</b>	1025 lbs 465 kg	1170/1420/2490	4'-6"x36'-0" 137x1097	3'-6"x15'-11" 107x485	4'-6"x9'-9" 137x297



24x112-34-RGB-36 with fillers



32x144-34-RGB-36 with fillers shown with BA-2009


# MESSAGE DISPLAYS



Clarkston High School Clarkston, Michigan  
FB-2023, 48x192-20

## 20MM FOR 25' WIDE SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT		MAXIMUM WATTS RGB	CABINET HxW		ACTIVE AREA HxW		COPY AREA HxW @ 2	
	POUNDS	KILOGRAMS		FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS
<b>48x160</b>	384 lbs	174 kg	1480	3'-9"	25'-0"	3'-1"	10'-5"	3'-9"	7'-1"
<b>64x128</b>	412 lbs	187 kg	1560	4'-9"	25'-0"	4'-2"	8'-3"	4'-9"	8'-0"
<b>64x144</b>	448 lbs	203 kg	1730	4'-9"	25'-0"	4'-2"	9'-4"	4'-9"	7'-6"



48x160-20-RGB-25 with ad panels




64x128-20-RGB-25 with ad panels



64x144-20-RGB-25 with ad panels shown with FB-2022

The message displays on these pages are shown in RGB color. Filler and ad panels shown are non-backlit. Backlit panels are also available.

Davis Senior High School, Davis, California  
FB-2021, 80x160-20, SS-1500HD, DA-1006



## 20MM FOR 25' WIDE SCOREBOARDS


DISPLAY SIZE	OVERALL WEIGHT POUNDS KILOGRAMS	MAXIMUM WATTS RGB	CABINET HxW FEET-INCHES CENTIMETERS	ACTIVE AREA HxW FEET-INCHES CENTIMETERS	COPY AREA HxW @ 2 FEET-INCHES CENTIMETERS
<b>64x192</b>	566 lbs 257 kg	2290	4'-9"x25'-0" 145x762	4'-2"x12'-6" 127x381	4'-9"x6'-0" 145x183
<b>80x144</b>	550 lbs 249 kg	2130	5'-10"x25'-0" 178x762	5'-2"x9'-4" 157x284	5'-10"x7'-6" 178x229
<b>80x160</b>	595 lbs 270 kg	2370	5'-10"x25'-0" 178x762	5'-2"x10'-5" 157x318	5'-10"x7'-0" 178x213



64x192-20-RGB-25 with ad panels



80x144-20-RGB-25 with ad panels



80x160-20-RGB-25 with ad panels shown with FB-2022


# MESSAGE DISPLAYS



Conway High School, Conway, South Carolina  
FB-2024, 48x192-20, DA-1001

## 20MM FOR 32' WIDE SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT		MAXIMUM WATTS RGB	CABINET HxW		ACTIVE AREA HxW		COPY AREA HxW @ 2				
	POUNDS	KILOGRAMS		FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS			
<b>48x160</b>	404 lbs	183 kg	1480	3'-9"	32'-0"	114x975	3'-1"	10'-5"	94x318	3'-9"	10'-7"	114x323
<b>64x128</b>	439 lbs	199 kg	1560	4'-9"	32'-0"	145x975	4'-2"	8'-3"	127x251	4'-9"	11'-7"	145x353
<b>64x144</b>	475 lbs	215 kg	1730	4'-9"	32'-0"	145x975	4'-2"	9'-4"	127x284	4'-9"	11'-0"	145x335



48x160-20-RGB-32 with ad panels



64x128-20-RGB-32 with ad panels



64x144-20-RGB-32 with ad panels shown with FB-2025

The message displays on these pages are shown in RGB color. Filler and ad panels shown are non-backlit. Backlit panels are also available.

Fulton High School, Fulton, Missouri  
FB-2027, 80x160-20, SS-1000



## 20MM FOR 32' WIDE SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT POUNDS KILOGRAMS	MAXIMUM WATTS RGB	CABINET HxW FEET-INCHES CENTIMETERS	ACTIVE AREA HxW FEET-INCHES CENTIMETERS	COPY AREA HxW @ 2 FEET-INCHES CENTIMETERS
<b>64x192</b>	593 lbs 269 kg	2290	4'-9"x32'-0" 145x975	4'-2"x12'-6" 127x381	4'-9"x9'-6" 145x290
<b>80x144</b>	583 lbs 264 kg	2130	5'-10"x32'-0" 178x975	5'-2"x9'-4" 157x284	5'-10"x11'-0" 178x335
<b>80x160</b>	628 lbs 285 kg	2370	5'-10"x32'-0" 178x975	5'-2"x10'-5" 157x318	5'-10"x10'-6" 178x320



64x192-20-20-32 with ad panels



80x144-20-20-32 with ad panels



80x160-20-20-32 with ad panels shown with FB-2025



Waterloo High School Waterloo, Illinois  
BB-2107, SD-2102, 16x144-20

## 20MM FOR 8' WIDE SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT		MAXIMUM WATTS RED/AMBER/RGB	CABINET HxW		ACTIVE AREA HxW	
	POUNDS	KILOGRAMS		FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS
<b>16x80</b>	75 lbs	34 kg	270/310/380	2'-0"x8'-0"	61x244	1'-0"x5'-2"	30x157
<b>16x112</b>	105 lbs	48 kg	310/360/460	2'-0"x8'-0"	61x244	1'-0"x7'-3"	30x221
<b>32x80</b>	125 lbs	57 kg	400/480/610	3'-0"x8'-0"	91x244	2'-1"x5'-2"	64x157
<b>32x112</b>	175 lbs	79 kg	510/620/810	3'-0"x8'-0"	91x244	2'-1"x7'-3"	64x221
<b>64x112</b>	280 lbs	127 kg	790/1010/1390	5'-0"x8'-0"	152x244	4'-2"x7'-3"	127x221

The message displays on these pages are shown in RGB color. Monochrome red or amber color options are available in the same sizes. Filler and ad panels shown are non-backlit. Backlit panels are also available.



16x80-20-RGB-8



16x112-20-RGB-8



32x80-20-RGB-8



32x112-20-RGB-8 shown with BB-3103

Parkland College, Champagin, Illinois  
BB-2103, SD-2103, 32x112-20

**PARKLAND COLLEGE**  
**HOME OF THE COBRAS**

2:04 PM  
Aug 3, 2009

PLY	FL	PTS	HOME	PERIOD	GUEST	PLY	FL	PTS
01	1	10	59	2	51	10	1	12
02	0	2				11	1	3
04	1	14				12	0	8
05	2	11				13	2	14
06	0	0				14	1	10

13:23

FOULS	T.O.L.	PLAYER	FOUL	T.O.L.	FOULS
4	4	04	1	5	9

SCORE MATCH SCORE

**LD PANEL**

84:00

HOME	PERIOD	GUEST
104	4	100

FOULS	PLAYER	FOUL	FOULS
10	44	3	19

SCORE MATCH SCORE

64x112-20-RGB-8 shown with BB-3103

84:35

HOME	PERIOD	GUEST
25	2	21

**ACE SERVE**

64x112-20-RGB-8 shown with BB-3101

84:35

HOME	PERIOD	GUEST
25	2	21

PLR	AC	KLS	PLR	AC	KLS
2	2	8	3	1	4
10	2	10	1	2	15
12	1	4	1	1	7
13	2	5	10	3	11
18	3	6	14	4	8
			16	2	

64x112-20-RGB-8 shown with BB-3101



Woodward-Granger High School, Woodward, Iowa  
BB-2121, 80x144-20

## 20MM FOR 10' WIDE SCOREBOARDS

DISPLAY SIZE	OVERALL WEIGHT		MAXIMUM WATTS RED/AMBER/RGB	CABINET HxW		ACTIVE AREA HxW	
	POUNDS	KILOGRAMS		FEET-INCHES	CENTIMETERS	FEET-INCHES	CENTIMETERS
<b>16x96</b>	105 lbs	48 kg	290/340/420	2'-0" x 10'-0"	61 x 305	1'-0" x 6'-3"	30 x 191
<b>16x144</b>	160 lbs	73 kg	380/450/570	2'-0" x 10'-0"	61 x 305	1'-0" x 9'-4"	30 x 284
<b>32x96</b>	175 lbs	79 kg	440/530/700	3'-0" x 10'-0"	91 x 305	2'-1" x 6'-3"	64 x 191
<b>32x144</b>	260 lbs	118 kg	590/730/980	3'-0" x 10'-0"	91 x 305	2'-1" x 9'-4"	64 x 284
<b>64x144</b>	350 lbs	159 kg	950/1240/1730	5'-0" x 10'-0"	152 x 305	4'-2" x 9'-4"	127 x 284
<b>80x144</b>	450 lbs	204 kg	1130/1490/2130	6'-0" x 10'-0"	183 x 305	5'-2" x 9'-4"	157 x 284

The message displays on these pages are shown in RGB color. Monochrome red or amber color options are available in the same sizes. Filler and ad panels shown are non-backlit. Backlit panels are also available.




16x96-20-RGB-10



32x96-20-RGB-10



16x144-20-RGB-10




32x144-20-RGB-10 shown with BB-3125


LeMars High School LeMars, Iowa  
BB-3107, 80x144-20



64x144-20-RGB-10 shown with BB-3125



80x144-20-RGB-10 shown with BB-3125



80x144-20-RGB-10 shown with BB-3121



80x144-20-RGB-10 (4) shown with BB-3121 (4)

# SCORER'S TABLES



Glenwood Community High School - Glenwood, Iowa  
ST-2014, ST-2005 (2)



Scorer's Tables Brochure

## DURABLE COURTSIDE DISPLAYS

64x288 on 10mm centers

H: 3' - 0" (914 mm) W: 9' - 4.38" (2854 mm) D: 3' - 4" (1016 mm)

The **ST-2016** is capable of showing player headshots, animations and images in high resolution with 10mm pixel spacing. This scorer's table is controlled with Show Control software.



32x144 on 20mm centers

H: 3' - 0" (914 mm) W: 9' - 4.38" (2854 mm) D: 3' - 4" (1016 mm)

The **ST-2014** has the same capabilities as the ST-2016, but has a 20mm pixel spacing and is controlled with Show Control software.



Digit size: 7"

H: 3' - 0" (914 mm) W: 8' - 0" (2438 mm) D: 3' - 4" (1016 mm)

The **ST-3001** is a ColorSmart® digit technology scorer's table. It has optional logo/sponsor panels and features double bonus indicators. For all amber digits, there is a ST-2000. The ST-2001 displays the team scores with red digits. The ST-2000 and ST-2001 tables are available with UniView® or PanaView® digit technology. Daktronics scorer's tables use superior Tuff Sport® scoreboard construction.



ST-2002/ST-2003:

H: 3' - 0" (914 mm) W: 8' - 0" (2438 mm) D: 3' - 4" (1016 mm)

ST-2004/ST-2005:

H: 3' - 0" (914 mm) W: 4' - 0" (1219 mm) D: 3' - 4" (1016 mm)

The **ST-2002** and **ST-2004** each have non-backlit logo/sponsor panels while the **ST-2003** and **ST-2005** contain backlit logo/sponsor panels for optimum viewing.



ST-2002, ST-2003

Daktronics scorer's tables can be customized by adding accessories such as an LED Light Strip or a **Possession Indicator**. The LED Light Strip serves as a visual horn to communicate the game horn is sounding and when the game clock counts down to zero. A Possession Indicator displays which team has possession of the next jump ball.

**Protective padding** is included with each scorer's table. This feature is designed to protect athletes.

For a complete list of scorer's tables and accessories ask for Daktronics Scorer's Tables brochure, SL08759.



Possession indicator

Protective padding

ST-2004, ST-2005

Watertown High School Watertown, South Dakota  
BB-2103, SD-2103, DA-1205, 117x144-20



## SPORTS STATISTICS MADE SIMPLE

Daktronics statistics software manages game, season and career statistics. It is used at all levels of play, from high school to professional sports, for tracking stats and compiling in-depth statistical reports. No other statistics package can match the features and accuracy.

Enter live game statistics using the intuitive play-by-play entry mode or use the box mode for post-game stat entry. No matter the entry mode, Daktronics statistics software provides valuable printouts for game and player analysis.

### FREE TRIAL DOWNLOAD

Download a 30 day trial of Daktronics statistics software at [www.dakstats.com](http://www.dakstats.com).

### EASY

Daktronics statistics software allows for the use of the mouse or convenient keyboard shortcuts for entering statistics.

### QUICK

Game and roster files can be exchanged between other software users or third party stats programs, while HTML reports are ideal for emailing or posting online.

### ACCURATE

Built-in prompts suggest the correct play information to enter for each game situation. This ensures that all statistics get recorded accurately.



### PLAY-BY-PLAY ENTRY MODE

Play-by-play mode lets users enter stats live during a game. Statisticians can click on a court or field graphic (where applicable) to enter stats and generate real-time shot charts and spray charts for a visual recap of the game action.



### BOX ENTRY MODE

If no PC is available at the game, simply keep stats on paper and enter them into box mode later. The statistics software then calculates totals, averages and percentages throughout the season.



John Swett High School - Crockett, California  
FB-2021, 112x192-20, SS-1500HD, DA-1006

## RELIABLE PRODUCT DESIGN

The Daktronics video display module design provides complete environmental defense along with contrast-enhancing capabilities. The modules create a reliable, weather-ready video display with unrivaled uniformity.

Extensive testing ensures each module has a 360° complete environmental defense against water and dust intrusion.



## OUTDOOR VIDEO DISPLAY CABINET SIZES 20MM & 26MM PIXEL SPACING

HEIGHT ft (m)	WIDTH ft (m)	HEIGHT ft (m)	WIDTH ft (m)	HEIGHT ft (m)	WIDTH ft (m)
7' - 6" (2.29)	9' - 11" (3.03)	12' - 4" (3.76)	15' - 11" (4.85)	18' - 4" (5.59)	32' - 9" (9.98)
7' - 6" (2.29)	11' - 2" (3.39)	12' - 4" (3.76)	21' - 11" (6.68)	19' - 6" (5.95)	25' - 6" (7.78)
7' - 6" (2.29)	12' - 4" (3.76)	13' - 6" (4.12)	18' - 4" (5.59)	19' - 6" (5.95)	33' - 11" (10.34)
7' - 6" (2.29)	13' - 6" (4.12)	13' - 6" (4.12)	24' - 4" (7.42)	20' - 9" (6.32)	27' - 11" (8.51)
7' - 6" (2.29)	14' - 9" (4.49)	14' - 9" (4.49)	19' - 6" (5.95)	20' - 9" (6.32)	36' - 4" (11.07)
8' - 9" (2.66)	11' - 2" (3.39)	14' - 9" (4.49)	25' - 6" (7.78)	21' - 11" (6.68)	29' - 2" (8.88)
8' - 9" (2.66)	14' - 9" (4.49)	15' - 11" (4.85)	20' - 9" (6.32)	21' - 11" (6.68)	38' - 9" (11.80)
9' - 11" (3.03)	13' - 6" (4.12)	15' - 11" (4.85)	27' - 11" (8.51)	23' - 2" (7.05)	30' - 4" (9.24)
9' - 11" (3.03)	17' - 2" (5.22)	17' - 2" (5.22)	23' - 2" (7.05)	23' - 2" (7.05)	41' - 2" (12.54)
11' - 2" (3.39)	14' - 9" (4.49)	17' - 2" (5.22)	30' - 4" (9.24)	24' - 4" (7.42)	32' - 9" (9.98)
11' - 2" (3.39)	19' - 6" (5.95)	18' - 4" (5.59)	24' - 4" (7.42)	24' - 4" (7.42)	43' - 6" (13.27)

Maysville High School, Zanesville, Ohio  
FB-2021, 128x224-20, SS-1500HD



126x216-20 with FB-2022  
H: 8' - 9" (2667 mm) W: 14' - 9" (4496 mm) D: 0' - 11" (279 mm)


Above and below are two popular outdoor video display sizes. Standard video display sizes are designed to complement the standard outdoor scoreboard models.



126x224-26 with FB-2022  
H: 11' - 2" (3404 mm) W: 19' - 6" (5944 mm) D: 0' - 11" (279 mm)

## OUTDOOR RESOLUTION

Resolution is defined as the number of pixels contained in the physical area of a display. The greater the number of pixels per square foot, the greater the amount of detail displayed. The examples to the right show a logo as if they were shown on a display of similar height, from the same distance, with different pixel spacing.



## OPTIONAL FRONT END CONTROL SYSTEM

In addition to the standard video control solution, an additional front-end control system is also available to further enhance the live video experience. This optional front-end control system still requires less equipment and personnel for operation compared to other live video solutions. For more information on video control systems refer to page 79.





Emporia State University Emporia, Kansas  
192x256-10

## UNMATCHED DISPLAY UNIFORMITY

The Daktronics video display module design provides complete environmental defense along with contrast-enhancing capabilities. The modules create a reliable, weather-ready video display with unrivaled uniformity.

Daktronics LED suppliers sort every LED into bins according to color variance and intensity to assure striking uniformity before they even reach our factory. Upon installing the LEDs into modules, Daktronics uses patented calibration technology to balance the brightness and intensity of each individual LED on the display.

Once the video display is installed, Daktronics offers continued field calibration services to restore the display to its original factory uniformity levels at any point during the display lifetime.



## INDOOR VIDEO DISPLAY CABINET SIZES 10MM & 20MM PIXEL SPACING

HEIGHT ft (m)	WIDTH ft (m)	HEIGHT ft (m)	WIDTH ft (m)
6' - 7" (2.00)	8' - 8" (2.64)	8' - 8" (2.64)	11' - 9" (3.59)
6' - 7" (2.00)	10' - 9" (3.27)	8' - 8" (2.64)	14' - 11" (4.54)
7' - 7" (2.32)	9' - 8" (2.95)	9' - 8" (2.95)	12' - 10" (3.90)
7' - 7" (2.32)	12' - 10" (3.90)	9' - 8" (2.95)	16' - 9" (5.17)

Watertown High School - Watertown, South Dakota  
BB-2103, SD-2103, 112x144-20, DA-1205



224x288-10 with BB-3107  
H: 7' - 7" (2311 mm) W: 9' - 8" (2946 mm) D: 0' - 10" (254 mm)



112x144-20 with BB-3121  
H: 7' - 7" (2311 mm) W: 9' - 8" (2946 mm) D: 0' - 10" (254 mm)

Above and to the right are two popular indoor video display sizes. The video displays are shown in popular scoreboard layouts. Standard video display sizes are designed to complement the standard indoor scoreboard models.




### OPTIONAL FRONT END CONTROL SYSTEM

In addition to the standard video control solution, an additional front-end control system is also available to further enhance the live video experience. This optional front-end control system still requires less equipment and personnel for operation compared to other live video solutions. For more information on video control systems refer to page 79.


20mm

48 rows high  
approx. 3 feet tall



10mm

96 rows high  
approx. 3 feet tall



### INDOOR RESOLUTION

Resolution is defined as the number of pixels contained in the physical area of a display. The greater the number of pixels per square foot, the greater the amount of detail displayed. The examples above show a logo as if they were shown on a display of similar height, from the same distance, with different pixel spacing.

## ALL SPORT® CONTROL CONSOLES

Daktronics control consoles feature liquid crystal display (LCD) screens to provide operators with visual feedback. Features of the All Sport® control consoles include a time-of-day display mode, 1/10 of a second timing and optional radio control to eliminate the need for signal wire. The All Sport 5500, 5000 and 1600 series consoles have memory retention in case of accidental loss of power.

### ALL SPORT 5500 SERIES

Weight: 7 lb (3.2 kg)

H: 4.25" (108 mm) W: 16.25" (413 mm) D: 9" (229 mm)

The **All Sport 5500** series controllers are versatile units designed to control the ColorSmart® scoring systems.



### ALL SPORT 5000 SERIES

Weight: 7 lb (3.2 kg)

H: 4.25" (108 mm) W: 16.25" (413 mm) D: 9" (229 mm)

The **All Sport 5000** series controllers are versatile units designed for intermediate and large scoring systems. The All Sport 5000 has color-coded keys and a large backlit character display.



### ALL SPORT 1600 SERIES

Weight: 4 lb (1.8 kg)

H: 4.25" (108 mm) W: 8.5" (216 mm) D: 9" (229 mm)

The **All Sport 1600** series controllers are designed for small, basic scoring systems. The LCD guides the user and provides vital feedback. Commonly used functions and a quick start guide are printed on the face of the controller.



### ALL SPORT 100

Weight: 0.5 lb (0.227 kg)

H: 6" (152 mm) W: 4" (102 mm) D: 1" (25 mm)

The **All Sport 100** is an easy-to-use handheld controller. The console is enclosed in a durable plastic case that protects against spills and accidents.



## OMNISPORT® 2000 SERIES

Weight: 14 lb (6.4 kg)  
 H: 4.25" (108 mm) W: 20.5" (521 mm) D: 9" (229 mm)

This fully functional timer has multisport capabilities and the ability to interface with a computer. Three backlit LCD screens indicate current race information, lane status and completed lengths for up to 10 lanes. For more information on aquatics timing options, review the Daktronics aquatics catalog, DD1565872. The **OmniSport® 2000** console has multiple modes, such as those for track timing, and memory retention in case of accidental loss of power.



## RC-100 CONSOLE

Weight: 0.4 lb (0.181 kg)  
 H: 4.7" (119 mm) W: 2.7" (69 mm) D: 1.2" (30 mm)

The **RC-100** is a wireless device that controls baseball, tennis, timers, some basketball and other displays. The handheld unit operates using a 900 MHz radio with an internal antenna and a rechargeable battery.



Protective case with belt clip



Multi-unit charger

### ACCESSORIES

Included in the RC-100 kit is a protective case with a versatile strap that allows it to be worn around the neck, around the wrist or clipped to a belt.

A multi-unit charger is available, allowing the customer to charge multiple RC-100s at one time from a single power source.

## REMOTE START/STOP

These handheld units are convenient and easy to use. The game clock remote manually starts and stops the game clock and sounds the horn. The shot/play clock remote is used for shot clocks in basketball and play clocks in football. It features start/stop and two reset buttons allowing for two different reset times for the shot/display clock when needed.



## RADIO COMMUNICATION

Radio control allows operators to run scoreboards without signal junction boxes. The removal of extra signal junction boxes eliminates extra wiring from the All Sport console to the scoreboard and saves money on installation costs.

Daktronics 2.4 GHz spread spectrum radio is available with the All Sport 1600, 5000 and 5500 series consoles. This high-frequency radio eliminates the need for signal wire to the scoreboard. There is a 500 foot line of sight signal range for indoor scoreboards and a 1500 foot line of sight signal range for outdoor scoreboards. This tamper-resistant, highly secure radio option features a master and four broadcast groups along with 24 non-interfering channels, allowing for the operation of multiple independent radio systems simultaneously.

Daktronics radio option includes the multi-broadcast feature. This feature promotes great control flexibility especially in multi-court facilities, which allows multiple sporting events to occur in the same facility.



## ALL SPORT CARRYING CASES



All Sport carrying cases allow operators to conveniently and easily transport scoreboard consoles. For larger consoles, choose from a soft-side case or a case built of rugged, high-impact ABS plastic to prevent damage to the controller when it is transported from one event to another. Optional carrying cases are available for the entire All Sport line, as well as the OmniSport 2000 series control consoles.

## CONSOLE BATTERY PACK



The Daktronics All Sport controller battery option is a 12-volt battery that provides a wireless solution when combined with the radio option. The external battery is stored in a safety

bag with a carrying strap. It includes a smart charger that can be left plugged in to the battery when not in use. When fully charged, the battery will operate the controller for 24 hours. The battery pack is purchased separately from the console and can be used with the radio control option.

## ALL SPORT LOCKERS

Maintain your All Sport console safely and easily with the All Sport locker. The All Sport locker has lockable storage capability, so the console is safe from vandalism and theft, as well as inclement weather conditions, even when stored outdoors. The All Sport locker also functions as a table during sporting events.

For safe storage and added convenience indoors, select the All Sport tabletop locker.

Both lockers work with any All Sport control console and feature the added security of being equipped to handle a lock and key. The All Sport lockers are painted white to reduce solar gain when used outdoors, but alternate colors are available upon request.



All Sport locker



Tabletop locker

## SHOW CONTROL SYSTEM

Daktronics Show Control System combines an easy-to-use display control interface with powerful content compositing, state-of-the-art playback hardware, cutting-edge image processing and dynamic live data integration to offer a complete set of powerful production tools all in one package.

### TOTAL CAMPUS CONTROL

As a complete control solution, Show Control Display Studio gives operators the freedom to instantly deliver multimedia to multiple video displays, auxiliary displays and marquees throughout a facility. A user-friendly control interface makes sending clips to displays as simple as clicking a button. For more information on Show Control Software ask for DD1757723 and DD1750313.



## VIDEO PRODUCTION SYSTEM

Further enhance the live video experience with this optional front-end upgrade.

### SPECIAL EFFECTS

- Peels • Panning • Slow Motion • Animated titles • Multiple video layers
- 3D page curls • 3D rotation • Soft edges • Wipes

### VIDEO SPECIFICATIONS

- iVGA™ input
- 1 Ethernet network connection
- 3 camera ISO previews  
S-Video, composite (BNC) or component (BNC)
- 2 Video outputs  
S-Video, composite (BNC) or component (BNC)



### AUDIO SPECIFICATIONS

- Audio input  
4 Balanced Mic/Line inputs
- Audio output  
2 Balanced Mic outs  
2 Unbalanced RCA outs
- 1 Stereo headphone out



# TIMING DISPLAYS

Model number stationary or portable indoor or outdoor	Dimensions	Application <b>primary</b> other	Controller minimum required	Digits		Radio (optional)	Horn
				Size	Color		
<b>BB-2114/BB-3114</b> stationary indoor digit colors are fixed	 H: 1' - 7" (483 mm) W: 1' - 10" (559 mm) D: 0' - 6" (152 mm) Weight: 15 lbs (7 kg)	<b>shot clock</b> delay of game segment timer	BB-2114: AS 1600 BB-3114: AS 5500	13"	Red		 (standard)
<b>BB-2115/BB-3115</b> stationary indoor digit colors are fixed	 H: 2' - 4" (711 mm) W: 2' - 5" (737 mm) D: 0' - 6" (152 mm) Weight: 30 lbs (14 kg)	<b>shot clock</b> delay of game segment timer	BB-2115: AS 5000 BB-3115: AS 5500	7" 13"	Red Yellow		 (standard)
<b>PC-2001</b> portable indoor/outdoor	 H: 0' - 9" (229 mm) W: 2' - 0" (610 mm) D: 0' - 5" (127 mm) Weight: 13 lbs (6 kg) (outdoor) 19 lbs (9 kg)	<b>pace clock</b> shot clock time of day	internal controller	7"	Yellow		 (standard)
<b>PC-2002</b> stationary indoor wall or flush mounted	 H: 0' - 8.5" (216 mm) W: 2' - 0" (610 mm) D: 0' - 2.5" (64 mm) Weight: 10 lbs (5 kg)	<b>pace clock</b> segment timer shot clock time of day	JC 100	7"	Yellow		 (standard)
<b>TI-218</b> stationary outdoor	 H: 2' - 0" (610 mm) W: 3' - 0" (914 mm) D: 0' - 6" (152 mm) Weight: 16 lbs (7 kg)	<b>baseball timer</b> speed of pitch delay of game segment timer	AS 1600	18"	Red Yellow		
<b>TI-2002</b> portable indoor	 H: 0' - 9" (229 mm) W: 1' - 8" (508 mm) D: 0' - 4" (102 mm) Weight: 10 lbs (5 kg)	<b>segment timer</b> locker room time of day	AS 1600	5"	Red Yellow		
<b>TI-2003</b> stationary outdoor	 H: 3' - 0" (914 mm) W: 4' - 0" (1219 mm) D: 0' - 6" (152 mm) Weight: 64 lbs (29 kg)	<b>delay of game</b> baseball timer speed of pitch segment timer	AS 1600	30"	Red Yellow		 (optional)
<b>TI-2010</b> portable outdoor	 H: 2' - 0" (610 mm) W: 3' - 0" (914 mm) D: 0' - 6" (152 mm) Weight: 30 lbs (14 kg)	<b>segment timer</b> baseball timer delay of game speed of pitch	AS 1600	18"	Red Yellow		 (standard)
<b>TI-2012</b> stationary outdoor	 H: 3' - 6" (1067 mm) W: 5' - 0" (1524 mm) D: 0' - 6" (152 mm) Weight: 130 lbs (59 kg)	<b>segment timer</b>	AS 1600	15" 18"	Red Yellow		 (standard)
<b>TI-2015</b> stationary outdoor	 H: 2' - 4" (711 mm) W: 3' - 4" (1016 mm) D: 0' - 6" (152 mm) Weight: 36 lbs (16 kg)	<b>segment timer</b> baseball timer speed of pitch delay of game	AS 1600	24"	Red Yellow		 (standard)

Horn	Radio (optional)	Digits		Controller minimum required	Application primary other	Dimensions	Model number stationary or portable indoor or outdoor
		Size	Color				
 (optional)		18"	 	AS 1600	<b>pitch time</b> segment timer time of day	H: 2' - 0" (610 mm) W: 6' - 0" (1829 mm) D: 0' - 6" (152 mm) Weight: 40 lbs (18 kg)	 <b>TI-2019</b> stationary outdoor
 (optional)		10"	 	internal controller	<b>track timing</b> time of day	H: 1' - 2" (356 mm) W: 4' - 8" (1422 mm) D: 0' - 6" (152 mm) Weight: 50 lbs (23 kg)	 <b>TI-2020</b> portable outdoor
 (optional)		10"	 	internal controller AS 1600 to run as shown	<b>track timing</b> field event time of day	H: 1' - 6" (457 mm) W: 5' - 4" (1626 mm) D: 0' - 6" (152 mm) Weight: 60 lbs (27 kg)	 <b>TI-2021</b> portable outdoor
 (standard)		7"		internal controller	<b>time of day</b>	H: 0' - 9" (229 mm) W: 2' - 0" (610 mm) D: 0' - 5" (127 mm) Weight: 14 lbs (6 kg) outdoor 19 lbs (9 kg)	 <b>TI-2022</b> portable indoor/outdoor
		36"	 	AS 1600	<b>delay of game</b> speed of pitch	H: 4' - 6" (1372 mm) W: 6' - 0" (1829 mm) D: 0' - 8" (203 mm) Weight: 140 lbs (64 kg)	 <b>TI-2024</b> stationary outdoor
 (standard)		18"	 	AS 100 RC 50	<b>segment timer</b> delay of game	H: 1' - 10" (559 mm) W: 2' - 4" (711 mm) D: 0' - 8" (203 mm) Weight: 35 lbs (16 kg) single-sided 30 lbs (14 kg)	 <b>TI-2025/TI-2026</b> portable outdoor double/single sided
		4"		TI-2031: AS 1600 TI-3031: AS 5500	<b>locker room</b> segment timer time of day	H: 0' - 8" (203 mm) W: 1' - 2.25" (362 mm) D: 0' - 2.5" (64 mm) Weight: 4 lbs (2 kg)	 <b>TI-2031/TI-2031</b> stationary indoor wall or flush mounted
		24"	 	AS 1600	<b>pitch time</b> segment timer time of day	H: 2' - 7" (787 mm) W: 7' - 0" (2137 mm) D: 0' - 6" (152 mm) Weight: 60 lbs (27 kg)	 <b>TI-2032</b> stationary outdoor
 (standard)		13"	 	AS 1600	<b>segment timer</b> time of day	H: 2' - 0" (610 mm) W: 4' - 0" (1219 mm) D: 0' - 6" (152 mm) Weight: 35 lbs (16 kg)	 <b>TI-2101</b> stationary indoor
 (standard)		13"	 	AS 1600	<b>time of day</b>	H: 2' - 6" (762 mm) W: 5' - 0" (1524 mm) D: 0' - 6" (152 mm) Weight: 35 lbs (16 kg)	 <b>TI-2102</b> stationary indoor



## BASKETBALL

### BASKETBALL MODE

### FOOTBALL MODE

### HOCKEY MODE

### LACROSSE MODE





\* Model is not represented, but scores similar to model shown.

## Soccer Mode

## Tennis Mode

## Volleyball Mode

## Wrestling Mode



## HOCKEY

### BASKETBALL MODE

### HOCKEY MODE

### LACROSSE MODE

### SOCCER MODE

### VOLLEYBALL MODE

H-2101 with H-2102 & H-2103					
H-2101 with H-2102					
H-2104 H-2105*					
H-2106 H-2107*					
H-2108					
H-2111 H-2112*					

\* Model is not represented, but scores similar to model shown.

## STATISTICS DISPLAYS

	BASKETBALL MODE	HOCKEY MODE	VOLLEYBALL MODE	WRESTLING MODE																																																																						
SD-2104	<table border="1"> <thead> <tr><th>PLYR</th><th>FLS</th><th>PTS</th></tr> </thead> <tbody> <tr><td>4</td><td>1</td><td>24</td></tr> <tr><td>12</td><td>3</td><td>16</td></tr> <tr><td>11</td><td>4</td><td>10</td></tr> <tr><td>14</td><td>1</td><td>9</td></tr> <tr><td>3</td><td>1</td><td>2</td></tr> <tr><td></td><td></td><td></td></tr> </tbody> </table>	PLYR	FLS	PTS	4	1	24	12	3	16	11	4	10	14	1	9	3	1	2				<table border="1"> <thead> <tr><th>PLYR</th><th>PENALTY</th></tr> </thead> <tbody> <tr><td>4</td><td>0:24</td></tr> <tr><td>12</td><td>1:16</td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </tbody> </table>	PLYR	PENALTY	4	0:24	12	1:16									<table border="1"> <thead> <tr><th>PLYR</th><th>ACES</th><th>KILLS</th></tr> </thead> <tbody> <tr><td>4</td><td>1</td><td>4</td></tr> <tr><td>12</td><td>3</td><td>6</td></tr> <tr><td>11</td><td>5</td><td>0</td></tr> <tr><td>22</td><td>4</td><td>10</td></tr> <tr><td>29</td><td>0</td><td>19</td></tr> <tr><td>33</td><td>9</td><td>1</td></tr> </tbody> </table>	PLYR	ACES	KILLS	4	1	4	12	3	6	11	5	0	22	4	10	29	0	19	33	9	1	<table border="1"> <thead> <tr><th>H/G</th><th>WEIGHT</th></tr> </thead> <tbody> <tr><td>4</td><td>103</td></tr> <tr><td>3</td><td>112</td></tr> <tr><td>4</td><td>119</td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </tbody> </table>	H/G	WEIGHT	4	103	3	112	4	119						
PLYR	FLS	PTS																																																																								
4	1	24																																																																								
12	3	16																																																																								
11	4	10																																																																								
14	1	9																																																																								
3	1	2																																																																								
PLYR	PENALTY																																																																									
4	0:24																																																																									
12	1:16																																																																									
PLYR	ACES	KILLS																																																																								
4	1	4																																																																								
12	3	6																																																																								
11	5	0																																																																								
22	4	10																																																																								
29	0	19																																																																								
33	9	1																																																																								
H/G	WEIGHT																																																																									
4	103																																																																									
3	112																																																																									
4	119																																																																									
SD-2103	<table border="1"> <thead> <tr><th>PLYR</th><th>FLS</th><th>PTS</th></tr> </thead> <tbody> <tr><td>34</td><td>3</td><td>21</td></tr> <tr><td>18</td><td>3</td><td>16</td></tr> <tr><td>7</td><td>1</td><td>4</td></tr> <tr><td>8</td><td>2</td><td>10</td></tr> <tr><td>12</td><td>4</td><td>11</td></tr> </tbody> </table>	PLYR	FLS	PTS	34	3	21	18	3	16	7	1	4	8	2	10	12	4	11	<table border="1"> <thead> <tr><th>PLYR</th><th>PENALTY</th></tr> </thead> <tbody> <tr><td>34</td><td>0:21</td></tr> <tr><td>18</td><td>1:16</td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </tbody> </table>	PLYR	PENALTY	34	0:21	18	1:16									<table border="1"> <thead> <tr><th>PLYR</th><th>ACES</th><th>KILLS</th></tr> </thead> <tbody> <tr><td>34</td><td>3</td><td>21</td></tr> <tr><td>18</td><td>8</td><td>16</td></tr> <tr><td>7</td><td>1</td><td>4</td></tr> <tr><td>8</td><td>2</td><td>10</td></tr> <tr><td>12</td><td>5</td><td>11</td></tr> <tr><td>29</td><td>10</td><td>22</td></tr> </tbody> </table>	PLYR	ACES	KILLS	34	3	21	18	8	16	7	1	4	8	2	10	12	5	11	29	10	22	<table border="1"> <thead> <tr><th>H/G</th><th>WEIGHT</th></tr> </thead> <tbody> <tr><td>3</td><td>103</td></tr> <tr><td>3</td><td>112</td></tr> <tr><td>4</td><td>119</td></tr> <tr><td>3</td><td>125</td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </tbody> </table>	H/G	WEIGHT	3	103	3	112	4	119	3	125							
PLYR	FLS	PTS																																																																								
34	3	21																																																																								
18	3	16																																																																								
7	1	4																																																																								
8	2	10																																																																								
12	4	11																																																																								
PLYR	PENALTY																																																																									
34	0:21																																																																									
18	1:16																																																																									
PLYR	ACES	KILLS																																																																								
34	3	21																																																																								
18	8	16																																																																								
7	1	4																																																																								
8	2	10																																																																								
12	5	11																																																																								
29	10	22																																																																								
H/G	WEIGHT																																																																									
3	103																																																																									
3	112																																																																									
4	119																																																																									
3	125																																																																									
SD-2102	<table border="1"> <thead> <tr><th>PLYR</th><th>FLS</th><th>PTS</th></tr> </thead> <tbody> <tr><td>2</td><td>2</td><td>12</td></tr> <tr><td>10</td><td>3</td><td>14</td></tr> <tr><td>24</td><td>2</td><td>7</td></tr> <tr><td>32</td><td>1</td><td>2</td></tr> <tr><td>40</td><td>2</td><td>28</td></tr> </tbody> </table>	PLYR	FLS	PTS	2	2	12	10	3	14	24	2	7	32	1	2	40	2	28	<table border="1"> <thead> <tr><th>PLYR</th><th>PENALTY</th></tr> </thead> <tbody> <tr><td>2</td><td>0:12</td></tr> <tr><td>10</td><td>1:14</td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </tbody> </table>	PLYR	PENALTY	2	0:12	10	1:14									<table border="1"> <thead> <tr><th>PLYR</th><th>ACES</th><th>KILLS</th></tr> </thead> <tbody> <tr><td>2</td><td>2</td><td>12</td></tr> <tr><td>10</td><td>3</td><td>14</td></tr> <tr><td>24</td><td>2</td><td>7</td></tr> <tr><td>32</td><td>1</td><td>2</td></tr> <tr><td>40</td><td>2</td><td>28</td></tr> <tr><td>53</td><td>3</td><td>5</td></tr> </tbody> </table>	PLYR	ACES	KILLS	2	2	12	10	3	14	24	2	7	32	1	2	40	2	28	53	3	5	<table border="1"> <thead> <tr><th>H/G</th><th>WEIGHT</th></tr> </thead> <tbody> <tr><td>3</td><td>103</td></tr> <tr><td>3</td><td>112</td></tr> <tr><td>4</td><td>119</td></tr> <tr><td>3</td><td>125</td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </tbody> </table>	H/G	WEIGHT	3	103	3	112	4	119	3	125							
PLYR	FLS	PTS																																																																								
2	2	12																																																																								
10	3	14																																																																								
24	2	7																																																																								
32	1	2																																																																								
40	2	28																																																																								
PLYR	PENALTY																																																																									
2	0:12																																																																									
10	1:14																																																																									
PLYR	ACES	KILLS																																																																								
2	2	12																																																																								
10	3	14																																																																								
24	2	7																																																																								
32	1	2																																																																								
40	2	28																																																																								
53	3	5																																																																								
H/G	WEIGHT																																																																									
3	103																																																																									
3	112																																																																									
4	119																																																																									
3	125																																																																									
SD-2101	<table border="1"> <thead> <tr><th>PLYR</th><th>FLS</th><th>PTS</th></tr> </thead> <tbody> <tr><td>4</td><td>2</td><td>24</td></tr> <tr><td>12</td><td>0</td><td>6</td></tr> <tr><td>20</td><td>3</td><td>15</td></tr> <tr><td>34</td><td>2</td><td>5</td></tr> <tr><td>42</td><td>0</td><td>23</td></tr> </tbody> </table>	PLYR	FLS	PTS	4	2	24	12	0	6	20	3	15	34	2	5	42	0	23	<table border="1"> <thead> <tr><th>PLYR</th><th>PENALTY</th></tr> </thead> <tbody> <tr><td>4</td><td>0:24</td></tr> <tr><td>12</td><td>1:16</td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </tbody> </table>	PLYR	PENALTY	4	0:24	12	1:16										<table border="1"> <thead> <tr><th>H/G</th><th>WEIGHT</th></tr> </thead> <tbody> <tr><td>4</td><td>103</td></tr> <tr><td>3</td><td>112</td></tr> <tr><td>4</td><td>119</td></tr> <tr><td>3</td><td>125</td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </tbody> </table>	H/G	WEIGHT	4	103	3	112	4	119	3	125																												
PLYR	FLS	PTS																																																																								
4	2	24																																																																								
12	0	6																																																																								
20	3	15																																																																								
34	2	5																																																																								
42	0	23																																																																								
PLYR	PENALTY																																																																									
4	0:24																																																																									
12	1:16																																																																									
H/G	WEIGHT																																																																									
4	103																																																																									
3	112																																																																									
4	119																																																																									
3	125																																																																									

## WRESTLING

	BASKETBALL MODE	GYMNASTICS MODE	VOLLEYBALL MODE	WRESTLING MODE
WR-2101				


## FOOTBALL

### BASEBALL MODE CLOCK


### BASEBALL MODE INNING/AT BAT

### FOOTBALL MODE


FB-2027  
FB-2025\*




FB-2026  
FB-2024\*




FB-2021



FB-2022



FB-2023



FB-2018



FB-2019



FB-2020



FB-824



FB-4005



\* Model is not represented, but scores similar to model shown.

## LACROSSE/FIELD HOCKEY MODE

## SOCCER MODE

## TRACK MODE EVENT - HEAT

## TRACK MODE GUEST 2 - GUEST 3

HOME 2 3:32 GUEST 14  
 S.O.G. 13 S.O.G. 8 QTR 2  
 TIME OUTS LEFT

HOME 2 3:32 GUEST 14  
 S.O.G. 13 S.O.G. 8 HALF 2  
 TIME OUTS LEFT

HOME 28 3:32.88 GUEST 14  
 PLACE 2 EVENT 1 HEAT 3 LANE 1  
 TIME OUTS LEFT

HOME 28 3:32.88 GUEST 14  
 PLACE 2 GUEST 2 21 GUEST 3 13 LANE 1  
 TIME OUTS LEFT

HOME 3 3:24 GUEST 11  
 S.O.G. 11 S.O.G. 6 QTR 2  
 TIME OUTS LEFT

HOME 3 3:24 GUEST 11  
 S.O.G. 19 S.O.G. 10 HALF 1  
 TIME OUTS LEFT

HOME 3 4:10 GUEST 11  
 S.O.G. 18 S.O.G. 12 QTR 1  
 T.O.L.

HOME 3 4:10 GUEST 11  
 S.O.G. 18 S.O.G. 12 HALF 2  
 T.O.L.

HOME 13 4:10.21 GUEST 11  
 PLACE 1 EVENT 8 HEAT 2 LANE 2  
 T.O.L.

HOME 13 4:10.21 GUEST 11  
 PLACE 1 GUEST 2 18 GUEST 3 12 LANE 2  
 T.O.L.

HOME 3 1:35 GUEST 11  
 S.O.G. 11 S.O.G. 7 QTR 1

HOME 3 1:35 GUEST 11  
 S.O.G. 15 S.O.G. 7 HALF 1

HOME 23 4:35.5 GUEST 21  
 PLACE 2 EVENT 4 HEAT 1 LANE 3

HOME 23 4:35.5 GUEST 21  
 PLACE 2 GUEST 2 11 GUEST 3 37 LANE 3

HOME 4 11:03 GUEST 3  
 S.O.G. 18 S.O.G. 11 QTR 1

HOME 4 11:03 GUEST 3  
 S.O.G. 18 S.O.G. 11 HALF 1

HOME 3 7:23 GUEST 2  
 S.O.G. 10 S.O.G. 7 QTR 1

HOME 3 7:23 GUEST 2  
 S.O.G. 10 S.O.G. 7 HALF 1

HOME 13 7:23.16 GUEST 12  
 PLACE 4 EVENT 1 HEAT 3 LANE 3

HOME 13 7:23.16 GUEST 12  
 PLACE 4 GUEST 2 10 GUEST 3 21 LANE 3

HOME 1 7:14 GUEST 0  
 S.O.G. 18 S.O.G. 13 QTR 1

HOME 1 7:14 GUEST 0  
 S.O.G. 18 S.O.G. 13 HALF 2

HOME 18 7:14.7 GUEST 10  
 PLACE 1 EVENT 8 HEAT 3 LANE 2

HOME 18 7:14.7 GUEST 10  
 PLACE 1 GUEST 2 18 GUEST 3 13 LANE 2

HOME 3 8:23 GUEST 0  
 S.O.G. 15 S.O.G. 7 QTR 1

HOME 3 8:23 GUEST 0  
 S.O.G. 15 S.O.G. 7 HALF 1

HOME 9 7:56 GUEST 6  
 PERIOD

HOME 1 7:56 GUEST 0  
 HALF

DOWN 12:35 PERIOD  
 HOME 8 TO GO GUEST 4

DOWN 12:35 HALF  
 HOME 7 TO GO GUEST 4

## MULTISPORT

### BASEBALL MODE

### BASKETBALL MODE

### FOOTBALL MODE

### LACROSSE/FIELD HOCKEY MODE



MS-2004  
MS-2012\*



MS-2918  
MS-2009\*





MS-2024



MS-3918



MS-915



MS-2025



MS-2026



MS-2013



\* Model is not represented, but scores similar to model shown.

## SOCCER MODE

## VOLLEYBALL MODE

## WATERPOLO MODE

## WRESTLING MODE



## SOCCER

**BASEBALL MODE**  
CLOCK

**BASEBALL MODE**  
INNING/AT BAT

**FOOTBALL MODE**

**LACROSSE/FIELD HOCKEY MODE**

50-2043

50-2021



50-2023



50-2011

50-2018



50-2019



50-2013



50-2008



50-918  
50-2918\*





\* Model is not represented, but scores similar to model shown.

## Soccer Mode

## Track Mode Event - Heat

## Track Mode Guest 2 - Guest 3



# SCOREBOARD INDEX

Model	Indoor	Outdoor	Volts**	Watts***	Amps	Weight lbs. (uncrated)	Base Controller****	RC-100 Optional	Logo/Sponsor Panel Size (h x w)	TNMC (optional)	Page
BA-618	•	120	150	1.3	200	AS 1600	•	-	-	-	14
BA-624	•	120	150	1.3	300	AS 1600	•	-	-	-	13
BA-1518	•	120	300	2.5	400	AS 5000	-	-	8x32	-	13
BA-2004	•	120	900	7.5	600	AS 5000	-	-	8x32	-	12
BA-2005	•	120	900	7.5	600	AS 5000	-	-	8x32	-	12
BA-2010	•	120	300	2.5	180	AS 1600	•	-	-	-	16
BA-2014	•	120	900	7.5	600	AS 5000	-	-	-	-	12
BA-2017	•	120	300	2.5	216	AS 1600	•	-	-	-	14
BA-2019	•	120	900	7.5	500	AS 5000	-	-	8x32	-	12
BA-2022	•	120	600	5	525	AS 5000	-	-	-	-	13
BA-2023	•	120	150	1.3	50	AS 1600	-	-	-	-	17
BA-2024	•	120	150	1.3	15	AS 1600	-	-	-	-	17
BA-2025	•	120	900	7.5	640	AS 5000	-	-	8x32	-	11
BA-2026	•	120	900	7.5	840	AS 5000	-	-	8x48	-	10
BA-2027	•	120	1,200	10	640	AS 5000	-	-	8x32	-	11
BA-2028	•	120	1,200	10	840	AS 5000	-	-	8x48	-	10
BA-2029	•	120	1,500	12.5	890	AS 5000	-	-	8x48	-	10
BA-2515	•	120	150	1.3	60	AS 1600	•	-	-	-	16
BA-2518	•	120	150	1.3	96	AS 1600	•	-	-	-	15
BA-2618	•	120	150	1.3	115	AS 1600	•	24"x36"	-	-	15
BA-2715	•	120	150	1.3	75	AS 1600	•	-	-	-	15
BA-2718	•	120	150	1.3	115	AS 1600	•	-	-	-	15
BB-114	•	120	40	0.4	20	AS 100	-	-	-	-	23
BB-2101	•	120	200	1.7	120	AS 5000	•	17"x21"	8x48	-	22*
BB-2102	•	120	800	6.7	780	AS 5000	-	17"x21"	8x48	-	19*
BB-2103	•	120	200	1.7	180	AS 5000	-	17"x21"	8x48	-	22*
BB-2104	•	120	800	6.7	1,020	AS 5000	-	17"x21"	8x48	-	18*
BB-2105	•	120	200	1.7	150	AS 5000	-	17"x33"	8x48	-	21*
BB-2106	•	120	800	6.7	900	AS 5000	-	17"x33"	8x48	-	19*
BB-2107	•	120	200	1.7	225	AS 5000	-	17"x33"	8x48	-	21*
BB-2108	•	120	800	6.7	1,200	AS 5000	-	17"x33"	8x48	-	18*
BB-2109	•	120	250	2.1	45	AS 5000	-	-	-	-	25*
BB-2111	•	120	350	2.9	65	AS 5000	-	-	-	-	25*

Model	Indoor	Outdoor	Volts**	Watts***	Amps	Weight lbs. (uncrated)	Base Controller****	RC-100 Optional	Logo/Sponsor Panel Size (h x w)	TNMC (optional)	Page
BB-2114	•	120	250	2.1	15	AS 1600	-	-	-	-	25
BB-2115	•	120	250	2.1	30	AS 5000	-	-	-	-	25
BB-2116	•	120	200	1.7	210	AS 5000	-	-	8x48	-	20
BB-2117	•	120	200	1.7	160	AS 5000	-	-	-	-	20
BB-2119	•	120	200	1.7	160	AS 5000	-	-	-	-	20
BB-2121	•	120	200	1.7	95	AS 5000	-	-	8x48	-	21*
BB-2122	•	120	200	1.7	35	AS 1600	•	8"x9"	-	-	23
BB-2123	•	120	400	3.4	230	AS 5000	-	17"x33"	8x48	-	21*
BB-2124	•	120	1,600	13.4	1,220	AS 5000	-	17"x33"	8x48	-	18*
BB-2125	•	120	200	1.7	150	AS 5000	-	-	8x48	-	21*
BB-2126	•	120	800	6.7	900	AS 5000	-	-	8x48	-	19*
BB-2133	•	16	6	0.1	2	AS 5000	-	-	-	-	25
BB-2134	•	16	100	0.9	8	AS 5000	-	-	-	-	-
BB-2135	•	16	100	0.9	8	AS 5000	-	-	-	-	25
BB-2140	•	120	300	2.5	75	AS 5000	-	-	-	-	25
BB-2141	•	120	300	2.5	50	AS 5000	-	-	-	-	25*
BB-2142	•	120	200	1.7	90	AS 1600	•	12"x16"	-	-	22*
BB-314	•	120	40	0.4	20	AS 5500	-	-	-	-	23
BB-3101	•	120	200	1.7	120	AS 5500	-	17"x21"	8x48	-	22
BB-3102	•	120	800	6.7	780	AS 5500	-	17"x21"	8x48	-	19
BB-3103	•	120	200	1.7	180	AS 5500	-	17"x21"	8x48	-	22
BB-3104	•	120	800	6.7	1,020	AS 5500	-	17"x21"	8x48	-	18
BB-3105	•	120	200	1.7	150	AS 5500	-	17"x33"	8x48	-	21
BB-3106	•	120	800	6.7	900	AS 5500	-	17"x33"	8x48	-	19
BB-3107	•	120	200	1.7	225	AS 5500	-	17"x33"	8x48	-	21
BB-3108	•	120	800	6.7	1,200	AS 5500	-	17"x33"	8x48	-	18
BB-3114	•	120	250	2.1	15	AS 5500	-	-	-	-	25
BB-3115	•	120	250	2.1	30	AS 5500	-	-	-	-	25
BB-3121	•	120	200	1.7	95	AS 5500	-	-	8x48	-	21
BB-3123	•	120	400	3.4	230	AS 5500	-	17"x33"	8x48	-	21
BB-3124	•	120	1,600	13.4	1,220	AS 5500	-	17"x33"	8x48	-	18
BB-3125	•	120	200	1.7	150	AS 5500	-	-	8x48	-	21
BB-3126	•	120	800	6.7	900	AS 5500	-	-	8x48	-	19

\* Scoreboard not illustrated on the page, but referenced in text or compared to a similar model.

\*\* This chart indicates 120 V models; 230 V models are available for most scoreboards.

\*\*\* The power and maximum current specifications are for the scoreboard itself. Power and maximum current requirements increase with additional options such as TNMCs.

\*\*\*\* The control consoles listed represent the minimum controller required. Upgrades are available on some models. (AS 5000 required with TNMC.)

Model	Indoor	Outdoor	Volts**	Watts***	Amps	Weight lbs. (uncrated)	Base Controller****	RC-100 Optional	Logo/Sponsor Panel Size (h x w)	TMMC (optional)	Page
BB-3142	•		120	200	1.7	90	AS 5500		12"x16"	-	22
FB-824		•	120	300	2.5	200	AS 5000	•	-	-	29
FB-2018		•	120	600	5	400	AS 5000		27"x26"	8x32	28
FB-2019		•	120	600	5	410	AS 5000		27"x26"	8x32	28
FB-2020		•	120	600	5	420	AS 5000		27"x26"	8x32	28
FB-2021		•	120	600	5	560	AS 5000		42"x32"	8x48	27
FB-2022		•	120	600	5	575	AS 5000		42"x32"	8x48	27
FB-2023		•	120	600	5	640	AS 5000		-	8x48	27
FB-2024		•	120	600	5	720	AS 5000		42"x55"	8x48	26
FB-2025		•	120	600	5	780	AS 5000		42"x29"	8x48	26
FB-2026		•	120	600	5	880	AS 5000		66"x48"	8x48	26
FB-2027		•	120	600	5	940	AS 5000		66"x23"	8x48	26
FB-2028		•	120	600	5	2,200	AS 5000		75"x22"	8x48	26
FB-4005		•	120	300	2.5	115	AS 5000		-	-	29
GM-2101	•		120	100	0.9	25	AS 1600		-	-	31
GM-2102	•		120	100	0.9	30	AS 1600		-	-	31
GM-2103	•		120	100	0.9	45	AS 1600		-	-	31
H-2101	•		120	200	1.7	210	AS 5000		-	8x48	34
H-2102	•		120	200	1.7	105	AS 5000		-	-	34
H-2103	•	-	-	-	-	45	AS 5000		-	-	34
H-2104	•		120	600	5	185	AS 5000		12"x36"	8x48	33
H-2105	•		120	2,400	20	1,065	AS 5000		12"x36"	8x48	32
H-2106	•		120	600	5	185	AS 5000		28"x38"	8x48	33
H-2107	•		120	2,400	20	1,065	AS 5000		28"x38"	8x48	32
H-2108	•		120	600	5	185	AS 5000		28"x38"	8x48	33
H-2111	•		120	200	1.7	120	AS 5000		17"x21"	8x48	34
H-2112	•		120	800	6.7	780	AS 5000		17"x21"	8x48	32
H-2114	•		120	200	1.7	45	AS 5000		-	-	34
H-2115	•		120	200	1.7	60	AS 5000		-	-	34
MS-915		•	120	300	2.5	88	AS 1600	•	18"x20"	-	16
MS-918		•	120	300	2.5	220	AS 1600	•	-	-	14
MS-2002		•	120	300	2.5	200	AS 1600	•	-	8x32	28
MS-2004		•	120	600	5	300	AS 5000		48"x32"	-	35

Model	Indoor	Outdoor	Volts**	Watts***	Amps	Weight lbs. (uncrated)	Base Controller****	RC-100 Optional	Logo/Sponsor Panel Size (h x w)	TMMC (optional)	Page
MS-2009		•	120	600	5	700	AS 5000		45"x81"	8x48	35
MS-2012		•	120	600	5	400	AS 5000		45"x84"	-	35
MS-2013		•	120	100	0.9	150	RC 100		-	-	16
MS-2024		•	120	900	7.5	115	AS 5000		-	-	40
MS-2025		•	120	300	2.5	60	AS 1600	•	-	-	40
MS-2026		•	120	300	2.5	60	AS 1600	•	-	-	22
MS-2918		•	120	600	5	480	AS 5000		32"x42"	8x32	35
MS-3918		•	120	300	2.5	115	AS 1600	•	-	-	15
PC-2001	•	•	120	12	1	19	Internal		-	-	9
PC-2002	•		120	30	0.3	10	JC 100		-	-	80
PI-1	•		120	25	0.2	3	Switch		-	-	25
PN-2101	•	-	-	-	-	70	-		-	-	24
RO-2008		•	120	300	2.5	500	AS 5100		78"x42"		36
RO-2010		•	120	150	1.3	100	AS 5100		-	-	-
RO-2011		•	120	150	1.3	80	AS 5100		-	-	-
RO-7002	•		120	100	0.9	170	AS 5100		-	-	36
SD-2101	•		120	400	3.4	80	AS 5000		-	8x48	24
SD-2102	•		120	400	3.4	90	AS 5000		-	8x48	24
SD-2103	•		120	600	5	100	AS 5000		-	8x48	24
SD-2104	•		120	600	5	170	AS 5000		-	8x48	24
SD-2106	•		120	200	1.7	75	AS 5000		-	-	42
SD-3101	•		120	400	3.4	80	AS 5500		-	8x48	24
SD-3102	•		120	400	3.4	90	AS 5500		-	8x48	24
SD-3103	•		120	600	5	100	AS 5500		-	8x48	24
SO-918		•	120	300	2.5	180	AS 1600	•	-	-	40
SO-2008		•	120	300	2.5	240	AS 5000		-	8x32	39
SO-2011		•	120	600	5	450	AS 5000		22"x36"	8x48	38
SO-2013		•	120	600	5	450	AS 5000		-	-	39
SO-2018		•	120	600	5	400	AS 5000		27"x26"	8x32	38
SO-2019		•	120	600	5	440	AS 5000		-	8x32	38
SO-2021		•	120	600	5	580	AS 5000		42"x32"	8x48	37
SO-2023		•	120	600	5	610	AS 5000		42"x32"	8x48	37
SO-2043		•	120	600	5	700	AS 5000		45"x42"	8x48	37

# SCOREBOARD INDEX

Model	Indoor	Outdoor	Volts**	Watts***	Amps	Weight lbs. (uncrated)	Base Controller****	RC-100 Optional	Logo/Sponsor Panel Size (h x w)	TNMC (optional)	Page
SO-2918	•	120	300	2.5	115	AS 1600	•	24"x28"	-	40	
ST-2000	•	120	1,440	12	235	AS 5000	-	9"x24"	-	70*	
ST-2001	•	120	1,440	12	235	AS 5000	-	9"x24"	-	70*	
ST-2002	•	120	1,440	12	185	-	-	30"x96"	-	70	
ST-2003	•	120	1,440	12	235	-	-	30"x96"	-	70	
ST-2004	•	120	1,440	12	90	-	-	30"x48"	-	70	
ST-2005	•	120	1,440	12	115	-	-	30"x48"	-	70	
ST-2011	•	120	2,120	17.7	375	V 7000	-	-	-	70	
ST-2014	•	120	2,120	17.7	375	SCS	-	-	-	70	
ST-3001	•	120	1440	12	235	AS 5500	-	9"x24"	-	70	
SW-2101	•	•	120	200	1.7	65	OS 2000	-	-	9*	
SW-2106	•	•	120	600	5	260	OS 2000	-	-	9*	
SW-2108	•	•	120	800	6.7	340	OS 2000	-	-	9*	
SW-2110	•	•	120	1,000	8.4	420	OS 2000	-	-	9*	
SW-2116	•	•	120	800	6.7	290	OS 2000	-	-	9*	
SW-2118	•	•	120	800	6.7	360	OS 2000	-	-	9*	
SW-2120	•	•	120	1,200	10	450	OS 2000	-	-	9*	
SW-2206	•	•	120	800	6.7	290	OS 2000	-	-	9*	
SW-2208	•	•	120	1,000	8.4	370	OS 2000	-	-	9*	
SW-2210	•	•	120	1,200	10	450	OS 2000	-	-	9*	
SW-2216	•	•	120	800	6.7	330	OS 2000	-	-	9*	
SW-2218	•	•	120	1,000	8.4	410	OS 2000	-	-	9	
SW-2220	•	•	120	1,200	10	490	OS 2000	-	-	9*	
TI-218	•	120	150	1.3	16	AS 1600	•	-	-	30	
TI-2002	•	120	100	0.9	10	AS 1600	-	-	-	80	
TI-2003	•	120	150	1.3	65	AS 1600	•	-	-	30	
TI-2010	•	120	150	1.3	30	AS 1600	•	-	-	17	
TI-2012	•	120	150	1.3	130	AS 1600	•	-	-	80	
TI-2015	•	120	150	1.3	36	AS 1600	•	-	-	30	
TI-2019	•	120	150	1.3	40	AS 1600	-	-	-	81	
TI-2020	•	120	100	0.9	50	Internal	-	-	-	81	
TI-2021	•	120	100	0.9	60	AS 1600	-	-	-	41	
TI-2022	•	•	120	50	0.5	14	Internal	-	-	81	

Model	Indoor	Outdoor	Volts**	Watts***	Amps	Weight lbs. (uncrated)	Base Controller****	RC-100 Optional	Logo/Sponsor Panel Size (h x w)	TNMC (optional)	Page
TI-2024	•	120	300	2.5	140	AS 1600	•	-	-	-	81
TI-2025	•	120	150	1.3	35	AS 100	-	-	-	-	81
TI-2026	•	120	150	1.3	30	AS 100	-	-	-	-	81
TI-2031	•	120	40	0.4	4	AS 1600	-	-	-	-	25
TI-2101	•	120	40	0.4	35	AS 1600	-	-	-	-	81
TI-2102	•	120	50	0.5	35	AS 1600	-	-	-	-	81
TI-2200	•	120	36	0.3	35	AS 1600	-	-	-	-	-
TI-3031	•	120	40	0.4	4	AS 5500	-	-	-	-	25
VB-2101	•	120	200	1.7	150	AS 5000	-	-	8x48	-	42
VHI	•	120	60	2.1	2	AS 5000	-	-	-	-	25
WR-2101	•	120	100	0.9	25	AS 5000	-	-	-	-	43
WR-2102	•	120	100	0.9	30	AS 5000	-	-	-	-	43
WR-2103	•	120	100	0.9	45	AS 5000	-	-	-	-	43
WR-2104	•	-	-	-	10	AS 5000	-	-	-	-	43
WR-2105	•	-	-	-	10	AS 5000	-	-	-	-	43
WR-2106	•	-	-	-	20	AS 5000	-	-	-	-	43

## SOLAR POWER MODELS

Daktronics solar powered scoreboard option is available for the following scoreboard models:

BA-618	BA-2518	FB-824	MS-915	MS-2025	SO-918
BA-624	BA-2618	FB-4005	MS-918	MS-2026	SO-2918
BA-2010	BA-2715		MS-2002	MS-3918	
BA-2017	BA-2718				
BA-2515					

Custom solar power systems are available for other scoreboards. Solar power performance will vary by season and location.

## PORTABLE BATTERY MODELS

Daktronics scoreboard models capable of being powered with a portable battery pack:

Scoreboard	One battery	Two batteries
MS-2025	9 hrs	18 hrs
BA-2515, MS-2026, TI-2003	8 hrs	16 hrs
BA-618, BA-2518, BA-2618	6 hrs	12 hrs
BA-624, BA-2715, BA-2718	4 hrs	8 hrs
SO-918, SO-2918	3.5 hrs	7 hrs
FB-4005, MS-915, MS-918, MS-3918	3 hrs	6 hrs

Time estimates taken with 60 amp per hour battery. All scoreboard models are -11/21.

\* Scoreboard not illustrated on the page, but referenced in text or compared to a similar model.

\*\* This chart indicates 120 V models; 230 V models are available for most scoreboards.

\*\*\* The power and maximum current specifications are for the scoreboard itself. Power and maximum current requirements increase with additional options such as TNMCs.

\*\*\*\* The control consoles listed represent the minimum controller required. Upgrades are available on some models. (AS 5000 required with TNMC.)


	Model	Length	Height	Diameter	Sports available
Diagonal truss 	DA-1000-14	14'-0" (4267 mm)	2'-0" (610 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1000-16	16'-0" (4877 mm)	2'-0" (610 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1000-18	18'-0" (5486 mm)	2'-0" (610 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1000-20	20'-0" (6096 mm)	2'-0" (610 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1000-25	25'-0" (7620 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1000-28	28'-0" (8534 mm)	2'-0" (610 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1000-32	32'-0" (9754 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1000-36	36'-0" (10,973 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
Arch truss 	DA-1001-12	12'-0" (3658 mm)	2'-0" (610 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1001-14	14'-0" (4267 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1001-15	15'-0" (4572 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1001-16	16'-0" (4877 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1001-18	18'-0" (5486 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1001-20	20'-0" (6096 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1001-24	24'-0" (7315 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1001-25	25'-0" (7620 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1001-28	28'-0" (8534 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1001-32	32'-0" (9754 mm)	5'-0" (1524 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1001-33	33'-0" (10,058 mm)	5'-0" (1524 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1001-36	36'-0" (10,973 mm)	5'-0" (1524 mm)		Baseball, Football, Lacrosse, Soccer and Track
Diagonal truss 	DA-1005-25	25'-0" total/8'-6" @ 2 (7620/2591 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1005-32	32'-0" total/12'-0" @ 2 (9754/3658 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
Arch truss 	DA-1006-18	18'-0" total/5'-0" @ 2 (5486/1524 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1006-20	20'-0" total/6'-0" @ 2 (6096/1829 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1006-25	25'-0" total/8'-6" @ 2 (7620/2591 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1006-28	28'-0" total/10'-0" @ 2 (8534/3048 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1006-32	32'-0" total/10'-0" @ 2 (9754/3658 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1006-36	36'-0" total/14'-0" @ 2 (10,973/4267 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
Diagonal truss 	DA-1007-25	25'-0" total/8'-6" @ 2 (7620/2591 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1007-32	32'-0" total/12'-0" @ 2 (9754/3658 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
Arch truss 	DA-1008-18	18'-0" total/5'-0" @ 2 (5486/1524 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1008-20	20'-0" total/6'-0" @ 2 (6096/1829 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1008-25	25'-0" total/8'-6" @ 2 (7620/2591 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1008-28	28'-0" total/10'-0" @ 2 (8534/3048 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1008-32	32'-0" total/10'-0" @ 2 (9754/3658 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1008-36	36'-0" total/14'-0" @ 2 (10,973/4267 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
Clock 	DA-1100-4			4'-0" (1219 mm)	Baseball, Football, Lacrosse, Soccer and Track
	DA-1100-5			5'-0" (1524 mm)	Baseball, Football, Lacrosse, Soccer and Track
	DA-1100-6			6'-0" (1829 mm)	Baseball, Football, Lacrosse, Soccer and Track
Edged clock 	DA-1101-3			3'-0" (914 mm)	Baseball, Football, Lacrosse, Soccer and Track
	DA-1101-5			5'-0" (1524 mm)	Baseball, Football, Lacrosse, Soccer and Track
Scroll clock 	DA-1102-4			4'-0" (1219 mm)	Baseball, Football, Lacrosse, Soccer and Track
	DA-1102-6			6'-0" (1829 mm)	Baseball, Football, Lacrosse, Soccer and Track
Center dome 	DA-1200	8'-0" (2438 mm)	1'-6" (457 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1201	6'-6" (1981 mm)	2'-0" (610 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1202	8'-10" (2692 mm)	2'-8" (813 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1203	8'-0" (2438 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1204	5'-6" (1676 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
Full dome 	DA-1205-12	12'-0" (3658 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1205-14	14'-0" (4267 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1205-16	16'-0" (4877 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1205-18	18'-0" (5486 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1205-20	20'-0" (6096 mm)	3'-0" (914 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1205-25	25'-0" (7620 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1205-28	28'-0" (8534 mm)	4'-0" (1219 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1205-32	32'-0" (9754 mm)	5'-0" (1524 mm)		Baseball, Football, Lacrosse, Soccer and Track
	DA-1205-36	36'-0" (10,973 mm)	5'-0" (1524 mm)		Baseball, Football, Lacrosse, Soccer and Track
	Piping 	DA-1500	Up to 18'*	0'-3" (76 mm)	
Diagonal truss 	DA-1501	Up to 18'*	1'-0" (305 mm)		Basketball, Hockey
Cross truss 	DA-1502	Up to 18'*	1'-0" (305 mm)		Basketball, Hockey

\* The indoor truss and piping are available in 1.25 feet, 2.25 feet, 3, 4, 5, 6, 7, 8 and 10 foot lengths. Combine lengths for different sizes.

DAKTRONICS

LOCAL

SERVICE



[WWW.DAKTRONICS.COM](http://WWW.DAKTRONICS.COM)  
1 800 DAKTRONICS 800 325 8766



WWW.DAKTRONICS.COM

Cover: Washington High School Washington, Missouri FB-2026, 144x192-23

201 Daktronics Drive PO Box 5128 Brookings, SD 57006-5128

1-800-DAKTRONICS 800-325-8766 605-692-0200 fax 605-697-4746

www.daktronics.com email sales@daktronics.com

All Sport®, ColorSmart®, Matside®, OmniSport®, PanaView®, Sportsound®, Tuff Sport® and UniView® are trademarks of Daktronics. All other marks are trademarks of their respective owners.

Copyright © 2011 Daktronics DD1921160 4 March 2011

