

Issued by:
Becker Morgan Group, Inc.
312 W. Main St., Suite 300
Salisbury, Maryland 21801

Notice: This addendum shall modify and become part of the Contract Documents. Work or materials not specifically mentioned herein are to be as described in the specification document and drawings published on April 10, 2017. Bidders must acknowledge receipt of this bid on the Bid Form.

This addendum consists of five (5) pages and no attachments.

Bidders' Questions and Answers

Question	Answer
Q1. Item DK-10- quantity 30. Spec indicates MAC users, so I'm guessing there will be no need for CPU Holders?	A1. Spec does not refer to Macs as the selected computer hardware, however, the desk product should be universal to accommodate Macs if the district were to change hardware in the future. Micro CPU holders are required.
Q2. Item DK-10- quantity 30. Spec request 24" D surface, can 26"D surface suffice? It is standard product.	A2. Desk shall be 24" deep maximum.
Q3. Item DK-11-quantity 4. ADA specification for 24"D x 34"W surface won't comply with ADA regulations. Recommend 30"D x 36"W. This will meet standards.	A3. Revise desk to meet standards.
Q4. How many of CH-01 will be in Benjamin Moore Poolside #2048-40?	A4. 252
Q5. How many of CH-01 will be in Sherwin Williams Center Stage #6920	A5. 0
Q6. How many of CH-02 will be in Benjamin Moore Poolside #2048-40?	A6. 20
Q7. How many of CH-02 will be in Sherwin Williams Center Stage #6920?	A7. 272
Q8. CH-01 and CH-02 - I see the 5 custom colors listed in Addendum 2 Q12, but I can't determine which chairs get which color.	A8. The basis of design product (KI Intellect Wave) has a match to 4 of the 6 colors listed in Addendum 2, A12 in the standard color offering as follows: SW Goldfinch = KI Rubber Ducky SW Hyper blue = KI Ultra Blue SW Gutsy Grape = KI Mardi Gras SW Real Red = KI Poppy Red. KI does not have a match in the standard line for Benjamin Moore Poolside or Sherwin Williams Center Stage. The quantities listed above in A4-A7 will be custom colored to match these paint

	colors as previously tested and approved by KI. If a vendor chooses to substitute the product, the substituted manufacturer must be able to match each color listed in Addendum #2, A12 in their standard line and/or through a custom color program.
--	---

Substitution Review

The following substitutions were submitted for review. Based on the information provided by the bidder to evaluate the product, the following determinations were made:

Specified Item	Proposed Substitutions	Approval Status
CH-01 KI Intellect Wave	Columbia Silhoflex 1566	NOT APPROVED
	Artcobell Alphabet ASCL16	APPROVED
CH-02 KI Intellect Wave	Columbia Silhoflex 1568	NOT APPROVED
	Artcobell Alphabet ASCL18	APPROVED
CH-03 KI Sift Task	Allsteel Lyric CSW-MMWNO	APPROVED
CH-04 KI Strive Task Stool	Allsteel Inspire Task Stool INWS-NANO	NOT APPROVED
CH-06 KI Doni Sled Base	Falcon Products Lucky Sled Base Chair GT708	NOT APPROVED
CH-07 KI Strive Task	Allsteel Inspire Task Stool INWS-NANO	NOT APPROVED
CH-10 Global Duet	KI Maestro	NOT APPROVED
	National Public Seating 8800 Series	NOT APPROVED
CH-14 KI Intellect Wave Task	Artcobell Alphabet ASTA18	APPROVED
	Columbia Sihloflex 2270	NOT APPROVED
CH-15 KI Med and Lab Stool	Clinton Industries Specialty Stools 2145	APPROVED
CH-17 KI Intellect Wave	Artcobell Alphabet ASCL-18	APPROVED
	Columbia Silhoflex 1568	NOT APPROVED
CH-21 KI Strive Sled Base	Office Masters OM5-AS	APPROVED
CH-22 KI Strive Sled with Upholstered Seat	Office Masters OM5-AS with Upholstered Seat	APPROVED
CH-23 Russwood Nook Desk with Backrest Bench	Liat Tahoe Lounge TA-LG-2490IC-UB-ML-G3 & Custom Desk	APPROVED
CH-24-A Steelcase Alight Bench Ottoman	Arold Pouf PF6	APPROVED
	Liat Tahoe Lounge XTA-LG-1836S-NB-ML-G3	APPROVED
CH-24-B Steelcase Alight Round Ottoman	Arold Pouf PF4	APPROVED
	Liat Tahoe Lounge XTA-LG-1836OVAL-NB-ML-G3	NOT APPROVED
CT-01 Global Total Office Duet Stacking Cart	National Public Seating 8800 Series	NOT APPROVED
CT-02 Smith System Steel Book Truck	Bretford Booktruck B00V1	APPROVED
DK-01 KI Intellect Wave Cantilever Rectangular Desk	Columbia Omnia 3970 M	NOT APPROVED

DK-02 KI Intellect Wave Contour Desk	Columbia Omnia 3990M	NOT APPROVED
DK-03 KI Single Pedestal Desk – Custom	Wisconsin Bench Manufacturing – Custom	APPROVED WITH ADJUSTABLE GLIDES NOT CASTERS
DK-04-A Indiana Canvas Series	Logiflex Millenium	APPROVED
DK-04-B Indiana Canvas Series	Logiflex Millenium	APPROVED
DK-05 Indiana Canvas	Logiflex Millenium	APPROVED
DK-06 KI 700 Series Double Ped Desk	Allsteel Cadence	APPROVED
DK-07 KI 700 Series Single Ped Desk	Allsteel Cadence	APPROVED
FL-01 KI 700 Series Vertical File	Allsteel Essentials A945	APPROVED
FL-02 KI 700 Series 3-H Bookcase	Allsteel Essentials EBC336	APPROVED
FL-03-A Indiana Canvas Multimedia Wardrobe Storage	Logiflex Millenium	APPROVED
FL-03-B Indiana Canvas Multimedia Storage Unit	Logiflex Millenium	APPROVED
FL-04 KI 700 Series 4-H Lateral File	Allsteel Essentials ELF442NI	APPROVED
TB-01 KI Intellect Activity Table – 60” Round	Columbia Galaxy 6120M	NOT APPROVED
TB-03 Russwood Sync Table	Liat Panther Table XPA-ST-3648WW-29-SG-2CA	APPROVED
TB-04 Indiana Niche Conference Table	Logiflex Millenium MLL 48120TRE	APPROVED
TB-05 KI Intellect Activity Table 36x36 Square	Columbia Galaxy 6230	NOT APPROVED
TB-06 KI Sela End Table	Logiflex Millenium MLL1818TTS19	NOT APPROVED
TB-07 KI Intellect Activity Table	Columbia Galaxy 6040M	NOT APPROVED
TB-10 KI Intellect Activity Table	Columbia Galaxy 6013M	NOT APPROVED
TB-11 KI Intellect Activity Table	Columbia Galaxy 6030M	NOT APPROVED
TB-12 KI Intellect Activity Table	Columbia Galaxy 6040M	NOT APPROVED
TB-14 KI Intellect Activity Table	Columbia Galaxy 6040M	NOT APPROVED
AC-05 KI 700 Series Mobile File	Allsteel Essentials AM387-203I & Cushion Top YPPA1815SC	NOT APPROVED
AC-06 Sprogs Deluxe Stackable Cot	Angeles Spaceline Cots AFB5730	APPROVED
AC-07 Tandus Area Rug	Flagship Carpets Americolors	NOT APPROVED

Notes regarding substitutions:

- Items proposed for substitution were reviewed and compared to specified item based on similar materials, construction, functionality, durability, and needs of the District. It is the bidder's responsibility to ensure products submitted in their bid response meet dimensions, configuration (ie right or left handed) and locations as required in the Invitation to Bid specifications, location drawings and subsequent addenda.

- It is recommended that related furniture items be provided by the same manufacturer for uniform appearance and maintenance purposes (ie all administration desks by one manufacturer).
- Color options for CH-01 & CH-02 are critical to match with paint colors listed in Addendum #2, A12. Any product substitution must match the paint colors listed or be able to be provided as a custom color. Upcharges (including per item or set up fees) for custom coloring must be included in the base bid.
- The District may request product and color samples for evaluation prior to award.

CHANGES TO THE INVITATION TO BID

TABLE OF CONTENTS

No Changes

SECTION IA - GENERAL PROVISIONS

No Changes

SECTION IB – AWARD AND EXECUTION OF CONTRACT

No changes

SECTION IC – GENERAL AUTHORITY

No changes

SECTION II – SPECIAL PROVISIONS

No changes

SECTION III – TECHNICAL SPECIFICATIONS

Page 46, Item DK-08-A Computer Table with Electric Store Away Monitor Arm
Revise the width of the product to 66" Wide
Revise the locations to read: A141 (7)

Page 47, Item DK-08-B Computer Table with Electric Store Away Monitor Arm
Delete this item in its entirety

Page 47, Item DK-09 Computer Table with Electric Store Away Monitor Arm - ADA
Revise the locations to read: A141 (2)

Page 48, Item DK-11 Single Wide Computer Table
Revise the overall dimensions to read as follows:
36" W x 30" D x 34" H
Delete the following from the Description and Features
"Note: 24" depth, 34" width is custom"
Revise the locations to read:
A140 (3), A142 (3)

Page 49, Item FL-03-A Multimedia/Wardrobe Storage Unit
Revise the overall dimensions to read as follows:

54" W x 18" D x 71" H

Page 49-50, Item FL-03-B Multimedia Storage Unit
Revise the overall dimensions to read as follows:

36" W x 18" D x 70" H

SECTION IV – BID QUOTATION REPLY SECTION

Appendix A – Bid Sheets, Page 79, Item DK-08

Replace Quantity "5" with "7"

Appendix A – Bid Sheets, Page 79, Item DK-09

Replace Quantity "1" with "2"

FURNITURE INSTALLATION DRAWINGS

No Changes

END OF ADDENDUM #03