



STATE OF DELAWARE
DEPARTMENT OF NATURAL RESOURCES &
ENVIRONMENTAL CONTROL
DIVISION OF WATER
89 KINGS HIGHWAY
DOVER, DELAWARE 19901

WETLANDS & SUBAQUEOUS
LANDS SECTION

TELEPHONE (302) 739-9943
FAX (302) 739-6304

October 1, 2019

DNREC, Division of Watershed Stewardship
c/o: Terry L. Deputy
89 Kings Highway
Dover, DE 19901

Subaqueous Lands Permit: SP-409/18
Water Quality Certification: WQ -409/18
Wetlands Permit: WE-409/18
Original Date of Issuance: November 28, 2018
Issuance of Addendum: March 26, 2019
Issuance of 2nd Addendum: October 1, 2019

RE: SP-409/18; WQ-409/18; WE-409/18: Addendum to the Subaqueous Lands Permit, Water Quality Certification and Wetlands Permit issued to DNREC, Division of Watershed Stewardship on November 28, 2018 - this second addendum clarifies the allowance for the inclusion of an over-dredge depth for up to 7.5 feet below mean lower low water.

Dear Mr. Deputy,

This letter is to serve as an addendum to the above-referenced Subaqueous Lands Permit, Water Quality Certification and Wetlands Permit. DNREC, Division of Watershed Stewardship has requested to allow dredging to a depth of 7.5 feet below mean lower low water which includes a 1.0 foot over dredge depth.

To clarify, the Wetlands and Subaqueous Lands Section has authorized the dredging activity for up to 6.65 feet below mean low water. Although the plans are in mean lower low water, the difference between mean low water and mean lower low water is .15 feet. As documented in the approved plans, the authorized activity includes dredging to 6.5 below mean lower low water and an over-dredge depth to 7.5 feet below mean lower low water.

All other terms and conditions of SP; WQ; and WE-409/18 shall remain in full force and effect. This Addendum does not authorize any future additions or modifications to the activities authorized herein. Such activities require separate written authorization from the Department of Natural Resources and Environmental Control. Coordination with this office prior to undertaking any future maintenance activities within subaqueous lands is required.

A copy of this letter, the approved plans, and the approved Subaqueous Lands Permit, Water Quality Certification and Wetlands Permit must be available on-site at all times during construction. This authorization may be revoked upon violation of any of the permit conditions.

Sincerely,

Signature on File

Tyler Brown
Section Manager
Wetlands & Subaqueous Lands Section

Delaware's good nature depends on you!