

Roof Replacement
At the Kent County Fire School
1461 Chestnut Grove Road
Dover, Delaware 19904

ADDENDUM #2
November 11, 2019

OMB/DFM Contract No. MJ1002000034

The following document is intended to amend the Project Manual and Drawings (dated October 4, 2019 and issued for public advertisement), for the above-referenced project.

Project Manual:

Add the following to Section 075216 – Styrene-butadiene-styrene (SBS) Modified Bituminous Membrane Roofing (Cold applied)

1. Page 075216-3

Part 2 – Products

Paragraph 2.1, A., 1. Manufacturers:

- e. Johns Manville**

Paragraph 2.1, B., 1. e. Acceptable products:

- e. Johns Manville Base sheet Dynabase XT (Meeting ASTMD 6163 Type II, Grade S.**

Paragraph 2.1, C., 1., Acceptable products:

- e. Johns Manville Cap Sheet, DynaLastic 250 FR (meeting ASTM D 6164, Type II, Grade G).**

2. Page 075216-5

Paragraph 2.4, B., and C. (Polyisocynurate Board Insulation)

- 1. ENRGY 3, Flat and tapered insulation (meeting ASTM C 1289, Type II, Class I, Grade 2 (20psi).**

Paragraph 2.5, E., Cover Board, 1. Products

- b. 1/2" DensDeck Prime (meeting ASTM C 1177).**

****** END of ADDENDUM #2 ******