THIS COPY IS FOR INFORMATION ONLY. YOU MUST PURCHASE THE PROPOSAL TO SUBMIT A BID.

ROOF RESTORATION & REPAIR SPECIFICATIONS

FOR



Delaware Health and Social Services

State of Delaware Office of Management and Budget 540 South Dupont Highway, Suite 1 Dover, Delaware 19901

AT THE

Floyd I. Hudson State Service Center 501 Ogletown Road Newark, DE 19711

Contract #MJ3512000003

FROM

ofessiona,

Consultants, Planners

Roof Services

Middletown, DE 19709

9 Fairview Avenue

DEVON, PA 610 329 5151 RJONES1044@AOL.COM Delaware License #5480

RHETT H. JONES

ARCHITECT

389 CHURCH ROAD

ARCHITECT OR ENGINEER SEAL

March 2014

TABLE OF CONTENTS

- A. Specifications for this project are arranged in accordance with the Construction Specification Institute numbering system and format. Section numbering is discontinuous and all numbers no' appearing in the Table of Contents are not used for this Project.
- B. SECTIONS BOUND HEREWITH

DIVISION 00

Section	001000 INVITATION TO BID

Section 001200 INSTRUCTIONS TO BIDDERS

Section 001410 BID FORM

Section 001432 BID BOND

- Section 001500 CONTRACT FOR CONSTRUCTION MODIFICATIONS, AGREEMENT BETWEEN OWNER AND CONTRACTOR (AIA A101)
- Section 001614 PERFORMANCE BOND
- Section 001615 PAYMENT BOND
- Section 011010 APPLICATION OF PAY MENT (\$ MPLE AIA G702 & G703)
- Section 011100 GENERAL COND' IONS TO THE CONTRACT (AIA A201)
- Section 011200 SUPPLEMENTARY CONDITIONS TO THE CONTRACT
- Section 011300 GENERAL RECUREMENTS
- Section 011400 DELA VARF PREVAILING WAGE RATES
- Section 011600 CF.RTI ICATE OF ANALYSIS ASBESTOS CONTENT
- Section 011700 SUPPLEMENTARY ROOFING CONDITIONS
- Section 017419 CONSTRUCTION WASTE MANAGEMENT

DIVISION 67

Section

075063 METHOD SPECIFICATIONS & DETAILS – ASPHALTIC BASED RESTORATION SYSTEM

LIST OF DRAWINGS:

COVER SHEET – G-001 ROOF SPECIFICATION DRAWING #1 – PRSI12461DHS

END OF TABLE OF CONTENTS

INVITATION TO BID

Document 001000

Sealed bids for OMB/DFM Contract No. <u>MJ3512000003, Hudson State Service Center Roof Restoration</u> <u>and Repair</u>, will be received by the State of Delaware, Office of Management and Budget, Division of Facilities Management, in Room 011 of the Main Building Annex of the Herman Holloway Campus, 19u1 North DuPont Highway, New Castle, DE 19720 until <u>2:00 P.M.</u> local time on <u>April 17, 2014</u>, at whic time they will be publicly opened and read aloud. Bidder bears the risk of late delivery. Any bids received after the stated time will be returned unopened.

Project involves the general repairs and coating to the existing built-up roof system.

Attention is called to construction schedule as detailed in the Bid Documents. The building is incated at 501 Ogletown Road, Newark, Delaware, 19711.

A **MANDATORY** Pre-Bid Meeting will be held on April 1, 2014, at 1:00 P.M. at the Floyd Hudson State Service Center, 501 Ogletown Road, Newark, Delaware, 19711 for the purpose of establishing the listing of subcontractors and to answer questions. Representatives of each part; to an, Joint Venture must attend this meeting. **ATTENDANCE OF THIS MEETING IS A PREF.** To TE FOR BIDDING ON THIS CONTRACT.

Sealed bids shall be addressed to the Division of Facilities Nonegement, Herman Holloway Campus, Main Building Annex, Room 011, 1901 North Dupont Highway, Nev Castle, DE 19720. The outer envelope should clearly indicate: "OMB/DFM CONTRACT Yo. MJ3512000003, HUDSON STATE SERVICE CENTER – ROOF RESTORATION & REPAIR - SEA' ED E D - DO NOT OPEN."

Contract documents may be obtained at the fire of Professional Roof Services, 9 Fairview Avenue, Middletown, DE 19709 (please phone ahead to (30.2) 2/6-5220 to confirm availability) upon receipt of \$50.00 per set/non-refundable. Checks are to be nade payable to "Professional Roof Services."

Construction documents will be available for review at the following locations: <u>Professional Roof Services</u>, Delaware Contractors Association and the Associated Builders and Contractors.

Minority Business Enterprise. (MBE), Disadvantaged Business Enterprises (DBE) and Women-Owned Business Enterprises (WDE) with b, afforded full opportunity to submit bids on this contract and will not be subject to discrimination or, the basis of race, color, national origin or sex in consideration of this award. Each bid must be a comparted by a bid security equivalent to ten percent of the bid amount and all additive alternates. The curcessful bidder must post a performance bond and payment bond in a sum equal to 100 percent of the contract price upon execution of the contract. The Owner reserves the right to reject any or all bids and to ware any informalities therein. The Owner may extend the time and place for the opening of the bids from that described in the advertisement, with not less than two calendar days notice by certified delivery, farsumite machine or other electronic means to those bidders receiving plans.

INSTRUCTIONS TO BIDDERS

Section 001200

TABLE OF ARTICLES

- 1. DEFINITIONS
- 2. BIDDER'S REPRESENTATION
- 3. BIDDING DOCUMENTS
- 4. BIDDING PROCEDURES
- 5. CONSIDERATION OF BIDS
- 6. POST-BID INFORMATION
- 7. PERFORMANCE PON. AND PAYMENT BOND
- 8. FORM CF A GREEMENT BETWEEN OWNER AND CONTRACTOR

ARTICLE 1: GENERAL

- 1.1 DEFINITIONS
- 1.1.1 Whenever the following terms are used, their intent and meaning shall be interpreted as follows:
- 1.2 STATE: The State of Delaware.
- 1.3 AGENCY: Contracting State Agency as noted on cover sheet.
- 1.4 DESIGNATED OFFICIAL: The agent authorized to act for the Agency.
- 1.5 BIDDING DOCUMENTS: Bidding Documents include the Bidding Pequirements and the proposed Contract Documents. The Bidding Requirements consist of the Advertisement for Bid, Invitation to Bid, Instructions to Bidders, Supplementary Instructions to Bidders (if any), General Conditions, Supplementary General Conditions, General Frequirements, Special Provisions (if any), the Bid Form (including the Non-collusion Statement), and other sample bidding and contract forms. The proposed Contract Provisions of the form of Agreement between the Owner and Contractor, is will be the Drawings, Specifications (Project Manual) and all Addenda issued prior to execution of the Contract.
- 1.6 CONTRACT DOCUMENTS: The Contrac Pocuments consist of the, Instructions to Bidders, Supplementary Instructions to Bidders ("f any), General Conditions, Supplementary General Conditions, General Requirements, Special Provisions (if any), the form of agreement between the Owner and the Contractor, Drawings (if any), Specifications (Project Manual), and all addenda.
- 1.7 AGREEMENT: The form of the Agreement shall be AIA Document A101, Standard Form of Agreement between Owne. and Contractor where the basis of payment is a STIPULATED SUM. In the case of conflict batween the instructions contained therein and the General Requirements herein, these General Requirements shall prevail.
- 1.8 GENERAL RF QUIREMENTS (or CONDITIONS): General Requirements (or conditions) are instructions petraning to the Bidding Documents and to contracts in general. They contain, in summary, requirements of laws of the State; policies of the Agency and instructions to bidders.
- 1.9 Sr CIAL PROVISIONS: Special Provisions are specific conditions or requirements peculiar to the hidding documents and to the contract under consideration and are supplemental to the General Requirements. Should the Special Provisions conflict with the General Requirements, the Special Provisions shall prevail.
 - ADDENDA: Written or graphic instruments issued by the Owner/Architect prior to the execution of the contract which modify or interpret the Bidding Documents by additions, deletions, clarifications or corrections.
 - BIDDER OR VENDOR: A person or entity who formally submits a Bid for the material or Work contemplated, acting directly or through a duly authorized representative who meets the requirements set forth in the Bidding Documents.
 - SUB-BIDDER: A person or entity who submits a Bid to a Bidder for materials or labor, or both for a portion of the Work.

1.12

- 1.13 BID: A complete and properly executed proposal to do the Work for the sums stipulated therein, submitted in accordance with the Bidding Documents.
- 1.14 BASE BID: The sum stated in the Bid for which the Bidder offers to perform the Work described in the Bidding Documents as the base, to which Work may be added or from which Work may be deleted for sums stated in Alternate Bids (if any are required to be stated in the bid).
- 1.15 ALTERNATE BID (or ALTERNATE): An amount stated in the Bid, where application, to be added to or deducted from the amount of the Base Bid if the corresponding mannee in the Work, as described in the Bidding Documents is accepted.
- 1.16 UNIT PRICE: An amount stated in the Bid, where applicable, as a price per unit of measurement for materials, equipment or services or a portion of the Work *rs* described in the Bidding Documents.
- 1.17 SURETY: The corporate body which is bound with and for the Contract, or which is liable, and which engages to be responsible for the Contractor's payments of all debts pertaining to and for his acceptable performance of the Work for which he has contracted.
- 1.18 BIDDER'S DEPOSIT: The security designated in the Bid to be furnished by the Bidder as a guaranty of good faith to enter into a contract with the Agency if the Work to be performed or the material or equipment to be furnished is a variated to him.
- 1.19 CONTRACT: The written agreement rovering the furnishing and delivery of material or work to be performed.
- 1.20 CONTRACTOR: Any individual, f.m or corporation with whom a contract is made by the Agency.
- 1.21 SUBCONTRACTOR: An individual, partnership or corporation which has a direct contract with a contractor to Virnish labor and materials at the job site, or to perform construction labor and furnish material vir. connection with such labor at the job site.
- 1.22 CONTRACT LCND: The approved form of security furnished by the contractor and his surety at a quality of good faith on the part of the contractor to execute the work in accordance with the terms of the contract.

ARTICLE 2: FILDER'S REPRESENTATIONS

2.1

2.1.1

Pi`E-BID MEETING

- A pre-bid meeting for this project will be held at the time and place designated. Attendance at this meeting is a pre-requisite for submitting a Bid, unless this requirement is specifically waived elsewhere in the Bid Documents.
 - By submitting a Bid, the Bidder represents that:
- 2.2.1 The Bidder has read and understands the Bidding Documents and that the Bid is made in accordance therewith.
- 2.2.2 The Bidder has visited the site, become familiar with existing conditions under which the Work is to be performed, and has correlated the Bidder's his personal observations with the requirements of the proposed Contract Documents.

- 2.2.3 The Bid is based upon the materials, equipment, and systems required by the Bidding Documents without exception.
- 2.3 JOINT VENTURE REQUIREMENTS
- 2.3.1 For Public Works Contracts, each Joint Venturer shall be qualified and capable to complete the Work with their own forces.
- 2.3.2 Included with the Bid submission, and as a requirement to bid, a copy of the executed Joint Venture Agreement shall be submitted and signed by all Joint Venturers involved.
- 2.3.3 All required Bid Bonds, Performance Bonds, Material and Labor Paymon: Sonds must be executed by both Joint Venturers and be placed in both of their names.
- 2.3.4 All required insurance certificates shall name both Joint Venturer.
- 2.3.5 Both Joint Venturers shall sign the Bid Form and shall submit a 'a'.d Delaware Business License Number with their Bid or shall state that the process of application for a Delaware Business License has been initiated.
- 2.3.6 Both Joint Venturers shall include their Federal E.I. Numb r with the Bid.
- 2.3.7 In the event of a mandatory Pre-bid Meeting, ac a Joint Venturer shall have a representative in attendance.
- 2.3.8 Due to exceptional circumstances and for good cause shown, one or more of these provisions may be waived at the discretion of the State.
- 2.4 ASSIGNMENT OF ANTITP JST CL [↓]/MS
- 2.4.1 As consideration for the a variand execution by the Owner of this contract, the Contractor hereby grants, convers, sets, assigns and transfers to the State of Delaware all of its right, title and interests in and to all known or unknown causes of action it presently has or may now or hereafter acquire under the antitrust laws of the United States and the State of Delaware, relating to the particular goods or services purchased or acquired by the Owner pursuant to this contract.

ARTICLE 3: BIDDING LOCUMENTS

3.1

COPILS OF BID DOCUMENTS

3.1.1

Bic ders may obtain complete sets of the Bidding Documents from the Architectural/Engineering firm designated in the Advertisement or Invitation to Bid in the number and for the deposit sum, if any, stated therein.

Bidders shall use complete sets of Bidding Documents for preparation of Bids. The issuing Agency nor the Architect assumes no responsibility for errors or misinterpretations resulting from the use of incomplete sets of Bidding Documents.

3 Any errors, inconsistencies or omissions discovered shall be reported to the Architect immediately.

3.1.4 The Agency and Architect may make copies of the Bidding Documents available on the above terms for the purpose of obtaining Bids on the Work. No license or grant of use is conferred by issuance of copies of the Bidding Documents.

3.2 INTERPRETATION OR CORRECTION OF BIDDING DOCUMENTS

- 3.2.1 The Bidder shall carefully study and compare the Bidding Documents with each other, and with other work being bid concurrently or presently under construction to the extent that i' relates to the Work for which the Bid is submitted, shall examine the site and loca conditions, and shall report any errors, inconsistencies, or ambiguities discovered to use Architect.
- 3.2.2 Bidders or Sub-bidders requiring clarification or interpretation of the Bidding Documents shall make a written request to the Architect at least seven days prior to the date for receipt of Bids. Interpretations, corrections and changes to the Bidding Documents will remade by written Addendum. Interpretations, corrections, or changes to the Bidding Documents made in any other manner shall not be binding.
- 3.2.3 The apparent silence of the specifications as to any detail, or the coperent omission from it of detailed description concerning any point, shall be regarded as negoting that only the best commercial practice is to prevail and only material and workn anship of the first quality are to be used. Proof of specification compliance will be the responsibility of the Bidder.
- 3.2.4 Unless otherwise provided in the Contract Documents, the Contractor shall provide and pay for all permits, labor, materials, equipment, tools, construction equipment and machinery, water, heat, utilities, transportation, and other factities and services necessary for the proper execution and completion of the Work.
- 3.2.5 The Owner will bear the costs for all in pact and user fees associated with the project.
- 3.3 SUBSTITUTIONS
- 3.3.1 The materials, products a d equ pment described in the Bidding Documents establish a standard of quality, required function, dimension, and appearance to be met by any proposed substitution. The pecification of a particular manufacturer or model number is not intended to be propried by any way. Substitutions of products for those named will be considered, providing that the Vendor certifies that the function, quality, and performance characteristics of the material offered is equal or superior to that specified. It shall be the Bidder's esponsibility to assure that the proposed substitution will not affect the intent of the design, and to make any installation modifications required to accommodate the substitution.
- 3.3.2 F.e. uests for substitutions shall be made in writing to the Architect at least ten days prior to the date of the Bid Opening. Such requests shall include a complete description of the proposed substitution, drawings, performance and test data, explanation of required installation modifications due the substitution, and any other information necessary for an evaluation. The burden of proof of the merit of the proposed substitution is upon the proposer. The Architect's decision of approval or disapproval shall be final. The Architect is to notify Owner prior to any approvals.

If the Architect approves a substitution prior to the receipt of Bids, such approval shall be set forth in an Addendum. Approvals made in any other manner shall not be binding.

- .3.4 The Architect shall have no obligation to consider any substitutions after the Contract award.
- 3.4 ADDENDA
- 3.4.1 Addenda will be mailed or delivered to all who are known by the Architect to have received a complete set of the Bidding Documents.

- 3.4.2 Copies of Addenda will be made available for inspection wherever Bidding Documents are on file for that purpose.
- 3.4.3 No Addenda will be issued later than 4 days prior to the date for receipt of Bids except ar Addendum withdrawing the request for Bids or one which extends the time or changes the location for the opening of bids.
- 3.4.4 Each bidder shall ascertain prior to submitting his Bid that they have received all, ddenda issued, and shall acknowledge their receipt in their Bid in the appropriate space. Not acknowledging an issued Addenda could be grounds for determining a tid to e non-responsive.

ARTICLE 4: BIDDING PROCEDURES

- 4.1 PREPARATION OF BIDS
- 4.1.1 Submit the bids on the Bid Forms included with the Biddir.g D cuments.
- 4.1.2 Submit the original Bid Form for each bid. Bid Forms must be removed from the project manual for this purpose.
- 4.1.3 Execute all blanks on the Bid Form in a non-e.asuble medium (typewriter or manually in ink).
- 4.1.4 Where so indicated by the makeup on use Bid Form, express sums in both words and figures, in case of discrepancy between the two, the written amount shall govern.
- 4.1.5 Interlineations, alterations or eracurus must be initialed by the signer of the Bid.
- 4.1.6 BID ALL REQUESTED ALCEND TES AND UNIT PRICES, IF ANY. If there is no change in the Base Bid for an Alternate, enter "No Change". The Contractor is responsible for verifying that they have relieved all addenda issued during the bidding period. Work required by Addenda shall automatically become part of the Contract.
- 4.1.7 Make no additional stipulations on the Bid Form and do not qualify the Bid in any other manner
- 4.1.8 Each copy of the Bid shall include the legal name of the Bidder and a statement whether the Figure is a sole proprietor, a partnership, a corporation, or any legal entity, and each copy shall the signed by the person or persons legally authorized to bind the Bidder to a contract. A Bid by a corporation shall further give the state of incorporation and have the corporate sell affixed. A Bid submitted by an agent shall have a current Power of Attorney attached, certifying agent's authority to bind the Bidder.
 - Bidder shall complete the Non-Collusion Statement form included with the Bid Forms and include it with their Bid.
 - In the construction of all Public Works projects for the State of Delaware or any agency thereof, preference in employment of laborers, workers or mechanics shall be given to bona fide legal citizens of the State who have established citizenship by residence of at least 90 days in the State.

STATE OF DELAWARE Contract #MJ3512000003 Hudson State Service Center

- 4.2 BID SECURITY
- 4.2.1 All bids shall be accompanied by a deposit of either a good and sufficient bond to the agency for the benefit of the agency, with corporate surety authorized to do business in this State, the form of the bond and the surety to be approved by the agency, or a security of the bidder assigned to the agency, for a sum equal to at least 10% of the bid plus all ac'd alternates, or in lieu of the bid bond a security deposit in the form of a certified check want't treasurer's check, cashier's check, money order, or other prior approved secured deposit assigned to the State. The bid bond need not be for a specific sum, but may he stated to be for a sum equal to 10% of the bid plus all add alternates to which it relates and not to exceed a certain stated sum, if said sum is equal to at least 10% of the bid. The Fite Cont form used shall be the standard OMB form (attached).
- 4.2.2 The Agency has the right to retain the bid security of Bidders to whom, an award is being considered until either a formal contract has been executed and bounds have been furnished or the specified time has elapsed so the Bids may be withdraw. For all Bids have been rejected.
- 4.2.3 In the event of any successful Bidder refusing or neglecting to execute a formal contract and bond within 20 days of the awarding of the contract, the bid bond or security deposited by the successful bidder shall be forfeited.
- 4.3 SUBCONTRACTOR LIST
- 4.3.1 As required by <u>Delaware Code</u>, Title 29, sec ion 6962(d)(10)b, each Bidder shall submit with their Bid a completed List of St b-Conu actors included with the Bid Form. NAME ONLY ONE SUBCONTRACTOR FOR FACH TRADE. A Bid will be considered non-responsive unless the completed list is included
- 4.3.2 Provide the Name and Addression each listed subcontractor. Addresses by City, Town or Locality, plus State, will be a ceptable.
- 4.3.3 It is the responsibility of the Contractor to ensure that their Subcontractors are in compliance with the provisions of this law. Also, if a Contractor elects to list themselves as a Subcontractor for any category, they must specifically name themselves on the Bid Form and be the to document their capability to act as Subcontractor in that category in accordance with this law.
 - EQUAVITY OF EMPLOYMENT OPPORTUNITY ON PUBLIC WORKS
- 4.4 4.4.1

During the performance of this contract, the contractor agrees as follows:

The Contractor will not discriminate against any employee or applicant for employment because of race, creed, color, sex or national origin. The Contractor will take affirmative action to ensure the applicants are employed, and that employees are treated during employment, without regard to their race, creed, color, sex or national origin. Such action shall include, but not be limited to, the following: Employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The Contractor agrees to post in conspicuous places available to employees and applicants for employment notices to be provided by the contracting agency setting forth this nondiscrimination clause.

Α

- B. The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, creed, color, sex or national origin."
- 4.5 PREVAILING WAGE REQUIREMENT
- 4.5.1 Wage Provisions: In accordance with <u>Delaware Code</u>, Title 29, Section 6960, renevation projects whose total cost shall exceed \$15,000, and \$100,000 for new construction, the minimum wage rates for various classes of laborers and mechanics shall be relation by the Department of Labor, Division of Industrial Affairs of the State of Delaware.
- 4.5.2 The prevailing wage shall be the wage paid to a majority of employees performing similar work as reported in the Department's annual prevailing wage survey rin. the absence of a majority, the average paid to all employees reported.
- 4.5.3 The employer shall pay all mechanics and labors employed direc.'v apon the site of work, unconditionally and not less often than once a week and w hout subsequent deduction or rebate on any account, the full amounts accrued at time or payment, computed at wage rates not less than those stated in the specifications, regardless of any contractual relationship which may be alleged to exist between the employer and such laborers and mechanics.
- 4.5.4 The scale of the wages to be paid shall be posted by the employer in a prominent and easily accessible place at the site of the work.
- 4.5.5 Every contract based upon these specifier information a stipulation that sworn payroll information, as required by the Ler artment of Labor, be furnished weekly. The Department of Labor shall keep and maintain the worn payroll information for a period of 6 months from the last day of the work week week over red by the payroll.
- 4.6 SUBMISSION OF BILS
- 4.6.1 Enclose the Pid, the Bid Security, and any other documents required to be submitted with the Bid in a seried or aque envelope. Address the envelope to the party receiving the Bids. Identify with the project name, project number, and the Bidder's name and address. If the Bid is seried or nail, enclose the sealed envelope in a separate mailing envelope with the notation "Bid CLOSED" on the face thereof. The State is not responsible for the opening or usids prior to bid opening date and time that are not properly marked.
- 4.6.2 Deposit Bids at the designated location prior to the time and date for receipt of bids indicated in the Advertisement for Bids. Bids received after the time and date for receipt of bids will be marked "LATE BID" and returned.
 - Bidder assumes full responsibility for timely delivery at location designated for receipt of bids.
 - Oral, telephonic or telegraphic bids are invalid and will not receive consideration.
- 4.6.5 Withdrawn Bids may be resubmitted up to the date and time designated for the receipt of Bids, provided that they are then fully in compliance with these Instructions to Bidders.

4.6.3

4.7 MODIFICATION OR WITHDRAW OF BIDS

- 4.7.1 Prior to the closing date for receipt of Bids, a Bidder may withdraw a Bid by personal request and by showing proper identification to the Architect. A request for withdraw by letter or fax, if the Architect is notified in writing prior to receipt of fax, is acceptable. A fax directing a modification in the bid price will render the Bid informal, causing it to be ineligible fo consideration of award. Telephone directives for modification of the bid price shall not a permitted and will have no bearing on the submitted proposal in any manner.
- 4.7.2 Bidders submitting Bids that are late shall be notified as soon as practicable ar a true blu shall be returned.
- 4.7.3 A Bid may not be modified, withdrawn or canceled by the Bidder duing a thirty (30) day period following the time and date designated for the receipt and opening of Bids, and Bidder so agrees in submitting their Bid. Bids shall be binding fried to delive after the date of the Bid opening.

ARTICLE 5: CONSIDERATION OF BIDS

- 5.1 OPENING/REJECTION OF BIDS
- 5.1.1 Unless otherwise stated, Bids received on time w." be publicly opened and will be read aloud. An abstract of the Bids will be made a vailuple to Bidders.
- 5.1.2 The Agency shall have the right to reject any and all Bids. A Bid not accompanied by a required Bid Security or by other data required by the Bidding Documents, or a Bid which is in any way incomplete or irregular is subject to rejection.
- 5.1.3 If the Bids are rejected, it will be do, a within thirty (30) calendar day of the Bid opening.
- 5.2 COMPARISON OF BIDS
- 5.2.1 After the Bids have bee, opened and read, the bid prices will be compared and the result of such comparisons will be made available to the public. Comparisons of the Bids may be based on the Price Pid plus desired Alternates. The Agency shall have the right to accept Alternates in any pider or combination.
- 5.2.2 The Agency reserves the right to waive technicalities, to reject any or all Bids, or any portion the eof, to advertise for new Bids, to proceed to do the Work otherwise, or to abandon the Work, if in the judgment of the Agency or its agent(s), it is in the best interest of the State.
- 5.2.3

Ar increase or decrease in the quantity for any item is not sufficient grounds for an increase or decrease in the Unit Price.

5.2.4

The prices quoted are to be those for which the material will be furnished F.O.B. Job Site and include all charges that may be imposed during the period of the Contract.

No qualifying letter or statements in or attached to the Bid, or separate discounts will be considered in determining the low Bid except as may be otherwise herein noted. Cash or separate discounts should be computed and incorporated into Unit Bid Price(s).

5.3 DISQUALIFICATION OF BIDDERS

- 5.3.1 An agency shall determine that each Bidder on any Public Works Contract is responsible before awarding the Contract. Factors to be considered in determining the responsibility of a Bidder include:
 - The Bidder's financial, physical, personnel or other resources include of Subcontracts;
 - B. The Bidder's record of performance on past public or private construction projects, including, but not limited to, defaults and/or final a liudication or admission of violations of the Prevailing Wage Laws in Delatron of contract of any other state;
 - C. The Bidder's written safety plan;
 - D. Whether the Bidder is qualified legally to contract with the State;
 - E. Whether the Bidder supplied all necessary mormation concerning its responsibility; and,
 - F. Any other specific criteria for a particula, procurement, which an agency may establish; provided however, that, the criteria be set forth in the Invitation to Bid and is otherwise in conformity with State and/or Federal law.
- 5.3.2 If an agency determines that a B. der () nonresponsive and/or nonresponsible, the determination shall be in writing and set forth the basis for the determination. A copy of the determination shall be sent to the offected Bidder within five (5) working days of said determination.
- 5.3.3 In addition, any one or more of the following causes may be considered as sufficient for the disqualification of a bodder and the rejection of their Bid or Bids.
- 5.3.3.1 More than oncy Bid for the same Contract from an individual, firm or corporation under the same or different names.
- 5.3.3.2 Evidence c. col usion among Bidders.
- 5.3.3.3 Unatisfactory performance record as evidenced by past experience.
- 5.3.3.4 If the Unit Prices are obviously unbalanced either in excess or below reasonable cost analysis values.
 - If there are any unauthorized additions, interlineation, conditional or alternate bids or irregularities of any kind which may tend to make the Bid incomplete, indefinite or ambiguous as to its meaning.
 - If the Bid is not accompanied by the required Bid Security and other data required by the Bidding Documents.
 - If any exceptions or qualifications of the Bid are noted on the Bid Form.

5.3.3

J.3.6

5.3.3.7

5.4 ACCEPTANCE OF BID AND AWARD OF CONTRACT

- 5.4.1 A formal Contract shall be executed with the successful Bidder within twenty (20) calendar days after the award of the Contract.
- 5.4.2 Per Section 6962(d)(13) a., Title 29, Delaware Code, "The contracting agency shall award any public works contract within thirty (30) days of the bid opening to the lowest responsive and responsible Bidder, unless the Agency elects to award on the basis of best value, in which case the election to award on the basis of best value shall basis ted in the Invitation To Bid."
- 5.4.3 Each Bid on any Public Works Contract must be deemed responsive by un Agency to be considered for award. A responsive Bid shall conform in all material respects to the requirements and criteria set forth in the Contract Documents and specifications.
- 5.4.4 The Agency shall have the right to accept Alternates in any order or combination, and to determine the low Bidder on the basis of the sum of the Base Bid, pure accepted Alternates.
- 5.4.5 The successful Bidder shall execute a formal contract submit the required Insurance Certificate, and furnish good and sufficient bonds, miles specifically waived in the General Requirements, in accordance with the General Requirement, within twenty (20) days of official notice of contract award. Bonds shall be for the benefit of the Agency with surety in the amount of 100% of the total contract award. Said Bonds shall be conditioned upon the faithful performance of the contract. Bonds shall remain in affect for period of one year after the date of substantial completion.
- 5.4.6 If the successful Bidder fails to execute the required Contract and Bond, as aforesaid, within twenty (20) calendar days after the date of official Notice of the Award of the Contract, their Bid guaranty shall immediately be used and become the property of the State for the benefit of the Agency as liquidate. Lam ges, and not as a forfeiture or as a penalty. Award will then be made to the next theorem qualified Bidder of the Work or readvertised, as the Agency may decide.
- 5.4.7 Prior to receiving an award, the successful Bidder shall furnish to the Agency proof of State of Delaware bismess Licensure. If the Bidder does not currently have a Business License, they may ortain on application by writing to: Division of Revenue, Carvel State Office Building, 920 French Street, Wilmington, DE 19899. A copy of the letter written to the Division of Novenue, sent with your Bid will be adequate proof for your firm to be considered for ward until such time as you receive your license.
- 5.4.8 Tr a Bid Security shall be returned to the successful Bidder upon the execution of the formal contract. The Bid Securities of unsuccessful bidders shall be returned within thirty (30) calendar days after the opening of the Bids.

ARTICLE 6: POST-BID INFORMATION

6.1.1

CONTRACTOR'S QUALIFICATION STATEMENT

Bidders to whom award of a Contract is under consideration shall, if requested by the Agency, submit a properly executed AIA Document A305, Contractor's Qualification Statement, unless such a statement has been previously required and submitted.

6.2 BUSINESS DESIGNATION FORM

6.2.1 Successful bidder shall be required to accurately complete an Office of Management and Budget Business Designation Form for Subcontractors.

ARTICLE 7: PERFORMANCE BOND AND PAYMENT BOND

- 7.1 BOND REQUIREMENTS
- 7.1.1 The cost of furnishing the required Bonds, that are stipulated in the Bidding Durun ents, shall be included in the Bid.
- 7.1.2 If the Bidder is required by the Agency to secure a bond from other than the Lidder's usual sources, changes in cost will be adjusted as provide in the Contract Danual anti-
- 7.1.3 The Performance and Payment Bond forms used shall be the sandard OMB forms (attached).
- 7.2 TIME OF DELIVERY AND FORM OF BONDS
- 7.2.1 The bonds shall be dated on or after the date of the Contr. ct.
- 7.2.2 The Bidder shall require the attorney-in-fact where executes the required bonds on behalf of the surety to affix a certified and current co_{k} y of the power of attorney.

ARTICLE 8: FORM OF AGREEMENT BETWEE' AGE. 'C / AND CONTRACTOR

8.1 Unless otherwise required in the Lidung Documents, the Agreement for the Work will be written on AIA Documen. (10), Standard Form of Agreement Between Owner and Contractor Where the Basis of Dayment is a Stipulated Sum.

END CF "ASTRUCTIONS TO BIDDERS

INSTRUCTIONS TO BIDDERS

Hudson State Service Center 501 Ogletown Road Newark, Delaware 19711 Roof Restoration & Repair Contract #MJ3512000003

BID FORM

For Bids Due: <u>April 17, 2014</u> at 2:00 P.M	To: State of Delaware Office of Management & Budget Division of Facilities Management Room 011 – Main Building Annex Herman Holloway Campus 1901 N. DuPont Highway New Castle, DE 1972	
Name of Bidder:		
Delaware Business License No.:	Taxpayer ID N	_
(Other License Nos.):		
Phone No.: ()	Fax Net: ()	

The undersigned, representing that he has read and understands the Bi ding Documents and that this bid is made in accordance therewith, that he has visited the site and has familiarized hims of w. h the local conditions under which the Work is to be performed, and that his bid is based upon the materials, systems and equipment described in the Bidding Documents without exception, hereby proposes and agrees to provide all labor, materials, plan', equipment, supplies, transport and other facilities required to execute the work described by the aforesaid documents for the lum sure required below:

1. <u>BASE BID – HUDSON STATE SERVICE CENTER:</u>

General repairs to the existing by it-up root system as outlined within the specification. Installation of the two-coat fluid applied white urethane coating to the EPDM roofing membrane and flashing system.

In Words:

\$

2. ALTERNATUS:

There are no alternates associated with this project.

3. UNIT PRICES:

Unit prices conform to applicable project specification section. Refer to the specifications for a complete description of the f-llow .g Unit Prices:

UNIT PRICE No. 2:	Submit a square foot price for repair of the existing metal decking. Base price on prepping and priming existing decking with Red Oxide Primer. This price will be over and above the 2,700 square feet included			
	in the Base Bid.			
	Include all necessary labor and material+ \$/S.F			

UNIT PRICE No. 3:	Submit a unit cost to install additional interior drains. Base price on Smith Model 1310, three (3) inches	
	in diameter, no piping.	
	Include all necessary labor and material	

I/We acknowledge Addendums numbered ______ and the price(s) submitted include any cost/schedule impact the _____ ve

This bid shall remain valid and cannot be withdrawn for sixty (60) days from the date of opening of bids, and us undersigned shall abide by the Bid Security forfeiture provisions. Bid Security is attached to this Bid.

The Owner shall have the right to reject any or all bids, and to waive any informality or irregularity in a v bid i ceived.

This bid is based upon work being accomplished by the Sub-Contractors named on the list attach upo this bid.

Should I/We be awarded this contract, I/We pledge to achieve substantial completion of all the work within ______ calendar days of the Notice to Proceed.

The undersigned represents and warrants that he has complied and shall complet with all requirements of local, state, and national laws; that no legal requirement has been or shall be violated in making or accepting this bid, in awarding the contract to him or in the prosecution of the work required; that the bid is legal and firm; that he has not, dire dy or indirectly, entered into any agreement, participated in any collusion, or otherwise taken action in restraint of free competitive bidding.

Upon receipt of written notice of the acceptance of this Bid, the Bid er aball, within twenty (20) calendar days, execute the agreement in the required form and deliver the Contract Bonds, and Insurance Certificates, required by the Contract Documents.

I am / We are an Individual / a Partnership / a Corporation

By	Trading as
(Individual's / General Partner's / Corporate Na ne)	
(State of Corporation) Business Address:	
Witness:	By:
ATTA CHMENTS Sub-Contractor List Non-Collusion Statement Bid Security (Others as Required by Project Manuals)	

Hudson State Service Center 501 Ogletown Road Newark, Delaware 19711 Roof Restoration & Repair Contract #MJ3512000003

BID FORM

SUBCONTRACTOR LIST

In accordance with Title 29, Chapter 6962 (d)(10)b <u>Delaware Code</u>, the following sub-contractor listing must accomp. ", the bid submittal. The name, address and Subcontractors tax payer ID# or Delaware Business License# **must be listed for each category** where the bidder intends to me a sub contractor to perform that category of work. In order to provide full disclosure and acceptance of the bid by the *Owner*, it is required that bidders list themsel es the being the sub-contractor for all categories where he/she is qualified and intends to perform such work.

Subcontractor Catego	ry <u>Subcontractor</u>	<u>Addres (C'ty & ',tate)</u>	Subcontractors tax payer ID # or Delaware Business license #
 Roofing Contractor Built-up Roof Repair & Coating 			
2. Mechanical (Drains)			
3. Carpentry			
4. Sheet Metal			
BID FORM	1	3	Section 001410

Hudson State Service Center 501 Ogletown Road Newark, Delaware 19711 Roof Restoration & Repair Contract #MJ3512000003

BID FORM

NON-COLLUSION STATEMENT

This is to certify that the undersigned bidder has neither directly nor indirectly, entered into any agreement, perticipated in any collusion or otherwise taken any action in restraint of free competitive bidding in connection with this response to the office of Management and Budget, Division of Facilities Management).

All the terms and conditions of (Project or Contract Number) have been thoroughly examined and a cuncerstood.

NAME OF BIDDER:		
AUTHORIZED REPRESENTATIVE (TYPED):		
AUTHORIZED REPRESENTATIVE (SIGNATURE):		
TITLE:		
ADDRESS OF BIDDER:		
E-MAIL:		
PHONE NUMBER:		
Sworn to and Subscrit ed befc e me this	day of	20
My Commission expires	NOTARY PUBLIC	
THIS PAGE MUST BE S	IGNED AND NOTARIZED FOR YOUR BID TO BE CO	NSIDERED.

STATE OF DELAWARE OFFICE OF MANAGEMENT AND BUDGET

		BID BOND Section 001432		
		MPANY PROPOS	AT	
		sary if security is us		
KNOW ALL MEN BY T	HESE PRESE	NTS That:		_
O	of		in the County of	-
and State of		as	Principal, and	-
0	of	in	the County of	_
and State ofa	s Surety, leg	ally authorized to	in the County of Principal, and the County of do business in the State of Delay	vare
("State"), are held and firmly unto	the State in the	he sum of	porcent nc to exceed	_
Dollars (S	\$ <u></u>), or	percent net to exceed	_
			De lars (\$)
of amount of bid on Contract No.		, to	be puid to the State for the use	and
benefit of		the Offic	of Ianagement & Budget for wh	hich
payment well and truly to be	made, we do	bind oursely s,	of lanagement & Budget for whur and each of our heirs, execut	tors,
administrators, and successors, joi	ntly and severa	ally for and in the w	hole firmly by these presents.	
who has submitted to the Budget a certain proposal to enter within the State , shall be awarde execute this Contract as may be re- into within twenty days after the of said proposal, then this obligation	er into this contrac d this Contrac quired by he is contrac the Official shall to void contract this	r ract for the furnis et, and it said Prine much of this Contrac fice of Managemen notice of the award or else to be and rem	CH That if the above bonded Princ the Office of Management hing of certain material and/or server cipal shall well and truly enter into et and approved by the	& vices and ered is of
	Davi	Na	me of Bidder (Organization)	-
Corporate	By:			-
Seal			Authorized Signature	
Attes.				_
			Title	
			Norma of Count	-
			Name of Surety	
Witness:	By:			_

CONTRACT FOR CONSTRUCTION A101-2007 Section 001500

The "Standard Form of Agreement Between Owner and Constructor," AIA Document A101-2007 contains the following use "field supplements. Where a portion of the Standard Form of Agreement is modified or deleted by the following, the unaltered policions of the Standard Form of Agreement shall remain in effect.

ARTICLE 5: PAYMENTS

- 5.1 PROGRESS PAYMENTS
- 5.1.3 Delete paragraph 5.1.3 in its entirety and replace with the following:

"Provided that a valid Application for Payment is received by the Architect that meets all requirements of the Contract, payment shall be made by the Owner not later than 30 days after the Owner receives the valid Application for Payment."

ARTICLE 6: DISPUTE RESOLUTION

6.2 BINDING DISPUTE RESOLUTION'

Check Other – and add the following sentence:

"Any remedies avail, ble in aw or in equity."

ARTICLE 8: MISCELLANECUS PROVISIONS

8.2 Insert the fulloy ing:

" a ments are due 30 days after receipt of a valid Application for Payment. After that 30 day period, interest may be charged at the rate of 1% per month not to exceed 12% per a num."

8.5

Delete paragraph 8.5 in its entirety and replace with the following:

"The Contractor's representative shall not be changed without ten days written notice to the Owner."

END OF CONTRACT FOR CONSTRUCTION

STATE OF DELAWARE OFFICE OF MANAGEMENT AND BUDGET

PERFORMANCE BOND

Section 001614

	В	ond Number:	
KNOW ALL PERSONS BY THESE PR	ESENTS, that we,		, as principal
("Principal"), and	, a		corportior, legally
authorized to do business in the State of	Delaware, as surety	("Surety"), are he	d and firmly bound
unto the		(" Owner ") C ^c	fic. c. Management
and Budget in the amount of	(\$), to be part to	o Owner , for which
payment well and truly to be made, we	do bind ourselves,	our and each and	every of our heirs,
executors, administrations, successors a	nd assigns, jointly	and severally, for	and in the whole,
firmly by these presents.			
•••			

day of _____ Sealed with our seals and dated this

NOW THE CONDITION OF THIS OBLIGATION IS . UCH, that if Principal, who has been awarded by **Owner** that certain contract known as Contract No. dated the day of , 20 (the "Contract"), which Contract is incorporated herein by reference, shall well and truly provide and furnish all materials, appliances and tools and perform all the work required under and pursuant to the using and conditions of the Contract and the Contract Documents (as defined in the Contract or a v changes or modifications thereto made as therein provided, shall make good and reimbule **Owner** sufficient funds to pay the costs of completing the Contract that **Owner** may sustain by reason of any failure or default on the part of **Principal**, and shall also indemnify and save harmles. Owner from all costs, damages and expenses arising out of or by reason of the perform no of the Contract and for as long as provided by the Contract; then this obligation shall be void other wise to be and remain in full force and effect.

Surety, for value *r*-ceived, hereby stipulates and agrees, if requested to do so by Owner, to fully perform and complete the work to be performed under the Contract pursuant to the terms, conditions and covenants thereof, if for any cause Principal fails or neglects to so fully perform and complete such wor c.

Surety, tor value received, for itself and its successors and assigns, hereby stipulates and agrees that the obligation of Surety and its bond shall be in no way impaired or affected by any extension of time modification, omission, addition or change in or to the Contract or the work to be performed the reunder, or by any payment thereunder before the time required therein, or by any waiver of any provisions thereof, or by any assignment, subletting or other transfer thereof or of any work to be performed or any monies due or to become due thereunder; and **Surety** hereby waives notice of any and all such extensions, modifications, omissions, additions, changes, payments, waivers, assignments, subcontracts and transfers and hereby expressly stipulates and agrees that any and all things done and omitted to be done by and in relation to assignees, subcontractors, and other transferees shall have the same effect as to **Surety** as though done or omitted to be done by or in relation to **Principal**.

Surety hereby stipulates and agrees that no modifications, omissions or additions in or to the terms of the Contract shall in any way whatsoever affect the obligation of **Surety** and its bond.

Any proceeding, legal or equitable, under this Bond may be brought in any court of competent jurisdiction in the State of Delaware. Notices to **Surety** or Contractor may be mailed or delivered to them at their respective addresses shown below.

IN WITNESS WHEREOF, **Principal** and **Surety** have hereunto set their hand that reals and such of them as are corporations have caused their corporate seal to be hereto affixed and hese presents to be signed by their duly authorized officers, the day and year first above written.

	PRINCIPAL	$\mathbf{\nabla}$
	Name:	7
Witness or Attest: Address:		
	By:	(SEAL)
Name:	Nam 2. T'de:	(00/10)
(Corporate Seal)	SURETY	
	Name:	
Witness or Attest: Add ess	·	
	By:	(SEAL)
Name: (Corporate Seal)	Name: Title:	
La		

STATE OF DELAWARE OFFICE OF MANAGEMENT AND BUDGET

PAYMENT BOND Section 001615

	Bond Numb	er:
KNOW ALL PERSONS BY THESE PRES	SENTS, that we,	as principal
(" Principal "), and	_, a	<u> </u>
authorized to do business in the State of Del	aware, as surety ("Surety")	, are held and firmly bound
unto the		O /ner ") Office of
Management and Budget, in the amount of	f(\$), to be paid to
Owner, for which payment well and truly to	be made, we do bind our 2	ves, our and each and every
of our heirs, executors, administrations, succ	essors and assign, juin 'v	and severally, for and in the
whole firmly by these presents.		
Sealed with our seals and dated this	day c	, 20 .

NOW THE CONDITION OF THIS OBLIGAT ON 15 SUCH, that if Principal, who has been awarded by Owner that certain contract known as Contract No. dated the , 20 (the "Contract", which Contract is incorporated herein by reference, dav of shall well and truly pay all and every person furnishing materials or performing labor or service in and about the performance of the work under the Contract, all and every sums of money due him, her, them or any of them, for all such materials, labor and service for which **Principal** is liable, shall make good and reimburse **Own**, sufficient funds to pay such costs in the completion of the Contract as **Owner** may sur air by reason of any failure or default on the part of **Principal**, and shall also indemnify and ave partiless Owner from all costs, damages and expenses arising out of or by reason of the per privatice of the Contract and for as long as provided by the Contract; then this obligation shall be vol otherwise to be and remain in full force and effect.

Surety, for value received, for itself and its successors and assigns, hereby stipulates and agrees that the obligation of Surety and its bond shall be in no way impaired or affected by any extension of time, modification, omission, addition or change in or to the Contract or the work to be performed thereunier, by any payment thereunder before the time required therein, or by any waiver of any provisions thereof, or by any assignment, subletting or other transfer thereof or of any work to be performed or any monies due or to become due thereunder; and Surety hereby waives notice of any and all such extensions, modifications, omissions, additions, changes, payments, waivers, ssignments, subcontracts and transfers and hereby expressly stipulates and agrees that any and all things done and omitted to be done by and in relation to assignees, subcontractors, and other transferees shall have the same effect as to Surety as though done or omitted to be done by or in relation to **Principal**.

Surety hereby stipulates and agrees that no modifications, omission or additions in or to the terms of the Contract shall in any way whatsoever affect the obligation of **Surety** and its bond.

Any proceeding, legal or equitable, under this Bond may be brought in any court of competent jurisdiction in the State of Delaware. Notices to **Surety** or Contractor may be mailed or delivered to them at their respective addresses shown below.

IN WITNESS WHEREOF, **Principal** and **Surety** have hereunto set their hand and seals, an ⁴ such of them as are corporations have caused their corporate seal to be hereto affixed and t^{1} . The presents to be signed by their duly authorized officers, the day and year first above written.

	PRINCIPAL	
	Name:	\mathbf{v}
Witness or Attest: Address:		
	By:	(SEAL)
Name:	Name:	
(Corporate Seal)	Title	
	SURETY	
Witness or Attest: Address	Name:	
	By:	(SEAL)
Name:	Name:	()
	Title:	
(Cor _E orate Seal)		
Y-		

٠

DIVISION OF FACILITIES MANAGEMENT DELAWARE HEALTH & SOCIAL SERVICES Roof Restoration & Repair

APPLICATION AND CERTIFICATE FOR PAYMENT SECTION 011010

The enclosed are the Application and Certificate for Payment (G702) and the Continuation Sheet (G703) Forms that will be used for all requests for payments. The Contractor is remuned to purchase these forms through the American Institute of Architect

MMOT BELISEDFOR BIDDING.

STANDARD

GENERAL CONDITIONS

OF THE

CONSTRUCTION CONTRACT Document 011100

The General Conditions of this Contract are as stated in the An prican Institute of Architects Document AIA A201 (2007 Edition) entitled <u>General Conditions of the Co. tract for Construction</u> and is part of this project manual as if herein written in full.

Copies of the Document are available through the Owner.

MMOT BELISEDFOR BIDDING.

SUPPLEMENTARY GENERAL CONDITIONS A201-2007 SECTION 011200

The following supplements modify the "General Conditions of the Contract for Construction," AIA Document A201-2007. Where a pc. 'ion of the General Conditions is modified or deleted by the Supplementary Conditions, the unaltered portions of the General Conditions shc " remain in effect.

TABLE OF ARTICLES

- 1. GENERAL PROVISIONS
- 2. OWNER
- 3. CONTRACTOR
- 4. ADMINISTRATION OF THE CONTRACT
- 5. SUBCONTRACTORS
- 6. CONSTRUCTION BY OWNER OR BY CEPLRAL CONTRACTORS
- 7. CHANGES IN THE WORK
- 8. TIME
- 9. PAYMENTS AND COM'LETION
- 10. PROTECTION OF TEK 'ON'S AND PROPERTY
- 11. INSURANCE AND SOLDS
- 12. UNCOVERING AND CORRECTION OF WORK
- 13. MIS CELLA NEOUS PROVISIONS
- 14. TERMINATION OR SUSPENSION OF THE CONTRACT

ARTICLE 1: GENERAL PROVISIONS

- 1.1 BASIC DEFINITIONS
- 1.1.1 THE CONTRACT DOCUMENTS

Delete the last sentence in its entirety and replace with the following:

"The Contract Documents also include Advertisement for Bid, Instructions to B.1der, sample forms, the Bid Form, the Contractor's completed Bid and the Award' etter

Add the following Paragraph:

1.1.2 In the event of conflict or discrepancies among the Contract Documents, the Documents prepared by the State of Delaware, Division of Facilities Management shall take precedence over all other documents.

1.2 CORRELATION AND INTENT OF THE CONTRACT DOCUMENTS

Add the following Paragraphs:

- 1.2.4 In the case of an inconsistency Let veen the Drawings and the Specifications, or within either document not claified by addendum, the better quality or greater quantity of work analy be provided in accordance with the Architect's interpretation.
- 1.2.5 The word "PROVIDE as used in the Contract Documents shall mean "FURNISH AND INSTAL" and shall include, without limitation, all labor, materials, equipmen, transportation, services and other items required to complete the Work.
- 1.2.6 The word "D' ODUCT" as used in the Contract Documents means all materials, systems and equipment.
- 1.5 OWNER JHIP ... O USE OF DRAWINGS, SPECIFICATIONS AND OTHER INSTRUCTION OF SERVICE

Dente Paragraph 1.5.1 in its entirety and replace with the following:

"A' pre-design studies, drawings, specifications and other documents, including those in electronic form, prepared by the Architect under this Agreement are, and shall remain, the property of the Owner whether the Project for which they are made is executed or not. Such documents may be used by the Owner to construct one or more like Projects without the approval of, or additional compensation to, the Architect. The Contractor. Subcontractors, Sub-subcontractors and Material or Equipment Suppliers are authorized to use and reproduce applicable portions of the Drawings, Specifications and other documents prepared by the Architect and the Architect's consultants appropriate to and for use in the execution of their Work under the Contract Documents. They are not to be used by the Contractor or any Subcontractor, Sub-subcontractor or Material and Equipment Supplier on other Projects or for additions to this Project outside the scope of the Work without the specific written consent of the Owner, Architect and Architect's consultants.

The Architect shall not be liable for injury or damage resulting from the re-use of drawings and specifications if the Architect is not involved in the re-use Project. Prior to re-use of construction documents for a Project in which the Architect is not also involved, the Owner will remove from such documents all identification of the original Architect, including name, address and professional seal or stamp."

Delete Paragraph 1.5.2 in its entirety.

ARTICLE 2: OWNER

2.2 INFORMATION AND SERVICES REQUIRED OF THE OWNER

To Subparagraph 2.2.3 – Add the following sentence:

"The Contractor, at their expense shall bear the costs to accurately identify the location of all underground utilities in the area of their excavation and that the area all cost for any repairs required, out of failure to accurately identify said utilities."

Delete Subparagraph 2.2.5 in its entirety and substitute the non-owing:

2.2.5 The Contractor shall be furnished fige of charge up to five (5) sets of the Drawings and Project Manuals. Additional sets will be furnished at the cost of reproduction, postage and ha. d'ing.

ARTICLE 3: CONTRACTOR


3.2 REVIEW OF CONTRACT DOC'JMEN S AND FIELD CONDITIONS BY CONTRACTOR

Amend Paragraph 3.2.2 to state the a any errors, inconsistencies or omissions discovered shall be reported to the Architect and Owner immediately.

Delete the third sentence in Paragraph 3.2.3.

3.3 SUPERVISIO', AND CONSTRUCTION PROCEDURES

Add the follo ving Caragraphs:



.1 The Contractor shall immediately remove from the Work, whenever requested to do so by the Owner, any person who is considered by the Owner or Architect to be incompetent or disposed to be so disorderly, or who for any reason is not satisfactory to the Owner, and that person shall not again be employed on the Work without the consent of the Owner or the Architect.

The Contractor must provide suitable storage facilities at the Site for the proper protection and safe storage of their materials. Consult the Owner and the Architect before storing any materials.

When any room is used as a shop, storeroom, office, etc., by the Contractor or Subcontractor(s) during the construction of the Work, the Contractor making use of these areas will be held responsible for any repairs, patching or cleaning arising from such use.

3.4 LABOR AND MATERIALS

Add the Following Paragraphs:

- 3.4.4 Before starting the Work, each Contractor shall carefully examine al' preparatory Work that has been executed to receive their Work. Check carefully, by whatever means are required, to insure that its Work and adjacent, related Work, will finish to proper contours, planes and levels. Promotive means the General Contractor/Construction Manager of any defects or imperfections in preparatory Work which will in any way affect satisfactory completion of its Work. Absence of such notification will be construed as an inccept ince of preparatory Work and later claims of defects will not be recognized.
- 3.4.5 Under no circumstances shall the Contractor's Work proceed prior to preparatory Work proceed prior to preparatory Work aving been completely cured, dried and/or otherwise made satisfactory to receive this Work. Responsibility for timely installation of all material, lests solely with the Contractor responsible for that Work, who shall maintain coordination at all times.

3.5 WARRANTY

Add the following Paragraphs:

- 3.5.1 The Contractor will guarantee all materials and workmanship against original defects, except injury from proter and usual wear when used for the purpose intended, for two yr ars after acceptance by the Owner, and will maintain all items in perfect condition during the period of guarantee.
- 3.5.2 Defects appealing d ring the period of guarantee will be made good by the Contractor at his expense upon demand of the Owner, it being required that all work will he in perfect condition when the period of guarantee will have elapsed.
- 3.5.3 In addition to the General Guarantee there are other guarantees required for certain it ms for different periods of time than the two years as above, and are parternarly so stated in that part of the specifications referring to same. The said guarantees will commence at the same time as the General Guarantee.

If the Contractor fails to remedy any failure, defect or damage within a reasonable time after receipt of notice, the Owner will have the right to replace, repair, or otherwise remedy the failure, defect or damage at the Contractor's expense.

DOCUMENTS AND SAMPLES AT THE SITE

Add the following Paragraphs:

3.11.1 During the course of the Work, the Contractor shall maintain a record set of drawings on which the Contractor shall mark the actual physical location of all piping, valves, equipment, conduit, outlets, access panels, controls, actuators, including all appurtenances that will be concealed once construction is complete, etc., including all invert elevations.

- 3.11.2 At the completion of the project, the Contractor shall obtain a set of reproducible drawings from the Architect, and neatly transfer all information outlined in 3.11.1 to provide a complete record of the as-built conditions.
- 3.11.3 The Contractor shall provide two (2) prints of the as-built conditions, along with the reproducible drawings themselves, to the Owner and one (1) set to the Architect. In addition, attach one complete set to each of the Operating and Maintenance Instructions/Manuals.
- 3.17 In the first sentence of the paragraph, insert "indemnify" between "shall" and "hour.

ARTICLE 4: ADMINISTRATION OF THE CONTRACT

4.2 ADMINISTRATION OF THE CONTRACT

Delete the first sentence of Paragraph 4.2.7 and replace with the following:

The Architect will review and approve or take other appropriate action upon the Contractor's submittals such as Shop Drawings, Product Data and Sumples for the purpose of checking for conformance with the Contract Documents.

Delete the second sentence of Paragraph 4.2⁻ and replace with the following:

The Architect's action will be taken with such recisionable promptness as to cause no delay in the Work in the activities of the Owner, Contractor or separate Contractors, while allowing sufficient time in the Owner's professional judgment to permit adequate review.

Add the following Paragraph:

4.2.10.1 There will be the full-time project representative provided by the Owner or Architect on u is project.

Add to Paragraph 4.2.12 "and in compliance with all local requirements." to the end of the sentence

ARTICLE 5: SUBCONTI 1. CTI RS

5.2.3

5.2

 $\Lambda_{\rm W}$ ARD OF SUBCONTRACTS AND OTHER CONTRACTS FOR PORTIONS OF THE WOR.

Dr lete Paragraph 5.2.3 in its entirety and replace with the following:

If the Owner or Architect has reasonable objection to a person or entity proposed by the Contractor, the Contractor shall propose another to whom the Owner or Architect has no reasonable objection, subject to the statutory requirements of 29 <u>Delaware Code</u> § 6962(d)(10)b.3 and 4.

ARTICLE 6: CONSTRUCTION BY OWNER OR BY SEPARATE CONTRACTORS

6.1

OWNER'S RIGHT TO PERFORM CONSTRUCTION AND TO AWARD SEPARATE CONTRACTS

Delete Paragraph 6.1.4 in its entirety.

6.2 MUTUAL RESPONSIBILITY

6.2.3 In the second sentence, strike the word "shall" and insert the word "may".

ARTICLE 7: CHANGES IN THE WORK

(SEE ARTICLE 7: CHANGES IN WORK IN THE GENERAL REQUIREMENTS)

ARTICLE 8: TIME

8.2 PROGRESS AND COMPLETION

Add the following Paragraphs:

- 8.2.1.1 Refer to Specification Section SUMMARY OF VCRK for Contract time requirements.
- 8.2.4 If the Work falls behind the Progress Schedule is submitted by the Contractor, the Contractor shall employ additional laber and/or equipment necessary to bring the Work into compliance with the Progress Schedule at no additional cost to the Owner.

8.3 DELAYS AND EXTENSION OF TIME

8.3.1 Strike "arbitration" and insert medies at law or in equity".

Add the following Pr. agraph.

8.3.2.1 The Contractor shall u, date the status of the suspension, delay, or interruption of the Work with each Application for Payment. (The Contractor shall report the termination of such cause immediately upon the termination thereof.) Failure to comply with this procedure shall constitute a waiver for any claim for adjustment of time or p.icc pased upon said cause.

Delete Paragr. 7, 18,33 in its entirety and replace with the following:

8.3.3 Except in the case of a suspension of the Work directed by the Owner, an extension of time under the provisions of Paragraph 8.3.1 shall be the Contractor's sole remedy in the progress of the Work and there shall be no payment or compensation to the Contractor for any expense or damage resulting from the delay.

Add the following Paragraph:

8.3.4 By permitting the Contractor to work after the expired time for completion of the project, the Owner does not waive their rights under the Contract.

ANTICLE 9: PAYMENTS AND COMPLETION

9.2 SCHEDULE OF VALUES

Add the following Paragraphs:

9.2.1 The Schedule of Values shall be submitted using AIA Document G702, Continuation Sheet to G703.

9.2.2 The Schedule of Values is to include a line item for Project Closeout Document Submittal. The value of this item is to be no less than 1% of the initial contract amount.

9.3 APPLICATIONS FOR PAYMENT

Add the following Paragraph:

9.3.1.3 Application for Payment shall be submitted on AIA Document G70_ Application and Certificate for Payment", supported by AIA Document G70, "Continuation Sheet". Said Applications shall be fully executed and notarized.

Add the following Paragraphs:

- 9.3.4 Until Closeout Documents have been receive and outstanding items completed the Owner will pay 95% (ninety-five percent) of the amount due the Contractor on account of progress payments.
- 9.3.5 The Contractor shall provide a current and up tated Progress Schedule to the Architect with each Application for Payment. Failure to provide Schedule will be just cause for rejection of Application for Payment.

9.5 DECISIONS TO WITHHOLD CERTIFICATION

Add the following to 9.5.1:

- .8 failure to provide a current Progress Schedule;
- .9 a lien or attachment is Tru;
- .10 failure to compary vith mandatory requirements for maintaining Record Documents.

9.6 PROGRESS PAYMEN ...

Delete Paragr. n. 9.6.1 in its entirety and replace with the following:

9.6.1 After the Architect has approved and issued a Certificate for Payment, payment shall be made by the Owner within 30 days after Owner's receipt of the Certificate for Payment.

9.7

FAILURE OF PAYMENT

in first sentence, strike "seven" and insert "thirty (30)". Also strike "binding dispute resolution" and insert "remedies at law or in equity".

SUBSTANTIAL COMPLETION

To Subparagraph 9.8.3- Add the following sentence:

"If the Architect is required to make more than 2 inspections of the same portion of work, the Contractor shall responsible for all costs associated with subsequent inspections including but not limited to any Architect's fees."

9.8.5 In the second sentence, strike "shall" and insert "may".

ARTICLE 10: PROTECTION OF PERSONS AND PROPERTY

10.1 SAFETY PRECAUTIONS AND PROGRAMS

Add the following Paragraphs:

- 10.1.1.1 Each Contractor shall develop a safety program in accordance when the Occupational Safety and Health Act of 1970. A copy of said plan that be furnished to the Owner and Architect prior to the commencement of that Contractor's Work.
- 10.1.2 Each Contractor shall appoint a Safety Representative. Safety Representatives shall be someone who is on site on a full time basis. If 'earrer' necessary by the Owner or Architect, Contractor Safety meetings vill be scheduled. The attendance of all Safety Representatives will be required. Minutes will be recorded of said meetings by the Contractor and will be custributed to all parties as well as posted in all job offices/trailers etc

10.2 SAFETY OF PERSONS AND PROPERTY

Add the following Paragraph:

- 10.2.4.1 As required in the Hazardous Chen. cal Act of June 1984, all vendors supplying any material that may be deneed as hazardous must provide Material Safety Data Sheets for those products. Any chemical product should be considered hazardous if it has a caution, warning on the label relating to a potential physical or health hazard, if nois known to be present in the work place, and if employees may be expressed under normal conditions or in foreseeable emergency situations. Machinal Safety Data Sheets shall be provided directly to the Owner, along with the shipping slips that include those products.
- 10.3 HAZARDOUS MATERIALS

Delete Paragrani 10 3.3 in its entirety.

10.5 Delete Perigra hs 10.3.6 in its entirety.

ARTICLE 11: INCURANCE AND BONDS

1.1.4

11.1

CONTRACTOR'S LIABILITY INSURANCE

- Strike "the Owner" immediately following "(1)" and strike "and (2) the Owner as an additional insured for claims caused in whole or in part by the Contractor's negligent acts or omissions during the Contractor's completed operations."
- OWNER'S LIABILITY INSURANCE

Delete Paragraph 11.2 in its entirety.

11.3 PROPERTY INSURANCE

Delete Paragraph 11.3 in its entirety and replace with the following:

11.3 The State will not provide Builder's All Risk Insurance for the Project. The Contractor and all Subcontractors shall provide property coverage for their tools and equipment, as necessary. Any mandatory deductible required by the Contractor's Insurance shall be the responsibility of the Contractor.

11.4 PERFORMANCE BOND AND PAYMENT BOND

Add the following sentence: "The bonds will conform to those forms approved by the office of Management and Budget."

ARTICLE 12: UNCOVERING AND CORRECTION OF WORK

12.2.2 AFTER SUBSTANTIAL COMPLETION

Add the following Paragraph:

- 12.2.2.1.1 At any time during the progress of the Work, or in any base where the nature of the defects will be such that it is not expedient to have corrected, the Owner, at its option, will have the right to deduct such sam, or sums, of money from the amount of the Contract as it considers justified to adjust the difference in value between the defective work and that required under contract including any damage to the structure.
- 12.2.2.1 Strike "one" and insert "two"
- 12.2.2.2 Strike "one" and insert "tv. כ"
- 12.2.2.3 Strike "one" and inscr two".
- 12.2.5 In second sentence, strike "one" and insert "two".

ARTICLE 13: MISCELLANEOUS PLOVISIONS

13.1 GOVERNING _AW

Strike "e.cept that if the parties have selected arbitration as the method of binding dispute resolution and rederal Arbitration Act shall govern Section 15.4."

13.6 "IT FREST

Su ike "the date payment is due at such rate as the parties may agree upon in writing or, in the absence thereof, at the legal rate prevailing from time to time at the place where the project is located." Insert "30 days of presentment of the authorized Certificate of Payment at the annual rate of 12% or 1% per month.

TIME LIMITS ON CLAIMS

Strike the last sentence.

Add the following Paragraph:

13.8

CONFLICTS WITH FEDERAL STATUTES OR REGULATIONS

STATE OF DELAWARE Contract #MJ3512000003 Hudson State Service Center

13.8.1 If any provision, specifications or requirement of the Contract Documents conflict or is inconsistent with any statute, law or regulation of the government of the United State of America, the Contractor shall notify the Architect and Owner immediately upon discovery.

ARTICLE 14: TERMINATION OR SUSPENSION OF THE CONTRACT

14.4 TERMINATION BY THE OWNER FOR CONVENIENCE

Delete Paragraph 14.4.3 in its entirety and replace with the following:

14.4.3 In case of such termination for the Owner's convenience, the Contrac or shall be entitled to receive payment for Work executed, and cost incorrectly reason of such termination along with reasonable overhead.

ARTICLE 15: CLAIMS AND DISPUTES

- 15.1.2 Throughout the Paragraph strike "21" and insert "45".
- 15.1.6 CLAIMS FOR CONSEQUENTIAL DAMAGES

Delete Paragraph 15.1.6 in its entirety.

15.2 INITIAL DECISION

Delete Paragraph 15.2.5 in its entirety ano replace with the following:

15.2.5 The Architect will an prove our spect Claims by written decision, which shall state the reasons therefore and shall notify the parties of any change in the Contract Sum or Contract Time or both. The approval or rejection of a Claim by the Architect shall as subject to mediation and other remedies at law or in equity.

Delete Paragraph 15.2.6 and its subparagraphs in their entirety.

- 15.3 MEDIATION
 - 15.3.1 Strik binding dispute resolution" and insert "any or all remedies at law or in eq ity".

In the first sentence, delete "administered by the American Arbitration Association in accordance with its Construction Industry Mediation Procedure in effect on the date of the Agreement," Strike "binding dispute resolution" and insert "remedies at law and in equity".

ARBITRATION

Delete Paragraph 15.4 and its sub-sections in its entirety.

END OF SUPPLEMENTARY GENERAL CONDITIONS

GENERAL REQUIREMENTS

SECTION 011300

TABLE OF ARTICLES

- 1. GENERAL PROVISIONS
- 2. OWNER
- 3. CONTRACTOR
- 4. ADMINISTRATION OF THE CONTRACT
- 5. SUBCONTRACTORS
- 6. CONSTRUCTION BY OWNER OR BY SEPARATE CONTRACTORS
- 7. CHANGES IN THE WORK
- 8. TIME
- 9. PAYMENTS AND COMPLETION
- 10. PROTECTION OF PERSONS AND PROPERTY
- 11. INSURANCE AND BONDS
- 12. UNCOVERING AND CURRECTION OF WORK
- 13. MISCELLANEOU, PROVISIONS
- 14. TERMINATION OR SUSPENSION OF THE CONTRACT

ARTICLE 1: GENERAL

- 1.1 CONTRACT DOCUMENTS
- 1.1.1 The intent of the Contract Documents is to include all items necessary for the prope. execution and completion of the Work by the Contractor. The Contract Documents and complementary and what is required by one shall be as binding as if required by all. Performance by the Contractor shall be required to an extent consistent with the Contract Documents and reasonably inferable from them as being necessary to produce the intended results.
- 1.1.2 Work including material purchases shall not begin until the Contractor is ir receipt of a bonafide State of Delaware Purchase Order. Any work performed or material purchases prior to the issuance of the Purchase Order is done at the Contractor s own risk and cost.
- 1.2 EQUALITY OF EMPLOYMENT OPPORTUNITY ON PUBLIC WOR'S
- 1.2.1 For Public Works Projects financed in whole or in part by tate appropriation the Contractor agrees that during the performance of this contract.
 - 1. The Contractor will not discriminate against any employee or applicant for employment because of race, creed, polor, sex or national origin. The Contractor will take positive steps to ensure that applicants are employed and that employees are treated during en ployment without regard to their race, creed, color, sex or national origin. Such action shall include, but not be limited to, the following: employment, upgroung, demotion or transfer; recruitment or recruitment advertising, 'ayof' or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The Contractor agrees to prist in conspicuous places available to employees and applicants for employment notices to be provided by the contracting agency setting forth this no idiscrimination clause.
 - 2. The Contractor will, in all solicitations or advertisements for employees placed by or on 'eha', of the Contractor, state that all qualified applicants will receive on 'idercation for employment without regard to race, creed, color, sex or national o. gin."

ARTICLE 2: OWNER

ARTICLE 3

(N) ADDITIONAL GENERAL REQUIREMENTS – SEE SUPPLEMENTARY GENERAL CONDITIONS)

CONTRACTOR

Schedule of Values: The successful Bidder shall within twenty (20) days after receiving notice to proceed with the work, furnish to the Owner a complete schedule of values on the various items comprising the work.

Subcontracts: Upon approval of Subcontractors, the Contractor shall award their Subcontracts as soon as possible after the signing of their own contract and see that all material, their own and those of their Subcontractors, are promptly ordered so that the work will not be delayed by failure of materials to arrive on time.

- 3.3 Before commencing any work or construction, the General Contractor is to consult with the Owner as to matters in connection with access to the site and the allocation of Ground Areas for the various features of hauling, storage, etc.
- 3.4 The Contractor shall supervise and direct the Work, using the Contractor's best skill and attention. The Contractor shall be solely responsible for and have control over construction means, methods, techniques, sequences and procedures and for coordinating all portions of the Work under the Contract, unless the Contract Documents give other specific instructions.
- 3.5 The Contractor shall enforce strict discipline and good order among the Con ractor's employees and other persons carrying out the Contract. The Contractor shall not permit employment of unfit persons or persons not skilled in tasks assigned to usem.
- 3.6 The Contractor warrants to the Owner that materials and equir.net full shed will be new and of good quality, unless otherwise permitted, and that the work will be free from defects and in conformance with the Contract Documents. Work net conforming to these requirements, including substitutions not properly approved, reay be considered defective. If required by the Owner, the Contractor shall furnish evicence as to the kind and quality of materials and equipment provided.
- 3.7 Unless otherwise provided, the Contractor shall pay all sales, consumer, use and other similar taxes, and shall secure and pay for required permits, fees, licenses, and inspections necessary for proper execution of the Work.
- 3.8 The Contractor shall comply with an 1 giv notices required by laws, ordinances, rules, regulations, and lawful orders of public act orities bearing on performance of the Work. The Contractor shall promptly notify a Owner if the Drawings and Specifications are observed to be at variance therewith
- 3.9 The Contractor shall be responsible to the Owner for the acts and omissions of the Contractor's employees, Sul contractors and their agents and employees, and other persons performing portions of the Work under contract with the Contractor.
- 3.10 The Contracto. shall keep the premises and surrounding area free from accumulation of waste materials or rubbish caused by operations under the Contract. At completion of the Work the contractor shall remove from and about the Project all waste materials, rubbish, the Contractor's tools, construction equipment, machinery and surplus materials. The Contractor shall be responsible for returning all damaged areas to their original conditions.

3.11 SI ATE LICENSE AND TAX REQUIREMENTS

- Each Contractor and Subcontractor shall be licensed to do business in the State of Delaware and shall pay all fees and taxes due under State laws. In conformance with Section 2503, Chapter 25, Title 30, <u>Delaware Code</u>, "the Contractor shall furnish the Delaware Department of Finance within ten (10) days after entering into any contract with a contractor or subcontractor not a resident of this State, a statement of total value of such contract or contracts together with the names and addresses of the contracting parties."
- The Contractor shall comply with all requirements set forth in Section 6962, Chapter 69, Title 29 of the <u>Delaware Code</u>.

3.12

ARTICLE 4: ADMINISTRATION OF THE CONTRACT

- 4.1 CONTRACT SURETY
- 4.1.1 PERFORMANCE BOND AND LABOR AND MATERIAL PAYMENT BOND
- 4.1.2 All bonds will be required as follows unless specifically waived elsewhere in the BioLing Documents.
- 4.1.3 Contents of Performance Bonds The bond shall be in the form approved by the Office of Management and Budget. The bond shall be conditioned upon the faithful compliance and performance by the successful bidder of each and every term and condition of the contract and the proposal, plans, specifications, and bid documents thereof. Each term and condition shall be met at the time and in the manner preserved by the Contract, Bid documents and the specifications, including the payment in full to every person furnishing materiel or performing labor in the performance of the Contract, of all sums of money due the person for such labor and materiel. (The bond thall also contain the successful bidder's guarantee to indemnify and save harm'ess the State and the agency from all costs, damages and expenses growing out of or ty real on of the Contract in accordance with the Contract.)
- 4.1.4 Invoking a Performance Bond The agency h ay, when it considers that the interest of the State so require, cause judgement to be confessed upon the bond.
- 4.1.5 Within twenty (20) days after the date of solice of award of contract, the Bidder to whom the award is made shall furnish a Foromance Bond and Labor and Material Payment Bond, each equal to the full amount of the contract price to guarantee the faithful performance of all terms, covenants and conditions of the same. The bonds are to be issued by an acceptable Bonding Compony licensed to do business in the State of Delaware and shall be issued in <u>duplicate</u>.
- 4.1.6 Performance and Payment Bonds shall be maintained in full force (warranty bond) for a period of two (2) yea's after the date of the Certificate for Final Payment. The Performance Bond shall clibrative the satisfactory completion of the Project and that the Contractor will make god (an) faults or defects in his work which may develop during the period of said guarantees as a result of improper or defective workmanship, material or apparatus, whether furnished by themselves or their Sub-Contractors. The Payment Bond shall guaranties that the Contractor shall pay in full all persons, firms or corporations who furnish lat or or material or both labor and material for, or on account of, the work included herein. The bonds shall be paid for by this Contractor. The Owner shall have the right to demand that the proof parties signing the bonds are duly authorized to do so.

FAILURE TO COMPLY WITH CONTRACT

If any firm entering into a contract with the State, or Agency that neglects or refuses to perform or fails to comply with the terms thereof, the Agency which signed the Contract may terminate the Contract and proceed to award a new contract in accordance with this Chapter 69, Title 29 of the Delaware Code or may require the Surety on the Performance Bond to complete the Contract in accordance with the terms of the Performance Bond. Nothing herein shall preclude the Agency from pursing additional remedies as otherwise provided by law.

4.3 CONTRACT INSURANCE AND CONTRACT LIABILITY

- 4.3.1 In addition to the bond requirements stated in the Bid Documents, each successful Bidder shall purchase adequate insurance for the performance of the Contract and, by submission of a Bid, agrees to indemnify and save harmless and to defend all legal of equitable actions brought against the State, any Agency, officer and/or employed on the State, for and from all claims of liability which is or may be the result of the successful Bidder's actions during the performance of the Contract.
- 4.3.2 The purchase or nonpurchase of such insurance or the involvement of the successful Bidder in any legal or equitable defense of any action brought against the successful Bidder based upon work performed pursuant to the Contract will not valve any defense which the State, its agencies and their respective officers, em, by erformed pursuant to the contract will not valve and agents might otherwise have against such claims, specifically including the defense of sovereign immunity, where applicable, and by the terms of this section, the State and all agencies, officers and employees thereof shall not be financially responsible for the consequences of work performed, pursuant to said contract.
- 4.4 RIGHT TO AUDIT RECORDS
- 4.4.1 The Owner shall have the right to audit the blocks and records of a Contractor or any Subcontractor under any Contract or Slibcontract to the extent that the books and records relate to the performance of the Contract or Subcontract.
- 4.4.2 Said books and records shall by main ained by the Contractor for a period of seven (7) years from the date of final paymes, under the Prime Contract and by the Subcontractor for a period of seven (7) years from the date of final payment under the Subcontract.

ARTICLE 5: SUBCONTRACTOR

2.

5.1 SUBCONTR' CT'NG REQUIREMENTS

5.1.1 All contracts for the construction, reconstruction, alteration or repair of any public building (not a road, strated or highway) shall be subject to the following provisions:

A contract shall be awarded only to a Bidder whose Bid is accompanied by a statement containing, for each Subcontractor category, the name and address (city or town and State only – street number and P.O. Box addresses not required) of the subcontractor whose services the Bidder intends to use in performing the Work and providing the material for such Subcontractor category.

- A Bid will not be accepted nor will an award of any Contract be made to any Bidder which, as the Prime Contractor, has listed itself as the Subcontractor for any Subcontractor unless:
 - A. It has been established to the satisfaction of the awarding Agency that the Bidder has customarily performed the specialty work of such Subcontractor category by artisans regularly employed by the Bidder's firm;
 - B. That the Bidder is duly licensed by the State to engage in such specialty work, if the State requires licenses; and

- C. That the Bidder is recognized in the industry as a bona fide Subcontractor or Contractor in such specialty work and Subcontractor category.
- 5.1.2 The decision of the awarding Agency as to whether a Bidder who list itself as the Subcontractor for a Subcontractor category shall be final and binding upon all Bidders, and no action of any nature shall lie against any awarding agency or its employees or officers because of its decision in this regard.
- 5.1.3 After such a Contract has been awarded, the successful Bidder shall not substitute another Subcontractor for any Subcontractor whose name was set for thin the statement which accompanied the Bid without the written consent of the awarolog and not construct.
- 5.1.4 No Agency shall consent to any substitution of Subcontractors unless the Agency is satisfied that the Subcontractor whose name is on the Bidders accompanying statement:
 - A. Is unqualified to perform the work required;
 - B. Has failed to execute a timely reasonable Subcentract;
 - C. Has defaulted in the performance r, the portion of the work covered by the Subcontract; or
 - D. Is no longer engaged in such business.
- 5.2 PENALTY FOR SUBSTITUTION OF SUBCONTRACTORS
- 5.2.1 Should the Contractor foil to utilize any or all of the Subcontractors in the Contractor's Bid statement in the performance or the Work on the public bidding, the Contractor shall be penalized in the amount of (roject specific amount*). The Agency may determine to deduct payments of the penalty from the Contractor or have the amount paid directly to the Agency. Any penalty c nound assessed against the Contractor may be remitted or refunded, in whole or in part, by the Agency awarding the Contract, only if it is established to the satisfaction of the Agency that the Subcontractor in question has defaulted or is no longer engaged in such business. No claim for the remission or refund of any penalty shall be granted unless an application to filed within one year after the liability of the successful Bidder accrues. All year ity amounts assessed and not refunded or remitted to the contractor shall be reverted in the Cate.

*o ie (1) percent of contract amount not to exceed \$10,000

ASBESTOS ABATEMENT

The selection of any Contractor to perform asbestos abatement for State-funded projects shall be approved by the Office of Management and Budget, Division of Facilities Management pursuant to Chapter 78 of Title 16.

STANDARDS OF CONSTRUCTION FOR THE PROTECTION OF THE PHYSICALLY HANDICAPPED

5.4.1 All Contracts shall conform with the standard established by the Delaware Architectural Accessibility Board unless otherwise exempted by the Board.

5.5 CONTRACT PERFORMANCE

5.5.1 Any firm entering into a Public Works Contract that neglects or refuses to perform or fails to comply with its terms, the Agency may terminate the Contract and proceed to award a new Contract or may require the Surety on the Performance Bond to comple a uncontract in accordance with the terms of the Performance Bond.

ARTICLE 6: CONSTRUCTION BY OWNER OR SEPARATE CONTRACTORS

- 6.1 The Owner reserves the right to simultaneously perform other construction or operations related to the Project with the Owner's own forces, and to award the same site connection with other portions of the Project or other Projects at the same site.
- 6.2 The Contractor shall afford the Owner and other Contractors reconable opportunity for access and storage of materials and equipment, and for the performance of their activities, and shall connect and coordinate their activities with othe. Forces as required by the Contract Documents.

ARTICLE 7: CHANGES IN THE WORK

- 7.1 The Owner, without invalidating the Contract, muy order changes in the Work consisting of Additions, Deletions, Modifications of Substitutions, with the Contract Sum and Contract completion date being adjusted ac ordingly. Such changes in the Work shall be authorized by written Change Order signed by the Professional, as the duly authorized agent, the Contractor and the Owner.
- 7.2 The Contract Sum and Contract (ompletion Date shall be adjusted only by a fully executed Change Order.
- 7.3 The additional cost, or creat to the Owner resulting from a change in the Work shall be by mutual agreement of the Owner, Contractor and the Architect. In all cases, this cost or credit shall be bas a critter the 'DPE' wages required and the "invoice price" of the material regiment needed.
- 7.3.1 "Dr E" shall be defined to mean "direct personnel expense". Direct payroll expense includes ore t salary plus customary fringe benefits (prevailing wage rates) and documented tatute y costs such as workman's compensation insurance, Social Security/Medicare, and un imployment insurance (a maximum multiplier of 1.35 times DPE).
 - Invoice price" of materials/equipment shall be defined to mean the actual cost of materials and/or equipment that is paid by the Contractor, (or subcontractor), to a material distributor, direct factory vendor, store, material provider, or equipment leasing entity. Rates for equipment that is leased and/or owned by the Contractor or subcontractor(s) shall not exceed those listed in the latest version of the "Means Building Construction Cost Data" publication.
 - .3.3 In addition to the above, the General Contractor is allowed a fifteen percent (15%) markup for overhead and profit for additional work performed by the General Contractor's own forces. For additional subcontractor work, the Subcontractor is allowed a fifteen (15) percent overhead and profit on change order work above and beyond the direct costs stated previously. To this amount, the General Contractor will be allowed a mark-up not exceeding seven and one half percent (7.5%) on the subcontractors work. These mark-

ups shall include all costs including, but not limited to: overhead, profit, bonds, insurance, supervision, etc. No markup is permitted on the work of the subcontractors subcontractor. No additional costs shall be allowed for changes related to the Contractor's onsite superintendent/staff, or project manager, unless a change in the worl changes the project duration and is identified by the CPM schedule. There will be no other costs associated with the change order.

ARTICLE 8: TIME

- 8.1 Time limits, if any, are as stated in the Project Manual. By executing the Agreement, the Contractor confirms that the stipulated limits are reasonable, and the the two k will be completed within the anticipated time frame.
- 8.2 If progress of the Work is delayed at any time by changes ordered by the Owner, by labor disputes, fire, unusual delay in deliveries, abnormal advise weather conditions, unavoidable casualties or other causes beyond the Contractor's control, the Contract Time shall be extended for such reasonable time as the Owner mail determine.
- 8.3 Any extension of time beyond the date fixed for completion of the construction and acceptance of any part of the Work called for by the Contract, or the occupancy of the building by the Owner, in whole or in part, previous to the completion shall not be deemed a waiver by the Owner of his right to annul or terminate the Contract for abandonment or delay in the matter provided for, nor relieve the Contractor of full responsibility.
- 8.4 SUSPENSION AND DEBARMENT
- 8.4.1 Per Section 6962(d)(14), Title 2. Delaware Code, "Any Contractor who fails to perform a public works contract or complete a public works project within the time schedule established by the Agency in the Invitation To Bid, may be subject to Suspension or Debarment for one or more of the following reasons: a) failure to supply the adequate labor supply ratio for the project; the inadequate financial resources; or, c) poor performance on the Project."
- "Upon such fature for any of the above stated reasons, the Agency that contracted for 8.4.2 the public yorks project may petition the Director of the Office of Management and Budget fc Suspension or Debarment of the Contractor. The Agency shall send a copy of the petition of the Contractor within three (3) working days of filing with the Director. If The Director concludes that the petition has merit, the Director shall schedule and hold a hearing to determine whether to suspend the Contractor, debar the Contractor or deny the petition. The Agency shall have the burden of proving, by a preponderance of the evidence, that the Contractor failed to perform or complete the public works project within the time schedule established by the Agency and failed to do so for one or more of the following reasons: a) failure to supply the adequate labor supply ratio for the project; b) inadequate financial resources; or, c) poor performance on the project. Upon a finding in favor of the Agency, the Director may suspend a Contractor from Bidding on any project funded, in whole or in part, with public funds for up to 1 year for a first offense, up to 3 years for a second offense and permanently debar the Contractor for a third offense. The Director shall issue a written decision and shall send a copy to the Contractor and the Agency. Such decision may be appealed to the Superior Court within thirty (30) days for a review on the record."

STATE OF DELAWARE Contract #MJ3512000003 Hudson State Service Center

8.5 RETAINAGE

- 8.5.1 Per Section 6962(d)(5) a.3, Title 29, Delaware Code: The Agency may at the beginning of each public works project establish a time schedule for the completion of the project. I the project is delayed beyond the completion date due to the Contractor's failure to meet their responsibilities, the Agency may forfeit, at its discretion, all or part of the Contractor's retainage.
- 8.5.2 This forfeiture of retainage also applies to the timely completion of the punchlis. A punchlist will only be prepared upon the mutual agreement of the Owner, Architect and Contractor. Once the punchlist is prepared, all three parties will by nutual concernent, establish a schedule for its completion. Should completion of the punchlist be delayed beyond the established date due to the Contractor's failure to meet the responsibilities, the Agency may hold permanently, at its discretion, all or part of the Contractor's retainage.

ARTICLE 9: PAYMENTS AND COMPLETION

- 9.1 APPLICATION FOR PAYMENT
- 9.1.1 Applications for payment shall be made upon AIA Decument G702. There will be a five percent (5%) retainage on all Contractor's monoidy invoices until completion of the project. This retainage may become payable upon receipt of all required closeout documentation, provided all other requirements of the contract Documents have been met.
- 9.1.2 A date will be fixed for the taking of the nonthly account of work done. Upon receipt of Contractor's itemized application for proment, such application will be audited, modified, if found necessary, and apprived for the amount. Statement shall be submitted to the Owner.
- 9.1.3 Section 6516, Title 29 of the <u>Colaware Code</u> annualized interest is not to exceed 12% per annum beginning think (30 days after the "presentment" (as opposed to the date) of the invoice.
- 9.2 PARTIAL PAY (EN'S
- 9.2.1 Any public works Contract executed by any Agency may provide for partial payments at the option of the Owner with respect to materials placed along or upon the sites or stored of socured locations, which are suitable for use in the performance of the contract.
- 9.2.2 We en approved by the agency, partial payment may include the values of tested and acceptable materials of a nonperishable or noncontaminative nature which have been produced or furnished for incorporation as a permanent part of the work yet to be completed, provided acceptable provisions have been made for storage.

Any allowance made for materials on hand will not exceed the delivered cost of the materials as verified by invoices furnished by the Contractor, nor will it exceed the contract bid price for the material complete in place.

9.2.3 If requested by the Agency, receipted bills from all Contractors, Subcontractors, and material, men, etc., for the previous payment must accompany each application for payment. Following such a request, no payment will be made until these receipted bills have been received by the Owner.

9.3 SUBSTANTIAL COMPLETION

- 9.3.1 When the building has been made suitable for occupancy, but still requires small items c miscellaneous work, the Owner will determine the date when the project has been substantially completed.
- 9.3.2 If, after the Work has been substantially completed, full completion thereof is notecally delayed through no fault of the Contractor, and without terminating the Contract, the Contract, may make payment of the balance due for the portion of the Work fully completed and accepted. Such payment shall be made under the terms and conditions to variant final payment that it shall not constitute a waiver of claims.
- 9.3.3 On projects where commissioning is included, the commissioning work as defined in the specifications must be complete prior to the issuance of substant. ' completion.
- 9.4 FINAL PAYMENT
- 9.4.1 Final payment, including the five percent (5%) retainage if Cetermined appropriate, shall be made within thirty (30) days after the Work is fully completed and the Contract fully performed and provided that the Contractor has submitted the following closeout documentation (in addition to any other documentation required elsewhere in the Contract Documents):
- 9.4.1.1 Evidence satisfactory to the Owner that all payrolls, material bills, and other indebtedness connected with the work have been raid,
- 9.4.1.2 An acceptable RELEASE (F LIFN)
- 9.4.1.3 Copies of all applicable warranties,
- 9.4.1.4 As-built drawing),
- 9.4.1.5 Operations and Main enance Manuals,
- 9.4.1.6 Instruction vlar Jals,
- 9.4.1.7 Concent of Surety to final payment.
- 9.4.1.8 The Owner reserves the right to retain payments, or parts thereof, for its protection until the for egoing conditions have been complied with, defective work corrected and all unsatisfactory conditions remedied.

ARTICLE 10: PROTECTION OF PERSONS AND PROPERTY

The Contractor shall be responsible for initiating, maintaining, and supervising all safety precautions and programs in connection with the performance of the Contract. The Contractor shall take all reasonable precautions to prevent damage, injury or loss to: workers, persons nearby who may be affected, the Work, materials and equipment to be incorporated, and existing property at the site or adjacent thereto. The Contractor shall give notices and comply with applicable laws ordinances, rules regulations, and lawful orders of public authorities bearing on the safety of persons and property and their protection from injury, damage, or loss. The Contractor shall promptly remedy damage and loss to property

10.

at the site caused in whole or in part by the Contractor, a Subcontractor, or anyone directly or indirectly employed by any of them, or by anyone for whose acts they may be liable.

- 10.2 The Contractor shall notify the Owner in the event any existing hazardous material such ar lead, PCBs, asbestos, etc. is encountered on the project. The Owner will arrange with a qualified specialist for the identification, testing, removal, handling and protection again, the exposure or environmental pollution, to comply with applicable regulation haw, and ordinances. The Contractor and Architect will not be required to participate in or to perform this operation. Upon completion of this work, the Owner will notify the Contractor and Architect in writing the area has been cleared and approved by the authority is in order for the work to proceed. The Contractor shall attach documentation from the authorities of said approval.
- 10.3 As required in the Hazardous Chemical Information Act of June 1981 all vendors supplying any materials that may be defined as hazardous, must provide Naterial Safety Data Sheets for those products. Any chemical product should be considered nazardous if it has a warning caution on the label relating to a potential physical or health hazard, if it is known to be present in the work place, and if employees may be elimosed under normal conditions or in any foreseeable emergency situation. Material Sancty Data Sheets <u>must</u> be provided <u>directly to the Owner</u> along with the shipping slips that include those products.
- 10.4 The Contractor shall certify to the Owner that materials incorporated into the Work are free of all asbestos. This certification may be in the form of Material Safety Data Sheet (MSDS) provided by the product manufacturer for the materials used in construction, as specified or as provided by the Contractor.

ARTICLE 11: INSURANCE AND BONDS

- 11.1 The Contractor shall car'v amout ance required by law, such as Unemployment Insurance, etc. The Contractor shall carry such insurance coverage as they desire on their own property such as a field office, storage sheds or other structures erected upon the project site that belong 'o them and for their own use. The Subcontractors involved with this project shall carry whatev r insurance protection they consider necessary to cover the loss of any of their personal property, etc.
- 11.2 Upon beilet awarded the Contract, the Contractor shall obtain a minimum of two (2) copies of all required insurance certificates called for herein, and submit one (1) copy of each cert.⁵ cate, to the Owner, within 20 days of contract award.
 - Bc tilly Injury Liability and Property Damage Liability Insurance shall, in addition to the coverage included herein, include coverage for injury to or destruction of any property arising out of the collapse of or structural injury to any building or structure due to demolition work and evidence of these coverages shall be filed with and approved by the Owner.

The Contractor's Property Damage Liability Insurance shall, in addition to the coverage noted herein, include coverage on all real and personal property in their care, custody and control damaged in any way by the Contractor or their Subcontractors during the entire construction period on this project.

Builders Risk (including Standard Extended Coverage Insurance) on the existing building during the entire construction period, shall not be provided by the Contractor under this contract. The Owner shall insure the existing building and all of its contents and all this new alteration work under this contract during entire construction period for the full insurable value of the entire work at the site. Note, however, that the Contractor and their

11.3

11.5

Subcontractors shall be responsible for insuring building materials (installed and stored) and their tools and equipment whenever in use on the project, against fire damage, theft, vandalism, etc.

- 11.6 Certificates of the insurance company or companies stating the amount and type of coverage, terms of policies, etc., shall be furnished to the Owner, within 20 days of contrast award.
- 11.7 The Contractor shall, at their own expense, (in addition to the above) carr the following forms of insurance.
- 11.7.1 Contractor's Contractual Liability Insurance

Minimum coverage to be:

Bodily Injury	\$ 500,000 \$1,000,000 \$1,000,000	for each person for each occurrence aggregate
Property Damage	\$ 500,000 \$1,000,000	for each oc, un ance aogre aate
Contractor's Protective L	iability Insurance	$\langle $
Minimum coverage to be	e:	
Bodily Injury	\$ 500 500 \$1,000,250 \$1,000 002	for each person for each occurrence aggregate
Property Damage	\$ 560,000 \$5 0,000	for each occurrence aggregate
<u>Automobile Li abilit, Insu</u>	rance	
Minimur, coloray, to be	9:	
Podily Injun Prop⊾rty Damage	\$1,000,000 \$1,000,000 \$ 500,000	for each person for each occurrence per accident
Prime Contractor's and liability coverage in the s		licies shall include contingent and contractual unts as 11.7.1 above.

- Workmen's Compensation (including Employer's Liability):
- 11.75.1 Minimum Limit on employer's liability to be as required by law.
- 11.7.5.2 Minimum Limit for all employees working at one site.
 - 11.7.6 Certificates of Insurance must be filed with the Owner <u>guaranteeing</u> fifteen (15) days prior notice of cancellation, non-renewal, or any change in coverages and limits of liability shown as included on certificates.

11.7.2

11.7.3

11.7.4

STATE OF DELAWARE Contract #MJ3512000003 Hudson State Service Center

11.7.7 <u>Social Security Liability</u>

- 11.7.7.1 With respect to all persons at any time employed by or on the payroll of the Contractor or performing any work for or on their behalf, or in connection with or arising out of the Contractor's business, the Contractor shall accept full and exclusive liability for the payment of any and all contributions or taxes or unemployment insurance, or old age retirement to benefits, pensions or annuities now or hereafter imposed by the Government of the United States and the State or political subdivision thereof, whether the same be measured by wages, salaries or other remuneration paid to such persons or otherwise.
- 11.7.7.2 Upon request, the Contractor shall furnish Owner such information on Myrolls or employment records as may be necessary to enable it to fully comply with the law imposing the aforesaid contributions or taxes.
- 11.7.7.3 If the Owner is required by law to and does pay any and/or all or the a presaid contributions or taxes, the Contractor shall forthwith reimburse the Owner for the share amount so paid by the Owner.

ARTICLE 12: UNCOVERING AND CORRECTION OF WORK

- 12.1 The Contractor shall promptly correct Work rejected by the Owner or failing to conform to the requirements of the Contract Documents, whicher observed before or after Substantial Completion and whether or not fabricated, insulled or completed, and shall correct any Work found to be not in accordance with the requirements of the Contract Documents within a period of two years from the date of Substantial Completion, or by terms of an applicable special warranty required by the Contract Documents. The provisions of this Article apply to work done by Subcontractors of well as to Work done by direct employees of the Contractor.
- 12.2 At any time during the progress of the work, or in any case where the nature of the defects shall be such that it is not expedient to have them corrected, the Owner, at their option, shall have the right tr deduct such sum, or sums, of money from the amount of the contract as they consider justified to adjust the difference in value between the defective work and that required under contract including any damage to the structure.

ARTICLE 13: MISCELLA' EO' S PROVISIONS

- 13.1 CULTING AND PATCHING
 - The Contractor shall be responsible for all cutting and patching. The Contractor shall coordinate the work of the various trades involved.

DIMENSIONS

All dimensions shown shall be verified by the Contractor by actual measurements at the project site. Any discrepancies between the drawings and specifications and the existing conditions shall be referred to the Owner for adjustment before any work affected thereby has been performed.

13.1.1

13.3 LABORATORY TESTS

- 13.3.1 Any specified laboratory tests of material and finished articles to be incorporated in the work shall be made by bureaus, laboratories or agencies approved by the Owner and reports of such tests shall be submitted to the Owner. The cost of the testing shall be paid for by the Contractor.
- 13.3.2 The Contractor shall furnish all sample materials required for these tests and shall deliver same without charge to the testing laboratory or other designated agency when all d where directed by the Owner.
- 13.4 ARCHAEOLOGICAL EVIDENCE
- 13.4.1 Whenever, in the course of construction, any archaeological evidence is concountered on the surface or below the surface of the ground, the Contractor shall stify the authorities of the Delaware Archaeological Board and suspend work in the immediate area for a reasonable time to permit those authorities, or persons designated by them, to examine the area and ensure the proper removal of the archaeological evidence for suitable preservation in the State Museum.
- 13.5 GLASS REPLACEMENT AND CLEANING
- 13.5.1 The General Contractor shall replace without ex, ense to the Owner all glass broken during the construction of the project. If job condit, ins warrant, at completion of the job the General Contractor shall have all glass cleaned and riplished.

13.6 WARRANTY

13.6.1 For a period of two (2) years from the date of substantial completion, as evidenced by the date of final acceptance on the work, the contractor warrants that work performed under this contract conforms to the contract requirements and is free of any defect of equipment, material or workmanship performed by the contractor or any of his subcontractors or suppliers. However, manufacturer's warranties and guarantees, if for a period longer than two (2) years, shall take precedence over the above warranties. The contractor shall remedy at hoow expense, any such failure to conform or any such defect. The protection of this war anty shall be included in the Contractor's Performance Bond.

ARTICLE 14: TERN'INATION OF CONTRACT

14.1

If the Contractor defaults or persistently fails or neglects to carry out the Work in accordance with the Contract Documents or fails to perform a provision of the Contract, the Owner, after seven days written notice to the Contractor, may make good such deficiencies and may deduct the cost thereof from the payment then or thereafter due the Contractor. Alternatively, at the Owner's option, and the Owner may terminate the Contract and take possession of the site and of all materials, equipment, tools, and machinery thereon owned by the Contractor and may finish the Work by whatever method the Owner may deem expedient. If the costs of finishing the Work exceed any unpaid compensation due the Contractor, the Contractor shall pay the difference to the Owner.

"If the continuation of this Agreement is contingent upon the appropriation of adequate state, or federal funds, this Agreement may be terminated on the date beginning on the first fiscal year for which funds are not appropriated or at the exhaustion of the appropriation. The Owner may terminate this Agreement by providing written notice to the parties of such non-appropriation. All payment obligations of the Owner will cease

DIVISION OF FACILITIES MANAGEMENT DELAWARE HEALTH & SOCIAL SERVICES Roof Restoration & Repair

upon the date of termination. Notwithstanding the foregoing, the Owner agrees that it will use its best efforts to obtain approval of necessary funds to continue the Agreement by taking appropriate action to request adequate funds to continue the Agreement."

END OF GENERAL REQUIREMENTS

SECTION 011400

WAGE DETERMINATION SCHEDULE

- 1 GENERAL
- 1.1 DOCUMENT INCLUDES
 - A. State of Delaware Prevailing Wage Rates.
- 1.2 RELATED DOCUMENTS
 - A. General and Supplementary Conditions of the Contract.
- 2 PRODUCTS Not Used.
- 3 EXECUTION
- 3.1 WAGE RATES
 - A. See attached Prevailing Wage Rate Grede erromation for rates. This regulation and the general State of Delaware prevailing rominimum wage rates, as adopted by the Department of Labor on April 3, 1992, as determined by the Division of Industrial Affairs, Office of Labor Law Enforcement, which shall be pad for each craft or classification of all workers needed to perform the Contract during the anticipated term therefore in the locality in which public work is performed, are inade part of this Specification.

END OF DOCUMENT

Section 011400

Section 011600

ASBESTOS CONTENT

1. No Asbestos containing material was found within the existing roofing system.



760 Pulaski Highway Bear, DE 19701 1-302-326-2333

Floyd Hudson State Service Center

Asbestos Roof Inspection

Newark, DE

FINAL REPORT – 4/4/12 Harvard Project # 10795

Prepared For:

Danny Episcopo

State of Delaware Division of Facilities N anagement 1901 North DuPont Highway, Admir Buik and A inex Room 002 New Castle, DE 19720

Prepared By:

Harvard Environmental In. -760 Pulaski Highway

760 Pulaski Highway Bear Delaware 19701 302-326-2333

Written By: Michael States Operations Manager Har ard Enviroimental, Inc.

Released By:

W.G. Morrison, Jr. President Harvard Environmental, Inc.

Table Of Contents

	Introductions & Executive Summary		
			3
	Certifications & Accreditations	Appendix A	
	Homogeneous Characterizations Report	Append [;] . I	
	Material Inventory Report / Schematic Diagram with Sample Locations	Anjundi, (
	Laboratory Analytical Report	Ap, en lix E)
	7		
5			
CN			

Introductions & Executive Summary

Harvard Environmental, Inc. herein presents data associated with inspections performed at the Floyd Hudson State Service Center located at 511 Ogletown Road, Newark, DE 19711. This inspection was performed to provide compliance with 40 CFR Part 61, "Asbestos NESHAP. These Environmental Protection Agency, (EPA), regulations require inspections to be performed by certified asbestos building inspectors prior to renovations and/or demolition of facilities. This effort was performed at the request of State of Delaware Facilities Management.

This project was performed in order to identify asbestos containing roofing materials the may in pacted during future roofing repair and/or renovation projects. Harvard Environmental Inc. as assed the impacted building materials which would be considered suspect asbestos containing. A listing of locations, systems and/or materials which were not assessed may be found under "Non Assested Conditions" found further in this report.

Harvard requested drawings of the existing facility layouts/designs to assist in documenting field assessments and to provide insight as to the location of suspect materials which may be associated with the facility. Floor plans of the facility were not available. Harvard of velope d a field drawing and has converted this into a CAD file which is attached in Appendix C.

The last day of visitation to the site was performed on 2,27/12. Conditions described within this document are accurate as of the date of last visitation. Mr. 1 lichael Tessein was the responsible Harvard Environmental, Inc. employee which led the field effort as ociated with the work.

Representative sampling of suspect asbest as building coof materials was performed on future impacted building roof materials. The sampling efforter as conducted in accordance with EPA regulations and industry accepted standards.

Asbestos analysis was completed utilize geolarized Light Microscopy, (PLM). PLM utilizes an optical microscope equipped with a polarizing lens through which trained microscopist can identify asbestos fibers according to their crysterine cructure. This method of analysis is recognized throughout the industry as standard practice. Allow to determining the type of fiber, the sample was placed under a "Stereo Microscope" at oppreximately 150X magnification for purposes of visual estimation. Various fiber types were pulled from the sample and oils applied to determine refractive indices under the polarized light microscope.

This recognized nethod of analysis has a detection limit of 1% by volume. Percentages of asbestos < 1% are reported as "trace" and are not considered asbestos containing materials under EPA regulations.

 or 'er to best document the assessment, Harvard Environmental, Inc. assessed the layout and design of locations requiring assessment and assigned each geographic area a unique alpha/numeric "grid" identifier. These identifiers are specific locations of the assessment and are the basis for orientation of the data.

<u>Based on the information provided to Harvard Environmental, Inc., coupled with field inspections and</u> laboratory analysis of samples collected, asbestos will not be impacted.

Provided is a summary listing of materials assessed under this inspection. The detailed inspection data is provided as appendices further in the report.

Summary Of Materials Assessed

ID	Material Description	Analytical Results	Quantity		
001	Roof Mechanical Flashing	None Detected	104 SF		
002	Roofing Material	None Detected	17,526 Si		

Non Assessed Conditions

Systems and/or materials provided on the list below were not assessed under this inspection and therefore should not be disturbed. In the event disturbance is required to accomplicing the project objectives additional investigations will be required.

• This inspection was limited to the roof materials.

Recommendations

Based on the findings of the inspection, Harvard Environmenta, Inc. is providing the following recommendations.

 If over the course of project execution, matchals of questionable content are discovered, or should the Scope of Work expand beyond the parameters communicated to Harvard Environmental, Inc., additional inspections will be required an order to maintain compliance with Federal and State regulations.

This report is intended to provide "basic data" only. It is assumed that individuals reading and interpreting the sample locations and results, methods of analysis and hazards associated with the materials, are knowle liger the initial areas of discussion. Should any questions arise regarding the content of the information presented contact should be exclusively to Harvard Environmental, Inc., Bear, Delaware, 1-30² -326-2333.

This document should be archived by the Owner for historical reference.

Certifications And Accreditations Appendix A LICENSE NO. 1993108790 STATE OF DELAWARE VALID -DIVISION OF REVENUE POST CONSPICUOUSLY UCENSED PROFESSIONAL AND/OR PRSL SRVCS-UNCLASSIF. D 099 NUMPERS CODE 11 50117 84 DLN: GROUP COOL 007 PROFESSIONAL AND/OR PERSONAL SEP' ICES DATE ISSUED: 01/10/11 "VALIDATED" LICENSE FEE: \$ 225.00 BUSINESS LICENSE MAILING ADDRESS BUSINESS LO. T ON **#BWNKHPS** HARVA' O E IVIRONMENTAL INC #18MO X3V0 1LM0 8IB0# HARVARD ENVIRONMENTAL INC 760 PULASKI HWY BEAR DE 19701-5200 ATRICK T. CARTER IS HEREBY LICENSED TO PRACTICE, COMDUCT OR ENGAGE IN THE OCCUPATION OR BURNESS ACTIVITY INDICATED ABOVE IN ACCORDANCE WITH THE LICENSE APPLICATION DULY FILED PURSUART TO TITLE 30, DEL CODE DIRECTOR OF REVENUE N// 1.1 STATE OF DELAWARE THIS CERTIFIES THAT Harvard Environmental, Incorporated Has satisfactor, ic impleted the requirements prescribed by the Office of Management & Budget as a Asbestor inten, int Processional Service Firm this 'vel .n February Two Thousand Twelve Day of his certific, Vin is valid for one (1) year to perform asbestos services within the State of Delaware. "his certification shall be proof that the above named Contractor has met the minimum requirements es blished by the State of Delaware for temporary certification. It is not intended as an overall endc.sement of the Contractor's ability to provide services of varying size and shape. It does not endorse the methods and types of respiratory protection used by the Contractor. Contractor's Address: 760 Pulaski Highway Bear, DE 19701 February 12, 2013 Expiration Date: Certification Number: PS-054 Director Division of Facilities Management 19-19

Certifications And Accreditations



I	Homogeneous Characterizations Report	
	Appendix B	G.
CAN		

State of DE - Division of Facilities Management HARVARD Floyd Hudson State Service Center Invitonmental. Inc. Asbestos Roof Inspection 10795 Homogeneous Systems Report Homogeneous System 104 SF Asbestos PACM ✓ Non-Asbe .os ✓ Non-Friable Friable 001 Sample Identification 001A 001B 001C **Analytical Results** No Asbestos Detected EXT EXT EXT **Collection Point Grid** Description **Analytical Results** No Asbestos No Asbestos No Asbestos Roof Flashing on Mechanical Detected Detected Detected Curbs Homogeneous System 17526 ✓ Non-Asbestos SF Asbestos P Friable ✓ Non-Friable CM 002 Sample Identification 002A 002B 002 **Analytical Results** No Asbestos Detected EXT EXT EXT **Collection Point Grid** Description No / sbestos **Analytical Results** No Asbestos No Asbestos Roof Field Material Detected Detected ^r etected

Notes:

1. "Total Materials" reflects the quantity of materials valuated under this assessment. This value may not reporesent a complete inventory of all materials associated with a system, grid or building. Reference should be made to the descriptions provided in the "Executive Summary", to qualify the value indicated in this field. It ovan is provided in this field, quantification of the material was not performed.

2. "PACM" - Presumed Asbeste Latainin. Material - Sampling Not Performed


Harvard Environmental, Inc.





Materials Inventory Report

Grid	System	Homogeneous	Material	Description	Quantity	Analytical Results
EXT	Roof	0		ľ		
	RF	001	Misc. Material	Roof Flashing on Mechanical Curbs	104 5	SF No Asbesto. De. rted
-						
	RM	002	Misc. Material	Roof Field Material	17526 \$	SF No Asubstos Detected
-						
					2	
				,()		
			\sim	>		
			\mathcal{O}			
			\mathbf{V}			
		\sim				
	~~					
	\sim					
~						
r X						
()						



General Notes:

 Presentation of information is based on best available information. Drawing schematics were developed by DFM and edited by Harvard Environmental Inc. These Drawings are not to be considered to scale and are intended to be used for orientation purposes only and identifying the renovations areas and sample locations.

2. Project #10795 involved inspections for purposes of identifying asbestos containing roofing materials that may be impacted during renovations.

Bulk Sample Locations



Laboratory Analytical Report	
Appendix D	Q.
-OR-BIT	
CANNO'	

HARVARD Environmental, Inc.

		C	ERT	FICATE O	F Al	NALYSIS	10795
То:	Dann	y Episcopo				2/29	9/2012
	DHSS	6 - Div of Facilities	s Mgmt			Lab Project Nu	mber: 1593 Q ⁻ Y
		orth DuPont Highway				Received Ashley Mo	
	19720-	astle, DE				Logged Ashley Ma	
Re:	DFM ·	- Hudson State S	ervice Ce	nter - Roof Inspecti	ion	Analyzed Asghar Ke	
-		ber: 001A					Lab Sam, 9 Number: 22 ⁷ /3
OC D	-	on: ROOF FLASHING	MECHANICA		1		Col. :: Black
	%	Asbestos Type	%	Other Fibrous Type	%	Non Fibrous Type	Ounr Cribr Silver
•		None Detected	5	Cellulose	85		t. moganity; Heterogeneous
			10	Glass			Treatment: Dissolved
		-					
		oer: 001B on: ROOF FLASHING I	MECHANICA	L			Lab Sample Number: 22774
-	%	Asbestos Type	%	Other Fibrous Type	%	Non Fibrous Type	Color: Black
		None Detected	5	Cellulose	ε		Other Color Silver Homogenity: Helerogeneous
			10	Glass			Treatment: Dissolved
							Texture: Firm
-		oer: 001C on: ROOF FLASHING Asbestos Type	MECHANICA %	L Other Fibr Jus Type	%	Non Fibrous Type	Lab Sample Number: 22775 Color: Black Olher Color Silver
1		None Detected	5	Celluic re	85		Homogenity: Heterogeneous
			10	C'ass		Binder	Treatment: Dissolved
							Texture: Firm
		on: ROOF MATERIAL					Lab Sample Number: 22776
	%	Asbestos Type	%	Other Fibrous Type	%	Non Fibrous Type	Color: Black Other Color Silver
		None Detected	10	Glass	90		Homogenity: Heterogeneous
							Treatment: Dissolved
			• • • • • • • • •				Texture: Firm
- 1	X	This confidential		those item(s) tested and does not repress			e U.S. government.
	7		This	eport shall not be reproduced except in fu Analysis Method: EP		··· · · ·	
Comme	neg will	gative PLM results cannot be guarante h this method. Analyst specific measu	ed. Electron Micros rements of uncertain	arformed unless stated. Small asbestos fil copy can be used as a confirming lechniq	bers may be miss ue. Regulatory L pon request. Anal	ed by PLM due to resolution limitations imit is based on the sample matrix. Qua ysis indicates all distinct separable layer	of the optical microscope. Therefore, entification at <1% by volume is possible is in accordance with EPA 600 Method. If
Asg	har Key	· · ·		ת לאיצות	<u>ັ</u> ດ		
Ar	alyst			UN V UL		-	Approved For Releas
				NVLAP Lab Code	200885-0		Page T of 2

HARVARD Environmental, Inc.

	C	ERT	IFICATE O)F Al	NALYSIS	1079	5
To: Dan	ny Episcopo				2/2	9/2012	
DHS	S - Div of Facilities	s Mgmt			Lab Project Nu	imber: 1593 Q ⁻	
	North DuPont Highway Castle, DE				Received Ashley M	ote 2/28/2017	9
19720					Logged Ashley M		
Re: DFN	1 - Hudson State S	ervice Ce	enter - Roof Inspect	ion	Analyzed Asghar K	eyvanfar 21. 8/2012 6	
Sample Nun COC Descrip	nber: 002B htion: ROOF MATERIAL			_	-	Lab Sam, e Number: 227 /7	
%	Asbestos Type	%	Other Fibrous Type	%	Non Fibrous Type	Col. 7: Black	
	None Detected	10	Glass	90	Binder	O. er Cr. or Silver I. mogenity: Heterogeneous	
						Treatment: Dissolved	
						Texture: Firm	
Sample Nun	nber: 002C htion: ROOF MATERIAL				~~	Lab Sample Number: 22778	
%	Asbestos Type	%	Other Fibrous Type	%	N. n Fibre Js Type	Color: Black	
,,,	None Detected	 10	Glass		Dinder	Other Color Silver Homogenity: Heterogeneous	
					C	Treatment: Dissolved	
						Texture: Firm	
			JSF				
		\$					
	The confidential	report relates only f	a (hose ifem(s) lested and does not represe	seni an endorsen	Yend by NIST-NVLAP or any agency of A	he U.S. government.	
cP	This confidentia	report relatos only i This	To finose item(s) tested and does not represent the reproduced except in the reproduced except in the Analysis Method: EP	tuli, without writter	n approval of the laboratory	he U S. government.	
	(FC) Indicates Point Count Method performing the second se	This ormed. Method not j eed. Electron Micro urements of uncertai	report shall rol be reproduced except in th Analysis Method: EP performed unless stated, Small asbestos fi scopy can be used as a confirming technic	tul, without written PA 600/R-9 libers may be mis que. Regulatory l upon request. Ana	n approval of the laboratory. 3/116 Sed by PLM due to resolution limitation. Limit is based on the sample matrix. Qi lysis indicates all distinct separable lay	s of the optical microscope. Therefore,	
	(PC) Indicates Point Count Method part negative PLM results cannol be guarant with this method. Analysi specific meas not reported or otherwise noted, layer is	This ormed. Method not j eed. Electron Micro urements of uncertai	a report shall not be reproduced except in the Analysis Method: EP performed unless stated, Small asbestos fi scopy can be used as a confirming technic thy al lower concentrations are available u	tul, without written PA 600/R-9 libers may be mis que. Regulatory l upon request. Ana	n approval of the laboratory. 3/116 Sed by PLM due to resolution limitation. Limit is based on the sample matrix. Qi lysis indicates all distinct separable lay	s of the optical microscope. Therefore, uanjification at <1% by volume is possible	



PLM CHAIN OF CUSTODY

 Issued:
 5/21,00
 Page ______ of ____

 File ID:
 I 5-0C.4
 Revision No. 3

Analytical Laboratory Name: <u>HARVARD</u>											
REPORT TO	Organiza	tion:		Invoice/R	esults To:					PRC SC. N	0. 10795
	Address:			Address:						F HOJEL T N	AME: DFM-HUDSON
	City:	State	Zip Code:	City:	State		Zip C	ode:		企业工	ROOF INSPECTION
ATTN:				ATTN:							
PHONE:		FAX:								T in Annua	d Time (Circle One)
Collected By			_Date: 127/12Time: 1500	REMARK	S					Same Day	24 Hours 48 Hours 4 Days 1 Week
		-Tussein_	_Date:2/27/12Fime://630 _Date:2/28_Time:954					_		2 Weeks	3 Hr Rush 6 Hr Rush
Received By	\sim \sim									OTHER	
Received In	Lab:	Koal									
	· ·	1593				bo Sis	Hive	If Negative Analyze TEM	ŗ		OTHER INSTRUCTIONS
SAMPLE	SYS	Lab ID#	DESCRIPTIONS		LOCATION	No Layr Ju Anal sis	C Po	Nega Nyze	t (Lat	Results o Use Only)	1 2
ID	CODE	(Lab Use Only)				lS ⊲	AB(Ana			3
OOLA	RF	22m3	ROOF FLASHING- MEC	HANICAL	ъ́ст	1	1		Nos		
		22114	i i			7	/		m		
0018							7	İ	ma		
0010		2200		-6-		7	7		mo		
002 A	RM_		ROOF MATERIAL			17.	1	-	MO	·	
0026		aang				\vdash					
0020		Janne	<u> </u>		V	<u> </u>	1		MAD	- <u></u> .	
	·				· · · · · ·						
							<u> </u>				
							<u> </u>		<u> </u>	<u> </u>	
								<u> </u>			FEB 28 AM 9:54
	<u> </u>		(-)			<u> </u>		+	<u> </u>	<u> </u>	
· · ·						†					
	 								† · -		
								1			
l		<u> </u>	<u> </u>		- 						

Release Results Via: F 🛪 🕃 Eu ail € Verbal € To: ______ Date: _____ Time: _____ Signature:_____



STATE OF DELAWARE ASBESTOS INSPECTION FORM



THIS SECTION TO BE FILLED OUT BY THE OWNER OF THE OWNER'S OFFICIAL REPRESENTATIVE

	FACILITY IN	ORMATION		····						
Facility Address: Floyd Hudson State Service Center – 511 Ogletown Road										
City: Newark	County: New Castle		State: DE	7ip. 19711						
Owner's Name: State of Delaware - Fac	ilities Management		Phone: 302-27	J-5. 35						
Owner's Address: 1901 N. Dupont High	Owner's Address: 1901 N. Dupont Highway									
City: New Castle	County: New Castle		State: JE	Zip: 19720						
Owner's Contact: Danny Episcopo, DFM	1		Own r's Phr.	e: 302-255-9335						
THIS SECTION TO BE FILLED OUT BY CERTIFIED PROFESSIONAL SERVICE T'AM										
Professional Service Firm: Harvard Envir	onmental, Inc.									
Address: 760 Pulaski Highway										
City: Bear	County: New Castle		State: DE	Zip: 19701						
Inspector's Name: Mike Tessein				er: 302-326-2333						
Inspector Certification # : AC-0611-6-01		ervice Firm Certifica								
Type Of Inspection: Renovations	Demolition	Date(s)	Of Inspection:	2/27/12						
Is Asbestos Material Present: Yes	<u>No 🔀</u>									
 This certification signed by the Inspection Firm, serves that the above mentioned property or part thereof has been inspected for asbestos containing materials in accordance with the State of Delaware Regulations Governing the Control of Air Pollution. Regulation #21 Section 10. Comments: Asbestos bulk sampling wis performed on roofing materials associated with the building. All PLM bulk sample analyses determined the material to be non-asbestos. Refer to the report dated 4/3/12, Project #10795 issued by Harvard Environmer. al, Acc. 302-326-2333. 										
Signature: Mm Signature		Date: 4/3/12	2							
Print Name: Calcha, I Sanders		Title: Projec	t Representative	2						
THIS SECTION TO BE FI	LLED OUT BY OWNER OR O	PERATOR								
IF ACM Is Present And Will Be Disturb Name Of Abatement Contractor: Not A	-									

SUPPLEMENTARY ROOFING CONDITIONS

1.0 Description

The work consists of furnishing and installing all roofing and related items as specified and diagrammed herein.

2.0 Concurrent Operations

Because other activities of the Hudson State Service Center will be proceeding, the same time as the work covered by these specifications, the contractor shall $\cos p$ rate with the State of Delaware (State) Administrator to insure that all contract work p ogresses in a manner that does not conflict with other activities of the Hudson) tate Service Center Building. Set up areas will be designated at the pre-bid meeting.

3.0 Workmanship

All workmen shall be certified in the particular trade an Vor class in which they are employed. All work shall be done according o the specifications covering the class or type of work and shall meet the approval, in the field, of the State Administrator. The contractor's representative or job super isor shall have a complete copy of the specifications on the job site at a'i time. Any questions not covered in the method specifications shall be resolved at d approved in writing by the State and the State's Technical Representative.

4.0 Number of Crews On-Site

In order that the work may be accomplished in the shortest possible time, the successful bidder, weather pernitting, shall be required to have at least one crew of six (6) qualified personnel with its' own responsible foreman, at work on-site at all times. This seven (7) man crew shall remain on-site throughout the duration of the successful bidder's work. At no time shall less than this crew be at work without the express consent of the State Administrator will be advised of changes in supervision.

0 Ctorage of Materials

All materials shall be stored on-site at a place designated by the State Administrator. No materials shall be removed from the job site by the contractor for any reason, except where specifically authorized, in writing, by the State Administrator. All materials shall be inventoried as soon as possible after delivery as possible by the State Administrator and the contractor. Any items lost or stolen as a result of not being secured shall be the responsibility of the contractor to replace. All roofing felts, insulation and other absorbent roof material components must be maintained in dry condition.

ALL WET OR DAMP MATERIALS SHALL BE REMOVED from the job site and replaced with dry materials. Contractor shall be responsible for providing dry storage. **Tarpaulins** will be required for protection of all roof insulation. All plastic shipping wrappings will be removed from insulation prior to storage.

All equipment stored on the ground must be protected by a temporary fence or other approved structure.

6.0 Decks

Situations will develop where deck repair and deck replacement will be required. Contractor will include with all bids, a unit price for deck repair and a unit price for deck replacement.

7.0 Drains

Situations will develop where additional drainage is required. Contractors will include with all bids, a unit price for new installed drain assembly.

8.0 Insulation

Insulation shall have accurate dimensional stability so as to properly conform to the surfaces of the roof, cants, curbs, pipes, *c. Joints between boards shall be tight and insulation shall be held back 1/8 inc i from vortical surfaces and sumps. INSULATION SHALL BE PROTECTED FROM THE WEATHER AT ALL TIMES.

9.0 Compliance

Non-compliance with the terms of this specification and ensuing contract can result in either cancellation of the contract or in complete reworking or replacement of defective areas at the contractor's expense. In the event of cancellation, the State shall not be obligated to compensate the contractor for any work, or any roof installed in a defective manner, or which fails to meet the specification criteria.

Furtherner, DAMAGE CAUSED BY WATER INFILTRATION RESULTING FROM THE FAILURE OF THE CONTRACTOR TO SECURE EACH DAY'S WORK IN' A WATERTIGHT MANNER WILL BE CORRECTED AT THE CONTRACTOR'S EXPENSE. INCLUDED, AS DAMAGES WILL BE ALL LABOR COSTS INCURRED BY THE STATE AS A RESULT OF SUCH WATER INFILTRATION.

STATE OF DELAWARE Contract #MJ3512000003 Hudson State Service Center

DIVISION OF FACILITIES MANAGEMENT DELAWARE HEALTH & SOCIAL SERVICES Roof Restoration & Repair

The standard of all work shall be to the specification of the State Administrator. In the event of non-compliance or substandard or defective work, the State Administrator or the delegated representative may, at his discretion, halt further work until discrepancies are rectified at the contractor's expense. The State Administrator and the State's Technical Representative shall be the final authority in the interpretation of all specifications contained herein. **The roofing segment of work will not be subcontracted.**

10.0 Protection of Roof Membrane

Roof traffic is to be confined to the actual work area to the greatest extent possible. Where hauling over other areas is necessary, the roof will be protected with $_{\rm F}$ lyw od. Contractor shall be responsible for repairs and leaks in traffic areas during and after the job.

11.0 Job Conditions

All surfaces to be treated shall be smooth, visually dry, and free from dirt, debris and foreign matter before any treatment is initiated. Weather temperatures will be a minimum of 40 degrees F. and rising during roofing operations, and protective tarpaulins will be available for emergency protection of roof work in progress during periods of changing weather. THE STANDARD OF SURFACT CLEANLINESS SHALL BE TO THE SATISFACTION OF THE STATE AD'AINLATKATOR AND/OR STATE'S REPRESENTATIVE.

The Contractor is responsible to μ upp t¹ e existing and/or new roof in order to provide a suitable environment for roof μ to μ roceed. Contractor shall include in his/her base bid all necessary costs associated with μ upping of roof.

The contractor shall be reportsible for exercising all reasonable precautions to avoid fires being started, and that p ovide suitable fire extinguishers located where they can be promptly used when preded. Competent operators shall be in attendance at all times when equipment is in use. Materials and equipment shall be stored neatly in areas designated by the State Administrator, and dispersed so as to insure a minimum fire hazard.

Logus priced on the roof at any point shall not exceed the safe loading for which the roof was designed.

3

Sarpaulins will be used to cover sides of building at all loading and chute locations.

12.0 Clean-Up

Roof drains, gutters, scuppers and downspouts, must be kept clean and free from debris and obstructions, and must be functional during the project and at the completion of the project. The job foreman shall be responsible for daily inspection of work area to assure that no floatable trash or materials are left to clog drains. **DRAINAGE MUST BE FREE FLOWING AT ALL TIMES.**

All other accumulating debris shall be removed daily to assure maximum safety a. d sanitation at all times. At completion of all work, the contractor shall remove excess materials and debris from the site and leave roof surfaces and work site free from accumulations of spoil, debris and other extraneous materials from windows, floors, walls, ladders and other finished surfaces. Any damage to buildings or groundo caused by the contractor shall be rectified at the contractor's expense to the satisfaction of the State Administrator before final payment is made. Equipment and tools must meet OSHA and the State requirements. Barricades with tags will be installed as required by the State.

13.0 Temporary Electrical Power

The electrical power at the existing building will be available to the contractor. Cost of electricity will be paid for by the State.

14.0 Temporary Water

The water at the existing building will be available to the contractor. Cost of water will be paid for by the State.

15.0 Inspection of Wor's in Progress and Upon Completion

It shall be the responsionity of the Contractor to arrange an inspection of the job site with the State Administrator, State's Technical Consultant, and the Materials Manufacturer's Field Representative at the following times:

Prior to start of work. Conditions at the time shall be noted. All necessary work permits must be obtained before work begins.

PRIOR TO FINAL FINISH TO THE APPLIED ROOF SYSTEM.

16.0 Core Samples

2.

During application or upon completion, the State reserves the right to test materials and extract cores, within reason. Deficiencies will be considered less than the scope of the specification and payment will be withheld until proper corrections have been done.

17.0 Final Inspection

The representative of the contracting firm shall notify the State Administrator when he is within five (5) working days of completing a particular project. A final inspection team consisting of the State Administrator, the State's Technical Representative, the Representative of the Contracting Firm, the Contractor's Job Foreman, and Materials Manufacturer's Field Representative, shall inspect the work. Any defects noted in the work during the course of this final inspection shall be corrected to the satisfaction of the State Administrator WITHIN 15 DAYS and prior to the removal of the contractor's equipment from the job site.

18.0 Final Payment

Retainage throughout the contract period will be five (5) percent Final $_{\rm h}$ yment including the 10% retainage will not be approved until all punch list iter as *a* e addressed and the warranty is delivered to the client and accepted.

19.0 Chemical Clearance

All materials to be used must have the State's chemical clearance before being brought to the job site. OSHA material data sheets must be submitted. All materials will be ASBESTOS FREE.

20.0 Insurance

Contractor shall submit certificates of insurance conforming to the laws of the state and to the satisfaction of the State.

21.0 Progress of Work

The contractor shall notify the State Administrator, State's Technical Representative, and Material Manufacturer's Field Representative at least FIVE (5) WORKING DAYS IN ADVANCE OF THE DAY HE/SHE INTENDS TO BEGIN WORK.

All biddent shall state in their proposal:

- IF AWARDED THE JOB, THE DATE THEY EXPECT TO BEGIN WORK.
- 2. ESTIMATED NUMBER OF WORKING DAYS.

For the purposes of progress payments, the State Administrator and State's Technical Representative shall have final authority to determine the exact point of completion of any phase of work (i.e., ten percent, twenty percent, etc.).

5

22.0 Metal Samples

Color samples of all fascia and roofing metal will be submitted to the State for their approval.

23.0 Permits

The contractor shall furnish and pay for all permits, fees, and licenses required for proper execution and completion of this project.

24.0 Standard of Quality

The various materials and products specified in the specification document by name or description are given to establish a standard of quality and cost for bid purposes. It is not the intent to limit acceptance to any one material or product specified, but rather to name or describe it as an <u>absolute minimum</u> standard that is desired at d acceptable. A material or product of lesser quality would not be acceptable. Where proprietary names are used, whether or not followed by the words "or approved equal" they shall be subject to equals only as approved by the State.

25.0 Safety

Contractor must be in compliance with CSAA "Fall Protection" Standard, Subpart M (1926.500) that became effective F(orugry C, 1995.

OSHA approved safety harnesses a d warning lines must be utilized at outside edges of buildings.

Eye protection for worke's will be required. Hardhats will be required for workers on ground level. Hardhat' will also be required on workers when crane is in operation at any building.

All propans tanks are to be stored on the ground.

All to chee (if applicable) shall be equipped with dead man's shut off.

A two (2) hour fire watch will be maintained after torch operations have ceased. Contractor will use hand held laser thermometers to check all areas covered by the day's work.

26.0 Scaffolding, Guardrails, Stairways & Chutes (If required)

Provide and maintain in a safe manner for duration of construction all required scaffolds, guardrails, handrails, stairways, covers for floor, roof and wall openings, and other temporary construction as necessary.

Scaffolding will have and interior stair unit with railings. No admittance into the building will be allowed unless an emergency exists. Fence with gate will surround scaffolding as noted on drawings. When workmen are not present on roof, gate will be locked.

Provide chutes for delivery of removal materials in demolition and removal to the ground level. Throwing or dumping from higher levels will not be permitted. Pofer to an standard and specific OSHA and EPA requirements, as applicable to all work perior ned under this contract.

27.0 Landscaping

Contractor will be responsible to repair all "green areas". New clean topsoil will be used to level ground. Contractor shall apply to the disturce a areas, Agway's WearGreen Hydroseed at the rate of 5 to 7 pounds per 1000 square feet. All repaired landscaped areas must meet the State's satisfaction before final payment is made.

28.0 Toilet Facilities

Contractor must supply his or her own toilet facilities. Entry into the building will be prohibited. Port-a-pot will be locate l within the Set-up Area.

29.0 Time Schedule

Contractor shall subma, with his/her bid, a detailed critical path "Time Schedule".

All work under the Prime Contract must follow the starting and completion schedule as set forth in the "Time Schedule".

Surt date: June 5, 2014 Vorking hours: Weekdays - 7:00 A.M. to 3:30 P.M. Weekends - With prior approval of the State. Substantial Completion Date: July 18, 2014 Punch List Inspection: July 18, 2014 Final Completion: July 25, 2014

The time schedules, as outlined above, shall be strictly maintained and adhered to and shall be used by the Contractor as a guide in preparing bids and in setting up work and delivery schedules. Revisions to Time Schedule may be required due to weather delays.

Prepare shop drawings and submittals in a timely manner.

All items requiring fabrication shall be released for fabrication and shipment to the job immediately upon approval of required submittal data.

30.0 Guarantee

Upon completing the project, the Contractor shall provide a two (2) year LABO? AND MATERIALS GUARANTEE TO THE STATE AND MANUFACTURFX. IN ADDITION, THE PRIMARY ROOFING MANUFACTURER MUST PLOVIDE THE FOLLOWING:

1. ROOF RESTORATION COATING = FIVE (5) + FIVE (5) YL AR MATERIAL WARRANTY.

Guarantee must cover both the labor and materials for al syste n components.

Warranty for the roofing and metal edge systems, much come from the manufacturers.

Warranty must be signed by the PAI ENT COMPANY. Officers of divisions or subsidiaries of a PARENT COMPANY are no. a ceptable personnel to sign a roofing warranty.

31.0 Drain Testing

A preconstruction and post construction drain inspection will be made by the Contractor and the State Administrator. Any drains clogged before works begins will be opened by the State. The Contractor will be responsible to open any clogged drains found during work or at the contractor of the project.

32.0 Pre-Ar proved Materials

Roofin; Mate rials:

Ludson State Service Center:

- 1. Roof Coating:
 - a. Garland White Knight Plus
 - b. GAF Topcoat Fireshield MB
 - c. Apoc AP 525

33.0 Disclosure of Materials

The materials outlined above are the type of materials that should be used in this project. The bidder must disclose, in his/her proposal, the manufacturer(s) that he/she intends to use on this project. Bidder will not be allowed to change materials after the bid opening date. In addition, if an alternate material is bid, the material must be equal or exceed the specifications within the Material Specifications section of this document. In addition, the bidder must submit, to the State's Administrator and Consultant, the following information no later than 7 days before the bid opening. (Alternate materials only)

- 1. A certificate from an accredited testing laboratory comparing the physical and performance attributes of the proposed material with those materials denoted as pre-approved systems or the characteristics housed in the specification documents, including but not limited to the following:
 - a. Fluid Applied Membrane:
 - 1. Test results must be a. t.d, notarized and be on testing laboratory stationary. Testing for fluid applied membrane and must follow star lards:

a. ASTM D 412 for Tensile Strength & Elongation.
b. ASTM D 624 for Tear Resistance
c. ASTM F 2939 for Density
d. ASTM D 93 for Flash Point
e. ASTM D 75 for Non-Volatile

2. A list of a least five (5) jobs where the proposed alternate material was used where similar conditions. These jobs shall be located within fifty (50) miles of the project. Each job must be at least five (5) years old, and each must be available for inspection by the State's Representative.

Consideration will be given only to those alternate materials and/or systems that have written approval 4 days before the bid opening.

- Alternate supplier of roofing material must supply the following information to the State and conform to the following criteria:
 - a. Submittal of a quart sample of the coating.
 - b. Material Manufacturer must supply the State with a \$2,000,000.00 Product Liability Policy.

- c. The manufacturer must have a current ratio of 2:1 (current assets to current liabilities) and demonstrate such with an **audited** financial statement supported by an affidavit from a third party.
- d. The materials installed for the fluid applied coating must be manufactured and guaranteed by the material supplier.
- e. All products must be in accordance with the Health, Safety and Environmental Control (H, S & E) Regulations. e.g. No asuestos materials, no harmful solvent release materials, etc.
- f. In making a request for substitution, Bidder/Cortractor topresents:
 - a. He/she has personally investigated the promosed product or method, and determined that it is equal or superior in all respects to that specified.
 - b. He/she will provide the same or arantee for substitution as for the product and method specified.
 - c. He/she will coordinate installation of accepted substitution in work, making such changes as may be required for work to be com_{P}^{1} and in all respects.
 - d. He/ he wai /es all claims for additional cost related to rubsti ution, which consequently become apparent.

Cost data is complete and includes all related cost under nis/her contract or other contracts, which may be affected by the substitution.

He will reimburse the Owner for all redesign cost by the Consultant/ Architect for accommodation of the substitute.

The State reserves the right to be the final authority on the acceptance or rejection of any or all bids, proposed alternate roofing systems or materials.

Alternate material submissions shall be sent to:

Professional Roof Services, Inc. 9 Fairview Avenue Middletown, DE 19709 Attention: Mr. Chris Moore (610) 662-7562

10

6.

STATE OF DELAWARE Contract #MJ3512000003 Hudson State Service Center

34.0 Final Completion & Inspections:

Except with the consent of the Owner, the Consultant will perform no more than one (1) inspection to determine whether the Work or a designated portion thereof has attained Final Completion in accordance with the Contract Documents. The Owner shall be entitled to deduct from the Contract Sum amount paid to the Consultant for any additional final inspections including costs to process change orders.

The Consultant will perform progress inspections up to the Final Completion Dale as found in Section 30.0 "Time Schedule" above. All inspections, with the exception of one (1) final inspection, will be billed to the Owner at a rate of \$375.00 per inspection. The Owner shall be entitled to deduct from the Contract Sum amount paid to the Consultant for any additional inspections.

35.0 Contractor's Responsibility

The contractor is responsible for his or her own measurements and cores. The contractor is required to verify all field conditions. The core locations and related materials are included for convenience and are not intendent to be construed as being the same material or construction across the entire roof surface. Neelingence of the contractor not to verify all conditions will not be accepted as a justification for adjustment of the contract.

Section 011700

CONSTRUCTION WASTE MANAGEMENT SECTION 017419

Part 1 – GENERAL:

1.1 SUMMARY:

A. Section includes: Administrative and procedural requirements for construction waste management activities.

1.2 DEFINITIONS:

A. Construction, Demolition, and Land clearing (CDL) Wast :: I cludes all non-hazardous solid wastes resulting from construction, remodeling, alternations, repair, demolition and land clearing. Includes material that is recycled, reused, salvaged or disposed as garbage.

B. Salvage: Recovery of materials for on-site reuse, sale or donation to a third party.

C. Reuse: Making use of a material without altering its form. Materials can be reused on-site or reused or other projects off-site. Examples include, but are not limited to the following: Crushing or grinding of concrete for use as sub-base materials. Chipping on land clearing debris for use as mulch.

D. Recycling: The process of sorting, cleaning, treating, and reconstituting materials for the purpose of using the material in the manufacture of a new product.

E. Source-S oar ited CDL Recycling: The process of separating recyclable materials in separate containers as they are generated on the job-site. The separated materials are hauled directly to a recycling facility or transfer static n.

5. Co-mingled CDL Recycling: The process of collecting mixed recyclable materials in one container on-site. The container is taken to a material recovery facility where materials are separated for recycling.

G. Approved Recycling Facility: Any of the following:

1. A facility that can legally accept CDL waste materials for the purpose of processing the materials into an altered form for the manufacture of a new product.

2. Material Recovery Facility: A general term used to describe a waste-sorting facility. Mechanical, hand-separation, or a combination of both procedures, are used to recover recyclable materials.

1.3 SUBMITTALS:

A. Contractor shall develop a Waste Management Plan: Submit 3 cor les of plan within 14 days of date established for the Notice to Proceed.

B. Contractor shall provide Waste Management Report: Concurrent with each Applications for Payment, submit 3 copies of report

1.4 PERFORMANCE REQUIREMENTS:

A. General: Divert a minimum of 75% CDL waste, vy veight, from the landfill by one, or a combination of the following activities:

- 1. Salvage
- 2. Reuse
- 3. Source-Separated CDL Recycling
- 4. Co-mingled CDL Recycling

B. CDL waste materials that can be salvaged, reused or recycled include, but are not limited to, the folk wing:

- 1. Acoustical ceiling t.'es
- 2. Asphalt
- 3. Asphalt shingles
- 4. Cardborrd pack ging
- 5. Carpet a. 1 carpet pad
- 6. Co crete

7. Drywall

- *3*. Fit orescent lights and ballasts
- Land clearing debris (vegetation, stumpage, dirt)

¹0. Metals

11. Paint (through hazardous waste outlets)

12. Wood

- 13. Plastic film (sheeting, shrink wrap, packaging)
- 14. Window glass

15. Field office waste, including office paper, aluminum cans, glass, plastic and office cardboard.

1.4 QUALITY ASSURANCE:

A. Waste Management Coordinator Qualifications: Experienced firm, with a record of successful waste management coordination of projects with similar requirements, that employs a LEED Accredited Professional, certified by the USGBC as waste management coordinator.

B. Refrigerant Recovery Technician Qualifications: Certified by EPAapproved certification program.

C. Regulatory Requirements: Conduct construction waste management activities in accordance with hauling and disposal regulation of all authorities having jurisdiction and all other applicable law, and ordinances.

D. Preconstruction Conference: Schedule and concurrence ting at Project site prior to construction activities.

1. Attendees: Inform the following individue's, whose presence is required, of date and time of meeting.

- a. Owner
- b. Architect
- c. Contractor's superin en c.ent
- d. Major subcontractors
- e. Waste Managem me Coordinator
- f. Other concerned parties.

2. Agenda Items. Review methods and procedures related to waste management in clauding, but not limited to, the following:

a. Peview evid discuss waste management plan including resp. nsi¹ ilities of Waste Management Coordinator.

b. Review requirements for documenting quantities of each type of vaste and its disposition.

c. Review and finalize procedures for materials separation and verify availability of containers and bins needed to avoid delays.

d. Review procedures for periodic waste collections and

transportation to recycling and disposal facilities.

e. Review waste management requirements for each trade.

3. Minutes: Record discussion. Distribute meeting minutes to all participants. Note: If there is a Project Architect, they will perform this role.

1.5 WASTE MANAGEMENT PLAN – Contractor shall develop and document the following:

A. Develop a plan to meet the requirements listed in this section at a minimum. Plan shall consist of waste identification, waste reduction plan and cost/revenue analysis. Distinguish between demolition and construction waste. Indicate quantities by weight throughout the plan.

B. Indicate anticipated types and quantities of demolition, site-cleaning and construction waste generated by the project. List all assumptions made for the quantities estimates.

C. List each type of waste and whether it will be salvages, recycled or disposed of in a landfill. The plan should include the following i tform ation:

1. Types of estimated quantities, by weight, of CDJ we see expected to be generated during demolition and construction.

2. Proposed methods for CDL waste salvage. .e. se, recycling and disposal during demolition including, but net limited to, one or more of the following:

a. Contracting with a decor struction specialist to salvage materials generated,

b. Selective salvage as part of demolition contractor's work,c. Reuse of materials an-sile or sale or donation to a third party.

3. Proposed methods ion salvage, reuse, recycling and disposal during construction including, but not limited to, one or more of the following:

a. P.equiring subcontractors to take their CDL waste to a recy ring facility.

b. Contracting with a recycling hauler to haul recyclable CDL waste to an approved recycling or material recovery facility;

c. Processing and reusing materials on-site;

d. Self-hauling to a recycling or material recovery facility.

4. Name of recycling or material recovery facility receiving the CDL wastes.

5. Handling and Transportation Procedures: Include method that will be used for separating recyclable waste including sizes of containers, container labeling, and designated location on project site where materials separation will be located. D. Cost/Revenue Analysis: Indicate total cost of waste disposal as if there was no waste management plan and net additional cost or net savings resulting from implementing waste management plan. Include the following:

1. Total quantity of waste.

2. Estimated cost of disposal (cost per unit). Include hauling and tipping fees and cost of collection containers for each type of waste.

- 3. Total cost of disposal (with no waste management).
- 4. Revenue from salvaged materials.
- 5. Revenue from recycled materials.
- 6. Savings in hauling and tipping fees by donating materia.
- 7. Savings in hauling and tipping fees that are avoided
- 8. Handling and transportation cost. Including cost of collection containers for each type of waste.

9. Net additional cost or net savings from wiste management plan.

Part 2 – PRODUCTS (Not Used)

Part 3 – EXECUTION:

3.1 CONSTRUCTION WASTE MANAGEMENT, GUNERAL:

A. Provide containers for CDL wast, that is to be recycled clearly labeled as such with a list of acceptable and unacceptable materials. This list of acceptable materials must be the same as the materials recycled at the receiving materials recovery facility or recycling processor.

B. The collection containers for recyclable CDL waste must contain no more that 10% r on recyclable material, by volume.

C. Pr vide containers for CDL waste that is disposed in a landfill clearly labeled as such.

1. Use detailed material estimates to reduce risk of unplanned and potentially wasteful cuts.

E. To the greatest extent possible, include in material purchasing agreements a waste reduction provision requesting that materials and equipment be delivered in packaging made of recyclable material, that they reduce the amount of packaging, that packaging be taken back for reuse or recycling, and to take back all unused product. Insure that subcontractors require the same provisions in their purchase agreements. F. Conduct regular visual inspections of dumpsters and recycling bins to remove contaminants.

3.2 SOURCE SEPARATION:

A. General: Contractor shall separate recyclable materials from CDL waster to the maximum extent possible.

Separate recyclable materials by type.

1. Provide containers, clearly labeled, by type of separated materials or provide other storage method for managing recards ble materials until they are removed from Project site.

2. Stockpile processed materials on-site with out intermixing with other materials. Place, grade, and shape stockpiles to drain surface water and to minimize pest attraction. Gover to prevent windblown dust.

3. Stockpile materials away from emplition area. Do not store with drip line of remaining trees.

4. Store components off the ground and protect from weather.

3.3 CO-MINDGLED RECYCLING:

A. General: Do not put CD.as e that will be disposed in a landfill into a comingled CDL waste recycling container.

3.4 REMOVAL OF CONSTRUCTION WASTE MATERIALS:

A. Remove CLL was te materials from project site on a regular basis. Do not allow CDL v. 4ste to accumulate on-site.

B. Tronsport CDL waste materials off Owner's property and legally dispose of them.

c. Burning of CDL waste is not permitted.

END OF SECTION

WASTE MANAGEMENT PROGRESS REPORT					
MATERIAL CATEGORY	DISPOSED IN MUNICIPAL SOLID WASTE LANDFILL	DIVERTED FROM LANDFILL FY RECYCLING, SALVAGE OX REUSE			
		Recycled	c	alv ngel	Reused
1. Acoustical Ceiling Tiles					
2. Asphalt					
3. Asphalt Shingles				7	
4. Cardboard Packaging					
5. Carpet and Carpet Pad					
6. Concrete					
7. Drywall					
8. Fluorescent Lights and					
Ballasts					
9. Land Clearing Debris					
(vegetation, stumpage, dirt)					
10. Metals					
11. Paint (through hazardous					
waste outlets)					
12. Wood					
13. Plastic Film (sheath q,					
shrink wrap, Nacka ting)					
14. Window Class					
15. Field Cifice Waste (office					
par er, cluminum cans,					
glass, plastic, coffee					
cardboard)					
16. Other (insert description)					
1. Other (insert description)		(70071-	0.0.1.1	100100-0	
Total (In Weight)		(TOTAL OF ALL ABOVE VALUES – IN WEIGHT)			
		entage of (TOTAL WASTE DIVIDED Diverted BY TOTAL DIVERTED)			